## SAFETY DATA SHEET

OUR REF No. II-37

1. IDENTIFICATION OF THE PROP	DUCT AND OF THE SUPPLIER
PRODUCT NAME	FLOIL C-1Z
USE OF THE CHEMICAL	Lubricant
MANUFACTURER NAME	Kanto Kasei Ltd.
[MANUFACTURER ADDRESS]	1-8-1, Marunouchi, Chiyoda-ku, Tokyo JAPAN, 100-0005
[DIVISION]	Chemical Safety Division
PHONE NUMBER	TEL: 03 (3218) 7111 FAX: 03 (3218) 7100
[E-MAIL]	<u>info@kanto-kasei.com</u>

2. HAZARDS IDENTIFICATION CLP REGULATION (EC) No 1272/2008 CLASSIFICATION: The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). Hazard classification and indication: Not applicable

LABEL ELEMENTS Hazard pictograms: Not applicable Signal words: Not applicable Hazard statements: Not applicable Precautionary statements: Not applicable This product is not subject to hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

3. COMPOSITION/INFORMATION CONSTINCTION (SINGLE PRODUCT/MIXTURE) CHEMICAL NAME COMPOSITIION BASE OIL THICKNER OTHERS CHEMICAL FORMULAE CAS NO UN CLASS/UN NUMBER	N INGREDIENTS : Mixture : Grease : Synthetic oil, Mineral oil 70~80wt% : Lithium soap 5~15wt% : Additives 5~15wt% : Not disclose, because of trade secrets : Not disclose, because of trade secrets : Not applicable	
4. FIRST-AID MEASURES		
IF INHALED	: Remove victim to fresh air. Get medical advice/attention.	
IF ON SKIN	: Wash the affected area with soap and water.	
IF IN EYES	: Flush eyes with plenty of water, and get medical advice /attention.	
IF SWALLOWED	: Do not induce vomiting. Get medical advice/attention. If a mouth is polluted, wash it with plenty of water.	
MOST IMPORTANT SYMPTOM PROTECTION OF PERSON	:No data available	
GIVE FIRST-AID	:No data available	
SPECIAL NOTE TO DOCTOR	:No data available	

<ul> <li>5. FIRE-FIGHTING MESURES EXTINGUISHING MEDIA</li> <li>FIRST FIRE LARGE-SCALE FIRE UNSUITABLE EXTINGUISHING MEDIA PECULIAR HAZARD STATEMENT PECULIAR EXTINCTION METHOD</li> <li>PROTECTION OF THE PERSON EXTINGUISHIES FIRE</li> </ul>	<ul> <li>: Use spray foam, foam, powder or CO<sub>2</sub> gas extinguishing media.</li> <li>: Use powder or CO<sub>2</sub> gas extinguishing media.</li> <li>: Use foam extinguishing media.</li> <li>: Prohibit rod-shaped water injection.</li> <li>: No data available</li> <li>: Cut off combustion source of fire.</li> <li>: Sprinkle water to equipment to cool.</li> <li>: Prohibit to enter to the scene of a fire except staff.</li> <li>: Extinguish fire on the windward side of the fire and not fail to wear protector.</li> </ul>
6. ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS ENVIRONMENTAL PRECAUTIONS	<ul><li>: Always wear protective equipment when working.</li><li>: Take care not to be drained into river and drain.</li><li>: If the medicine is used for the sea, it should be what suits the standard in the technology that provides by the transportation ministerial ordinance.</li></ul>
METHODS FOR CONTAINMENT	provides by the transportation ministerial ordinance.
AND CLEANING UP	:Remove source of a fire.
SMALL QUANTITY	: Remove with a spatula or shovel, or absorb with soil, sand or a cloth. Wipe off remainder with a cloth.
LARGE QUANTITY	: Prevent access by roping off the perimeter around the leak. Prevent the spilling grease from spreading with soil and sand. After draining off to a safety area, collect as much as possible into an empty container.
AT SEA	: Prevent dispersion by creating an oil fence. Scoop up or use adsorption mats to soak up. When chemicals are used, these must comply with technological standards as set down in ministry of transport ordinances.
PREVENTION MESURE	of transport or unances.
OF SECOND DISASTER	<ul><li>: Inform promptly a related organization to attempt prevention and the expansion prevention of the accident when leaking.</li><li>: Remove source of a fire and prepare extinguishing media.</li></ul>
7. HANDLING AND STORAGE	
HANDLING TECHNICAL MESURES	: Avoid contact with flame, sparks and heated objects.

•
d.
d

	: Avoid contact with halogens, strong acids, alkaline
STORAGE	<pre>substances and oxidants. : Protect from sunlight. Store in a well-ventilated   place. : Avoid heat, sparks, flames and any build-up of   static electricity.</pre>
	: Electrical equipment used in the storage area must have a non-explosive structure, and devices must be earthed.
	: Avoid contact and storing with halogens, strong acids, alkaline substances and oxidants.
	Do not apply pressure to empty containers.
	: Don't cut, weld, heat, or make the hole the container. Traces might ignite attended with the explosion.
8. EXPOSURE CONTROLS/PERSONAL	
EQUIPMENT MESURES	: If the vapor arises, ventilation equipment or closing of vapor source is needed.
	: The equipment for washing and the body washing of
	eyes is set up near the handling area.
MANAGEMENT CONCENTRAITON ALLOWABLE CONCENTRATION	:Not established :Japan Society for Occupational Health(2013)
ALLOWABLE CONCENTIATION	$3 \text{mg/m}^3$ (as mist of mineral oil)
	: ACGIH (2013)
PROTECTION	TWA: $5 \text{mg/m}^3$ (as mist of mineral oil)
RESPIRATORY PROTECTION	: If necessary, wear hazard mask.
HAND PROTECTION	: Wear the resistance to oil if coming in contact
	repeating for a long term.
EYE PROTECTION SKIN PROTECTION	: Wear safety glasses with side shields. : When contacting for a long time or repeatedly, wear
SKIN I ROILOIION	oil resistant ones.
APPROPRIATE SANITARY	
REQUIREMENT	: Remove dirty clothes, wash completely and reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	:Semisolid	
COLOR	: Brown	
ODOR	:Slightly odor	
рH	:No data	
MELTING POINT/FREEZING POINT	:No data	
INITIAL BOILING POINT		
AND BOILING	:No data	
FLASH POINT	: Over 200°C (SETA)	
UPPER/LOWER FLAMMABILITY		
OR EXPLOSIVE LIMITS	: Upper : 7wt% lower : 1wt%	
VAPOR PRESSURE	:No data	
VAPOR density	:No data	
RELATIVE DENSITY (WATER=1)	: Approx. 0.86 (25°C)	
SOLUBILITY	:Water : Insoluble	
	Other solvent : Insoluble	
AUTO-IGNITION TEMPERATURE	:No data	
DECOMPOSITION TEMPERATURE	:No data	
MELTING POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING FLASH POINT UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS VAPOR PRESSURE VAPOR density RELATIVE DENSITY(WATER=1) SOLUBILITY AUTO-IGNITION TEMPERATURE	<pre>: No data : No data : Over 200°C(SETA) : Upper: 7wt% lower: lwt% : No data : No data : Approx. 0. 86 (25°C) : Water : Insoluble Other solvent: Insoluble : No data</pre>	

VISCOSITY	:No data
10. STABILITY AND REACTIVITY STABILITY POSSIBILITY OF HAZARDOUS REACTIONS CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS OTHER	<ul> <li>: Stability at room temperature</li> <li>: No reaction with water</li> <li>: Heating, high temperature, and contact hazardous material</li> <li>: Avoid contact with halogens, strong acids, alkaline substances and oxidants.</li> <li>: No data available</li> <li>: No data available</li> </ul>
11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY	: Oral : rat $LD_{50} \ge 5000$ mg/kg (Base oil) Dermal : rat $LD_{50} \ge 5000$ mg/kg (Base oil) Inhalation(vapor) : No data
SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/ IRRITATION RESPIRATORY OR SKIN SENSITIZATION GERM CELL MUTAGENICITY	<pre>Inhalation(mist) : LC<sub>50</sub> ≥ 5 mg/kg (Base oil) : No data available : No data available : Respiratory sensitization : No data : Skin sensitization : No data : No data available</pre>
CARCINOGENICITY Base oil, Thickener, Additives REPRODUCTIVE TOXICITY STOT-single exposure STOT-repeated exposure ASPIRATION HAZARD	s:Not listed by IARC, OSHA, NTP, EU and ACGIH. :No data available :No data available :No data available :No data available
12. ECOLOGICAL INFORMATION TOXICITY ACUTE CHRONIC PERSISTENCE/DEGRADABILITY BIOACCUMULATIVE POTENTIAL MOBILITY IN SOIL OTHER ADVERSE EFFECTS	: No data available : No data available

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

: Consider disposal via licensed waste disposal company. Scrap may be incinerated under properly controlled condition. Follow all regulations in your country.

## 14. TRANSPORT INFORMATION

Not classified as dangerous in all means of transport regulations, including air, sea and land.

INTERNATIANAL REGULATIONS	
FOR TRANSPORT	:Not regulated (Not dangerous)
UN CLASS	:Not applicable
UN NUMBER	:Not applicable
PRODUCT NAME	:Not applicable
CONTAINER GRADE	:Not applicable
SEAWATER POLLUTION MATERIAL	: None
SPECIFIC SECURITY PRECAUTION	
AND CONDITION OF TRANSPORTATION :	The container is avoided direct sunlight, and it
	loads so as not to be damaged, corroded and leak.
	The collapse of cargo piles is prevented surely.
:	:Don't pile the heavy load.
15. REGULATORY INFORMATION	

13. REGULATORY INFORMATION	
EU INFORMATION Classification (EC1272/2008)	: See SECTION 2.
Hazardous Component(s)	: None.
SPECIFIC PROVISIONS IN RELATION	
TO PROTECTION OF Man OR THE ENVIRONMENT:	
(EC) 1005/2009	:Not regulated.
(EU) 649/2012	:Not regulated.
(EC)1907/2006 Title VI	:Not regulated.
(EC)1907/2006 Title VⅢ	:Not regulated.
Others	: None.

16. OTHER INFORMATION

Please read the SDS well before use.

SAFETY DATE SHEETS ARE ISSUED BASED ON THE LATEST INFORMATION WE HAVE KNOWN. HOWEVER, THESE ARE NOT THE ONE TO INSURE SAFETY. THESE ARE PROVIDED TO COMPANIES HANDLING THE MATERIALS AS REFERENCE INFORMATION REGARDING HAZARDOUS AND HARMFUL CHEMICALS TO ENSURE SAFE HANDLING. WE ASK THAT THESE SHEETS BE USED BY COMPANIES AS REFERENCE AND WITH THE UNDERSTANDING THAT IT IS NECESSARY FOR MESURES APPROPRIATE TO THE SPECIFIC CIRCUMSTANCES RELATED TO HANDLING THE MATERIALS TO BE TAKEN UNDER THEIR OWN RESPONSIBILITY. ACCORDINGLY, THIS DATA SHEET IN NO WAY CONSTITUTES A GUARANTEE OF SAFETY.