

Media for Social Distancing

July 2020



Print media for Social Distancing



Living and moving in “1.5 meter society” is not self-evident and demands a lot of our adaptability. Currently, companies and institutions are faced with the task of furnishing their spaces in accordance with the new standards of “Social Distancing”.

We are happy to help you set up your rooms and routings according to these guidelines. For this we have brought together all suitable print media for you in this new catalog: “Print media for creating Social Distancing”.

These print media and supplies are organized according to the different types of applications:

- Floor signage
- Wall signage
- Window signage
- Splash guards and partitions
- Posters and hanging cards
- Roll-ups including system

Our range covers all suitable media types in any format, for all common printing techniques! Whether you have an imageRUNNER or imagePRESS, a Color-Wave or

imagePROGRAPH, a Colorado or Arizona, a Solvent or Latex printer, Canon has the right print media for almost every application.

All our media are tested and guaranteed for trouble-free processing on the various Canon printers. We are happy to assist you and help you make the right media choice for your application and printer.

Working together on a new reality, stronger together

The Perfect Match



Canon knows best when it comes to finding the perfect match for your printer. Our comprehensive range of Imaging Supplies is based on our in-depth knowledge of printers, supplies and the total document workflow. Our supplies are perfectly matched to the machines for which they are designed – because the right supplies are one of the most crucial success factors for high quality results. For over 80 years, we've been supporting profitable business growth by offering a complete range of high quality products for both every-day and specialist applications, across the full spectrum of print systems.

The benefits of Canon Imaging Supplies

- One-stop-shop for all your copier and print needs
- Warranted quality
- Fast turnaround
- Ease of ordering via webshop, phone, email, fax or post
- Perfect runability
- Expert staff who can assist with your product queries
- Extensive range for all print and copy technologies

Canon offers a wide range of supplies for a variety of applications. From small format media for office documents and commercial applications to large format media for CAD/GIS and Display Graphics systems, we have your needs covered.

To find the right media for your printer and application

needs, Canon developed the Media Guide, www.canon.co.uk/mediaguide - a unique online media database that allows you to search for products by printer type, brand, media type and application. The Media Guide is updated daily and offers extensive product information, colour profiles and detailed guidelines regarding compatibility.

You will find product information for over 400 different media types (and over 3,500 items), ranging from paper, films, textiles, vinyl, laminating and solid materials for large and small format printers, copiers and laminators.

Using the right supplies can make a substantial difference.

Find The Perfect Match With Canon Imaging Supplies!

How to order



Canon Imaging Supplies offer several ordering options to make it fast and simple to get the supplies you require.

Simply order with Imaging Supplies via

- Webshop: <http://suppliesshop.canon.co.uk>
- Phone: 0800 623 623
- Email: SuppliesAdmin@cuk.canon.co.uk
- Fax: 01277 846 630
- Post: Canon (UK) Ltd.,
Lakehouse, 1 King George Close,
Romford, RM7 7LS

Benefits of ordering online

- 24/7 Access
- One-click repeat ordering
- Simple product search
- Order from our unique online Media guide
- Save your favorites to a personalised shopping cart
- Check stock availability immediately
- Flexible delivery options
- Access to accurate product information
- View your pricing information

Sustainability



Social responsibility is an important topic in our society. This includes purchasing durable paper, a product indispensable in our lives. Paper is a natural product and Canon wants to be sure that the natural resources are managed properly, so future generations can also use them.


According to Canon, sustainable business does not only concern forestry, but also the production of paper. Canon has a progressive range of high quality materials with a minimal environmental footprint. All Canon products are manufactured with care for the environment and our assortment of paper complies with the most important environmental standards. We guarantee that our paper products meet the newest and highest sustainability requirements.

We sincerely consider the environment when selecting our suppliers. Canon takes responsibility for monitoring sound and sustainable entrepreneurship as well as

continuously improving environmental performances. When selecting raw materials, energy sources, production processes and product developments the minimising of environmental effects is considered at every step.

Canon delivers all products in practical and durable packaging and is continuously looking for smarter packaging solutions without jeopardizing processing the product process. To minimize damage during transport we will whenever possible aim for pallet deliveries - this clusters deliveries but also minimizes possible damages.

Table of Contents



1 Media self-adhesive for floor signage	7	3.18 IJM685 White Cling Film Semi-matt 195µm	18
1.1 IJM684 Textured FloorGraphics Matt B1/M1	7	3.19 FIN963 Cold Economy Lamin. Gloss 80µm	18
1.2 IJM643 Monom. Vinyl Gloss Grey Removable	7	3.20 Avery Surface Cleaner	19
1.3 IJM715 Floor Graphics SA Anti Slip 360g	8	3.21 Avery Adhesive Remover	19
1.4 IJM640 Monomeric Vinyl Gloss Permanent	8	3.22 Squeegee	19
1.5 MPI3001HOP Monom. Vinyl Gloss Removable	8		
1.6 IJM538 Universal self-adh. Vinyl 80 µm	8	4 Moist protection screens transparent	20
1.7 IJM538C Universal self-adh. Vinyl 80 µm	9	4.1 IJM332 Clear Film Extra 110 µm	20
1.8 FIN982 Cold PVC Lamin. Film Matt Grained	9	4.2 IJM778 Clear Display Film UV 180 µm	20
2 Media self-adhesive for wall signage	10	5 Poster media and hanging cards	21
2.1 IJM648 Smart Dot SA Vinyl Matt Perm100µm	10	5.1 LFM411 Fluorescent paper 95 g/m ²	21
2.2 LFM361 Self-adhesive Paper 90 g/m ²	10	5.2 Top Coated Plus Gloss	21
2.3 IJM641 Monomeric Vinyl Gloss Removable	11	5.3 Top Coated Graphic+ Gloss	21
2.4 IJM642 Monomeric Vinyl Matt Removable	11	5.4 Top Colour Zero Banner	22
2.5 IJM643 Monom. Vinyl Gloss Grey Removable	11	5.5 LFM098 Top Color Paper 160 g/m ² FSC	22
2.6 IJM646 Polym. Gloss Grey Perm. Easy Appl	11	5.6 LFM094 Top Color Paper 200 g/m ² FSC	22
2.7 MPI3001HOP Monom. Vinyl Gloss Removable	12	5.7 IJM153C Smart Matt Papier 180 g/m ² (FSC)	22
2.8 MPI3021HOP Monomeric Vinyl Matt Rem.	12	5.8 IJM814 Prem. Poster P. Uncoated FSC 160g	23
2.9 MPI3601 Quick Mount Remov. Gloss 150 µm	12	5.9 IJM80X Poster Papers Machine Coated	23
2.10 MPI3621 Quick Mount Remov. Matt 150 µm	12	5.10 IJM809 Poster Paper MC Silk 250 g/m ² FSC	23
2.11 FIN963 Cold Economy Lamin. Gloss 80µm	13	5.11 IJM627 White Outd. Pap. Gloss 200g/m ²	24
2.12 Avery Surface Cleaner	13	5.12 IJM814 Prem. Poster P. Uncoated FSC 160g	24
2.13 Avery Adhesive Remover	13	5.13 Glossy labels	24
2.14 Squeegee	13		
		6 Signage, Roll-ups, and separators	25
3 Window Signage	14	6.1 IJM368 Lightblock Film Matt 255µm	25
3.1 Self-adhesive Films	14	6.2 IJM662 Polyprop Light Block Matt 195 µm	25
3.2 LFM360 Self-adhesive PET film 155 µm	14	6.3 LFM342 Roll-up Film 175 µm	25
3.3 IJM538C Universal self-adh. Vinyl 80 µm	14	6.4 IJM778 Clear Display Film UV 180 µm	26
3.4 IJM538 Universal self-adh. Vinyl 80 µm	14	6.5 IJM367 Polyprop Light Block Matt 200 µm	26
3.5 IJM539C S.-adh. Polyprop Film, Rem. 100µ	15	6.6 IJM670 Printable Light Block S Mat 165µm	26
3.6 IJM641 Monomeric Vinyl Gloss Removable	15		
3.7 IJM642 Monomeric Vinyl Matt Removable	15		
3.8 IJM643 Monom. Vinyl Gloss Grey Removable	16		
3.9 IJM648 Smart Dot SA Vinyl Matt Perm100µm	16		
3.10 MPI3001HOP Monom. Vinyl Gloss Removable	16		
3.11 MPI3021HOP Monomeric Vinyl Matt Rem.	16		
3.12 MPI3041 Monom. Vinyl Transp. Gloss Rem.	17		
3.13 MPI3601 Quick Mount Remov. Gloss 150 µm	17		
3.14 MPI3621 Quick Mount Remov. Matt 150 µm	17		
3.15 IJM677 Perforated Window Film	18		
3.16 IJM676 Self-adh Window Decor. Film Clear	18		
3.17 IJM683 Clear Cling Film Gloss 175 µm	18		

1 Media self-adhesive for floor signage

Living and moving in "1.5 meter society" is not self-evident and demands a lot of our adaptability. In the fight against the Corona virus, companies and institutions are faced with the task of furnishing their spaces in accordance with the new standards of "Social Distancing".

To help you arrange spaces and routing according to these guidelines, we have brought together all suitable print media for you.

We have classified the print media and supplies on the basis of the various options for setting up "1.5 meter spaces". Here you will find all types of print media for most commonly used printing techniques.

All our media are tested and guaranteed for trouble-free processing on the various Canon printers.

There are two options for signing on floors: a vinyl floor sticker or a normal self-adhesive vinyl sticker in combination with a floor laminate. Both floor stickers and floor laminates have anti-slip properties and have been specially developed for this application. Most grades are suitable for indoor use only, for a period of several months, depending on the intensity of use. The exception is the IJM684, this quality is more durable and in combination with UVgel ink also very scratch resistant and suitable for long-term indoor use and even temporarily for outdoor use.

1.1 IJM684 Textured FloorGraphics Matt B1/M1

Indoor, slip resistant, self-adhesive textured matt PVC coated fabric for indoor surfaces like carpets and walls. IJM684 is suited for (eco) solvent and UV curable printing

Highlights

- Indoor floor graphics
- Slip resistant - R12 certified
- Easy to apply and remove

Specifications

- Weight (total) 385 g/m²
- Thickness coated fabric 100 -250 µm
- Slip-resistance R12
- Thickness adhesive 80 ± 5 µm

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97004074	TEXTURED FLOOR GRAPHICS, MATT, B1 25 m 1 220 mm 385 GM2	1.220	25	385	1 ROL	1 ROL	30,5 m ²

1.2 IJM643 Monom. Vinyl Gloss Grey Removable

IJM643 is a gloss, white, monomeric, calendered, self-adhesive vinyl with a removable grey, acrylic adhesive and backed with a kraft paper release liner

Highlights

- Short-term removable promotional signage
- Removable grey glue for opacity
- Easy application on flat surfaces

Specifications

- Thickness 165 µm
- Thickness (w/o liner) 100 µm
- Weight Liner 120 g/m²
- Weight Glue 20 g/m²
- Adhesion on steel 24h min. 6 N / 25mm
- Opacity > 98%

Prod.id	Description	Width (MM)	Length (M)	µm	Min. Order	RL per SU	Quantity
97001778	IJM643 MonVinyl GI100Um RemGr 50x1.600	1.600	50	100	1 ROL	1 ROL	80,0 m ²
97005382	IJM643 MonVinylGloss GR 100um 50x1.050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005383	IJM643 Mon. Vinyl Gl. Rem. Grey 10x1.370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005384	IJM643 MonVinylGloss GR 100um 50x1.520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

1.3 IJM715 Floor Graphics SA Anti Slip 360g

Self-adhesive soft calendared vinyl with unique hexagonal R10 certified anti slip surface. Perfect and robust floor graphics when printed on Colorado C16x0. No need to laminate.

Highlights

- Monomeric floor sticker with R10 anti-slip value
- Easy to apply and remove
- No need to laminate
- For short and medium term applications
- Very robust when printed with UVgel ink
- Suitable for UVgel, UV , (Eco) Solvent and Latex

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005718	IJM715 FloorGraphics SA 360g 40X1,370 40 m 1,370 mm 360 GM2	1.370	40	360	1 ROL	1 ROL	54,8 m ²

1.4 IJM640 Monomeric Vinyl Gloss Permanent

IJM640 is a white, monomeric, calendared, self-adhesive vinyl with a permanent acrylic adhesive, backed with a kraft paper release liner

Highlights

- Short-term promotional signage
- Permanent acrylic adhesive
- Excellent application on flat surfaces

Specifications

- Thickness 80 µm
- Dimensional stability < 0.4 mm
- Initial adhesion 550 N/m
- Final adhesion 800 N/m

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005373	IJM640 Mon. Vinyl Gloss Perm. 50x1,050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005374	IJM640 MonVinylGloss Perm 100um 50x1,370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005375	IJM640 MonVinylGloss Perm 100um 50x1,520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

1.5 MPI3001HOP Monom. Vinyl Gloss Removable

MPI3001H is a gloss white self-adhesive short-term calendared 95 micron vinyl. The adhesive is removable, clear and it is acrylic based. The H in MPI3001H stands for High opacity blackout layer.

Highlights

- Short term Interior & exterior signs
- Removable acrylic adhesive
- Easy application to a wide variety of flat substrates

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005197	MPI3001HOP Monom Gloss Rem 95um 50x1,067	1.067	50	95	1 ROL	1 ROL	53,4 m ²
97005189	MPI3001HOP Monom Gloss Rem 95um 50x1,370	1.370	50	95	1 ROL	1 ROL	68,5 m ²
97005199	MPI3001HOP Monom Gloss Rem 95um 50x1,600	1.600	50	95	1 ROL	1 ROL	80,0 m ²

1.6 IJM538 Universal self-adh. Vinyl 80 µm

White, self-adhesive PVC film with permanent adhesive and a paper release liner. The white, matt, microporous coating is waterproof.

Highlights

- High color brilliance and optical density
- Permanent adhesive
- Up to 12 months outdoor with pigment inks

Specifications

- Weight total 297 g/m²
- Thickness total ±278 µm
- Whiteness CIE 153,4

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002764	IJM538 UnivVinyl SA 80µm 20x0,610 2in B1	610	20	80	1 ROL	1 ROL	12,2 m ²
97002512	IJM538 UnivVinyl SA 80µm 20x0,914 2in B1	914	20	80	1 ROL	1 ROL	18,3 m ²
97002513	IJM538 UnivVinyl SA 80µm 20x1067 2in B1	1.067	20	80	1 ROL	1 ROL	21,3 m ²

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002514	IJM538 UnivVinyl SA 80µm 20x1,270 2in B1	1.270	20	80	1 ROL	1 ROL	25,4 m ²
97002516	IJM538 UnivVinyl SA 80µm 20x1,524 2in B1	1.524	20	80	1 ROL	1 ROL	30,5 m ²

1.7 IJM538C Universal self-adh. Vinyl 80 µm

White, self-adhesive PVC film on 3 inch core rolls with permanent adhesive and a paper release liner. The white, matt, microporous coating is waterproof.

Highlights

- High color brilliance and optical density
- Permanent adhesive
- Up to 12 months outdoor with pigment inks
- Special for Canon ColorWave 900

Specifications

- Weight total 297 g/m²
- Thickness total ±278 µm
- Whiteness CIE 153,4

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004096	SELF-ADH UNIVERSAL VINYL- B1 WHITE 20 m 1 067 mm 80 µM	1.067	20	80	1 ROL	1 ROL	21,3 m ²

1.8 FIN982 Cold PVC Lamin. Film Matt Grained

Transparent, high quality textured monomeric PVC with permanent acrylic adhesive for laminating applications and short-term indoor floor graphics applications.

Highlights

- Floor graphics laminate
- Embossed finish eliminates glare
- Slip resistant (R9 rating)

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002736	FIN982 Cold PVC MattGrain 100um 50x1,04	1.040	50	100	1 ROL	1 ROL	52,0 m ²
97002737	FIN982 Cold PVC MattGrain 100um 50x1,400	1.400	50	100	1 ROL	1 ROL	70,0 m ²

2 Media self-adhesive for wall signage

Living and moving in "1.5 meter society" is not self-evident and demands a lot of our adaptability. In the fight against the Corona virus, companies and institutions are faced with the task of furnishing their spaces in accordance with the new standards of "Social Distancing".

To help you arrange spaces and routing according to these guidelines, we have brought together all suitable print media for you.

We have classified the print media and supplies on the basis of the various options for setting up "1.5 meter spaces". Here you will find all types of print media for most commonly used printing techniques.

All our media are tested and guaranteed for trouble-free processing on the various Canon printers.

Here you will find our selection of self-adhesive materials that can be used for signing on walls, doors and screens. The media are suitable for short- or medium-term use and can be easily removed after use for up to a year. Various qualities also offer a lot of ease of application. You can also use a laminate for this, which also offers a lot of extra protection.

2.1 IJM648 Smart Dot SA Vinyl Matt Perm100µm

IJM648 Smart Dot Self Adhesive is a white matte and permanent adhesive monomeric vinyl equipped with so-called glue "studs". After application the vinyl can be repositioned well. After three days the maximum tack is reached. That's why this vinyl can be applied with ease and without bubbles on big surfaces. IJM648 is the ideal vinyl for short and medium-term use indoor applications such as window decorations and point of sale displays on solid surfaces. It is compatible with UVgel 460 inks (Colorado 1650 matt and gloss mode), Eco Solvent and Latex inks.

Highlights

- White matt monomeric vinyl
- "Smart-dot" glue technology (glue "studs")
- Easy and bubble-free application
- Low total cost of operation
- For short and medium-term applications on solid surfaces
- Suitable for UVgel 460 inks (Colorado 1650, matt en gloss mode)
- Suitable for Eco-Solvent and latex inks.

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005613	IJM648 Smart DOT SA Vinyl 100um 50x1,370 50 m 1,370 mm 100 µM	1.370	50	100	1 ROL	1 ROL	68,5 m ²

2.2 LFM361 Self-adhesive Paper 90 g/m²

Light embossed white self-adhesive paper with a removable rubber-based adhesive and a bleached kraft paper release liner. The paper is matt woodfree. It has a good wet strength and good adhesion on a variety of materials. The adhesion is particularly good to glass. Immediately after pasting, the paper is repositionable.

Highlights

- Excellent print quality for Crystal Point™ Technology
- Light embossed surface
- Low tack, removable adhesive

Specifications

- Weight 90 g/m²
- Thickness 0.122 mm
- Min. application temp. 20 °C
- Service temperature -40/70 °C

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97002831	LFM361 Self-adh.Paper 90g 60x1.000	1.000	60	90	1 ROL	1 ROL	60,0 m ²

2.3 IJM641 Monomeric Vinyl Gloss Removable

IJM641 is a white, monomeric, calendered, self-adhesive vinyl with a removable acrylic adhesive, backed with a kraft paper release liner

Highlights

- Short-term removable promotional signage
- Easy removal up to 1 year
- Excellent application on flat surfaces

Specifications

- Thickness 80 µm
- Dimensional stability < 0.4 mm
- Initial adhesion 200 N/m
- Final adhesion 400 N/m

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005376	IJM641 Mon. Vinyl Gloss Remov. 50x1,050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005377	IJM641 MonVinylGloss Rem 100um 50x1,370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005378	IJM641 MonVinylGloss Rem 100um 50x1,520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

2.4 IJM642 Monomeric Vinyl Matt Removable

IJM642 is a matt, white, monomeric, calendered, self-adhesive vinyl with a removable acrylic adhesive and backed with a kraft paper release liner.

Highlights

- Short-term removable promotional signage
- Easy removal up to 1 year
- Matt finish

Specifications

- Thickness 100 µm
- Dimensional stability < 0.4 mm
- Initial adhesion 225 N/m
- Final adhesion 400 N/m

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005379	IJM642 Mon. Vinyl Matt Remov. 50x1,050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005380	IJM642 MonVinylMatt Rem 100um 50x1,370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005381	IJM642 MonVinylMatt Rem 100um 50x1,520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

2.5 IJM643 Monom. Vinyl Gloss Grey Removable

IJM643 is a gloss, white, monomeric, calendered, self-adhesive vinyl with a removable grey, acrylic adhesive and backed with a kraft paper release liner

Highlights

- Short-term removable promotional signage
- Removable grey glue for opacity
- Easy application on flat surfaces

Specifications

- Thickness 165 µm
- Thickness (w/o liner) 100 µm
- Weight Liner 120 g/m²
- Weight Glue 20 g/m²
- Adhesion on steel 24h min. 6 N / 25mm
- Opacity > 98%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97001778	IJM643 MonVinyl GI100Um RemGr 50x1,600	1.600	50	100	1 ROL	1 ROL	80,0 m ²
97005382	IJM643 MonVinylGloss GR 100um 50x1,050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005383	IJM643 Mon. Vinyl Gl. Rem. Grey 10x1,370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005384	IJM643 MonVinylGloss GR 100um 50x1,520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

2.6 IJM646 Polym. Gloss Grey Perm. Easy Appl

High-quality, calendered polymeric, white, self-adhesive vinyl with a glossy finish and a permanent, grey, opaque adhesive with air channels for easy bubble-free application

Highlights

- Durable outdoor signage
- Pure acrylic, grey, permanent adhesive for opacity
- Air channels for easy bubble-free application

Specifications

- Thickness 230 µm
- Thickness (w/o liner) 75 µm
- Adhesion on Glass 48h > 19N/25mm
- Tensile Strength * 28/26 N/mm²
- Elongation * 150/200 %
- Dimensional stability < 0.03%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002793	IJM646 PolymVinGIGrAE80um 50x1,370 PO	1.370	50	80	1 ROL	1 ROL	68,5 m ²
97002873	IJM646 PolymVinGIGrAE80um 50x1,520 PO	1.520	50	80	1 ROL	1 ROL	76,0 m ²

2.7 MPI3001HOP Monom. Vinyl Gloss Removable

MPI3001H is a gloss white self-adhesive short-term calendered 95 micron vinyl. The adhesive is removable, clear and it is acrylic based. The H in MPI3001H stands for High opacity blackout layer.

Highlights

- Short term Interior & exterior signs
- Removable acrylic adhesive
- Easy application to a wide variety of flat substrates

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005197	MPI3001HOP Monom Gloss Rem 95um 50x1,067	1.067	50	95	1 ROL	1 ROL	53,4 m ²
97005189	MPI3001HOP Monom Gloss Rem 95um 50x1,370	1.370	50	95	1 ROL	1 ROL	68,5 m ²
97005199	MPI3001HOP Monom Gloss Rem 95um 50x1,600	1.600	50	95	1 ROL	1 ROL	80,0 m ²

2.8 MPI3021HOP Monomeric Vinyl Matt Rem.

MPI3021H is a matt white self-adhesive short-term calendered 95 micron vinyl. The adhesive is removable, clear and it is acrylic based.

Highlights

- Short term Interior & exterior signs
- Removable acrylic adhesive
- Matte finis

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005237	MPI3021HOP Monom Matt Rem 95um 50x1,067	1.067	50	95	1 ROL	1 ROL	53,4 m ²
97005191	MPI3021HOP Monom Matt Rem 95um 50x1,370	1.370	50	95	1 ROL	1 ROL	68,5 m ²

2.9 MPI3601 Quick Mount Remov. Gloss 150 µm

Avery MPI 3601 is a gloss white monomeric calendered vinyl with a removable adhesive. Excellent for overposting due to it's highly opaque characteristics. It suitable for use on solvent and UV curable printers.

Highlights

- All applications where previous applications require gloss overposting
- Acrylic removable adhesive
- Thickness of film allows for easy application

Specifications

- Caliper, facefilm 150 micron
- Opacity 99 %
- Dimensional stability 0.5 mm. max
- Adhesion, initial 200 N/m
- Adhesion, ultimate 350 N/m
- Flammability Self extinguishing
- Shelf life 2 years
- Durability 2 years

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97001877	AVERY QUICKMOUNT 150UM 50 m 1 370 mm 150 µM	1.370	50	150	1 ROL	1 ROL	68,5 m ²
97001709	AVERY QUICKMOUNT 150UM 50 m 1 600 mm 150 µM	1.600	50	150	1 ROL	1 ROL	80,0 m ²

2.10 MPI3621 Quick Mount Remov. Matt 150 µm

Avery Dennison Multi Purpose Inkjet 3621 is a matt white high opacity promotional calendered vinyl with a removable adhesive suitable for indoor and outdoor short-term and promotional applications where over posting and ease of application is required.

Highlights

- All applications where previous applications require matt overposting
- Acrylic removable adhesive
- Thickness of film allows for easy application

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005609	MPI3621 QuickMountMattRem 150um 50x1,370 50 m 1,370 mm 150 µM	1.370	50	150	1 ROL	1 ROL	68,5 m ²

2.11 FIN963 Cold Economy Lamin. Gloss 80µm

A glossy monomeric plasticized, calendered laminate film. It is a protective overlaminating film for digitally printed images, followed by application on flat surfaces.

Highlights

- Good UV protection
- Permanent adhesion
- Excellent transparency
- High gloss finish

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005366	FIN963 ColdEc LamFilm Glos70um 50x1,370	1.370	50	70	1 ROL	1 ROL	68,5 m ²
97005365	FIN963 Cold Ec. Lam. Film Gloss 50x1,040	1.040	50	70	1 ROL	1 ROL	52,0 m ²
97005367	FIN963 ColdEc LamFilm Glos70um 50x1,550	1.550	50	70	1 ROL	1 ROL	77,5 m ²

2.12 Avery Surface Cleaner

Avery surface Cleaner: Een krachtig product voor het reinigen en ontvetten van verschillende ondergronden die voorbereid moeten worden voor de applicatie van zelfklevende materialen

Prod.id	Description	Min. Order
97003741	AVERY SURFACE CLEANER 1L (6 BTL)	1 BX

2.13 Avery Adhesive Remover

Geeft een fantastische schone, lijmrestenvrije ondergrond als de graphics worden verwijderd.

Prod.id	Description	Min. Order
97003742	AVERY ADHESIVE REMOVER 6 X 500ML	1 BX

2.14 Squeegee

Prod.id	Description	Min. Order
97003743	AVERY SQUEEGES PRO WITH FELT (12 PIECES)	1 BX

3 Window Signage

3.1 Self-adhesive Films

Self-adhesive Films

Highlights

- Excellent colour display
- Good toner adhesion

Prod.id	Description	Width (MM)	Length (MM)	µM	Min. Order	Format	Quantity
99518254	POL740 Adh Film Clear140um A4 100	210	297	140	1 BX	A4	100 SH
99854354	MATT TRANSPARENT FILM SELF ADHESIVE	210	297	140	1 BX	A4	100 SH
99519254	WHITE OPAQUE FILM SELF ADHESIVE	210	297	140	1 BX	A4	100 SH

3.2 LFM360 Self-adhesive PET film 155 µm

White matt self-adhesive polyester film with silicon paper release liner for indoor use. The film has good adhesion on flat and smooth, lacquered surfaces, such as boards and plates of plastic, glass, or metal.

Highlights

- For Crystal Point™ Technology
- Good adhesion on flat and smooth surfaces

Specifications

- Total weight ~200 g/m²
- Total thickness ~160 µm
- Weight paper liner ~110 g/m²
- Thickness film ~50µm

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002648	SELF-ADHESIVE POLYESTER FILM 155UM	610	50	155	1 ROL	1 ROL	30,5 m ²
97002647	SELF-ADHESIVE POLYESTER FILM 155UM	914	50	155	1 ROL	1 ROL	45,7 m ²

3.3 IJM538C Universal self-adh. Vinyl 80 µm

White, self-adhesive PVC film on 3 inch core rolls with permanent adhesive and a paper release liner. The white, matt, microporous coating is waterproof.

Highlights

- High color brilliance and optical density
- Permanent adhesive
- Up to 12 months outdoor with pigment inks
- Special for Canon ColorWave 900

Specifications

- Weight total 297 g/m²
- Thickness total ±278 µm
- Whiteness CIE 153,4

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004096	SELF-ADH UNIVERSAL VINYL- B1 WHITE 20 m 1 067 mm 80 µM	1.067	20	80	1 ROL	1 ROL	21,3 m ²

3.4 IJM538 Universal self-adh. Vinyl 80 µm

White, self-adhesive PVC film with permanent adhesive and a paper release liner. The white, matt, microporous coating is waterproof.

Highlights

- High color brilliance and optical density
- Permanent adhesive
- Up to 12 months outdoor with pigment inks

Specifications

- Weight total 297 g/m²
- Thickness total ±278 µm
- Whiteness CIE 153,4

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002764	IJM538 UnivVinyl SA 80µm 20x0,610 2in B1	610	20	80	1 ROL	1 ROL	12,2 m ²
97002512	IJM538 UnivVinyl SA 80µm 20x0,914 2in B1	914	20	80	1 ROL	1 ROL	18,3 m ²
97002513	IJM538 UnivVinyl SA 80µm 20x1067 2in B1	1.067	20	80	1 ROL	1 ROL	21,3 m ²

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002514	IJM538 UnivVinyl SA 80µm 20x1,270 2in B1	1.270	20	80	1 ROL	1 ROL	25,4 m ²
97002516	IJM538 UnivVinyl SA 80µm 20x1,524 2in B1	1.524	20	80	1 ROL	1 ROL	30,5 m ²

3.5 IJM539C S.-adh. Polyprop Film, Rem. 100µ

White, self-adhesive polypropylene film with a matt microporous coating, removable adhesive and a paper release liner.

Highlights

- Indoor signage (posters, labels, point of purchase)
- PVC free
- Up to 12 months outdoor with pigment inks
- 3 inch core

Specifications

- Weight total 130 g/m²
- Thickness 100 µm
- Thickness total 170 µm
- Tackiness [N/25mm] 6 A.F.E.R.A.
- Tackiness (24H) [N/25mm] 6 A.F.E.R.A.

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004171	SELF-ADHESIVE POLYPROP FILM, REM WHITE	914	30	100	1 ROL	1 ROL	27,4 m ²

3.6 IJM641 Monomeric Vinyl Gloss Removable

IJM641 is a white, monomeric, calendered, self-adhesive vinyl with a removable acrylic adhesive, backed with a kraft paper release liner

Highlights

- Short-term removable promotional signage
- Easy removal up to 1 year
- Excellent application on flat surfaces

Specifications

- Thickness 80 µm
- Dimensional stability < 0.4 mm
- Initial adhesion 200 N/m
- Final adhesion 400 N/m

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005376	IJM641 Mon. Vinyl Gloss Remov. 50x1,050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005377	IJM641 MonVinylGloss Rem 100um 50x1,370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005378	IJM641 MonVinylGloss Rem 100um 50x1,520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

3.7 IJM642 Monomeric Vinyl Matt Removable

IJM642 is a matt, white, monomeric, calendered, self-adhesive vinyl with a removable acrylic adhesive and backed with a kraft paper release liner.

Highlights

- Short-term removable promotional signage
- Easy removal up to 1 year
- Matt finish

Specifications

- Thickness 100 µm
- Dimensional stability < 0.4 mm
- Initial adhesion 225 N/m
- Final adhesion 400 N/m

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005379	IJM642 Mon. Vinyl Matt Remov. 50x1,050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005380	IJM642 MonVinylMatt Rem 100um 50x1,370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005381	IJM642 MonVinylMatt Rem 100um 50x1,520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

3.8 IJM643 Monom. Vinyl Gloss Grey Removable

IJM643 is a gloss, white, monomeric, calendered, self-adhesive vinyl with a removable grey, acrylic adhesive and backed with a kraft paper release liner

Highlights

- Short-term removable promotional signage
- Removable grey glue for opacity
- Easy application on flat surfaces

Specifications

- Thickness 165 µm
- Thickness (w/o liner) 100 µm
- Weight Liner 120 g/m²
- Weight Glue 20 g/m²
- Adhesion on steel 24h min. 6 N / 25mm
- Opacity > 98%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97001778	IJM643 MonVinyl GI100Um RemGr 50x1.600	1.600	50	100	1 ROL	1 ROL	80,0 m ²
97005382	IJM643 MonVinylGloss GR 100um 50x1.050	1.050	50	100	1 ROL	1 ROL	52,5 m ²
97005383	IJM643 Mon. Vinyl Gl. Rem. Grey 10x1.370	1.370	50	100	1 ROL	1 ROL	68,5 m ²
97005384	IJM643 MonVinylGloss GR 100um 50x1.520	1.520	50	100	1 ROL	1 ROL	76,0 m ²

3.9 IJM648 Smart Dot SA Vinyl Matt Perm100µm

IJM648 Smart Dot Self Adhesive is a white matte and permanent adhesive monomeric vinyl equipped with so-called glue "studs". After application the vinyl can be repositioned well. After three days the maximum tack is reached. That's why this vinyl can be applied with ease and without bubbles on big surfaces. IJM648 is the ideal vinyl for short and medium-term use indoor applications such as window decorations and point of sale displays on solid surfaces. It is compatible with UVgel 460 inks (Colorado 1650 matt and gloss mode), Eco Solvent and Latex inks.

Highlights

- White matt monomeric vinyl
- "Smart-dot" glue technology (glue "studs")
- Easy and bubble-free application
- Low total cost of operation
- For short and medium-term applications on solid surfaces
- Suitable for UVgel 460 inks (Colorado 1650, matt en gloss mode)
- Suitable for Eco-Solvent and latex inks.

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005613	IJM648 Smart DOT SA Vinyl 100um 50x1,370 50 m 1,370 mm 100 µM	1.370	50	100	1 ROL	1 ROL	68,5 m ²

3.10 MPI3001HOP Monom. Vinyl Gloss Removable

MPI3001H is a gloss white self-adhesive short-term calendered 95 micron vinyl. The adhesive is removable, clear and it is acrylic based. The H in MPI3001H stands for High opacity blackout layer.

Highlights

- Short term Interior & exterior signs
- Removable acrylic adhesive
- Easy application to a wide variety of flat substrates

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005197	MPI3001HOP Monom Gloss Rem 95um 50x1,067	1.067	50	95	1 ROL	1 ROL	53,4 m ²
97005189	MPI3001HOP Monom Gloss Rem 95um 50x1,370	1.370	50	95	1 ROL	1 ROL	68,5 m ²
97005199	MPI3001HOP Monom Gloss Rem 95um 50x1,600	1.600	50	95	1 ROL	1 ROL	80,0 m ²

3.11 MPI3021HOP Monomeric Vinyl Matt Rem.

MPI3021H is a matt white self-adhesive short-term calendered 95 micron vinyl. The adhesive is removable, clear and it is acrylic based.

Highlights

- Short term Interior & exterior signs
- Removable acrylic adhesive
- Matte finish

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005237	MPI3021HOP Monom Matt Rem 95um 50x1,067	1.067	50	95	1 ROL	1 ROL	53,4 m ²
97005191	MPI3021HOP Monom Matt Rem 95um 50x1,370	1.370	50	95	1 ROL	1 ROL	68,5 m ²

3.12 MPI3041 Monom. Vinyl Transp. Gloss Rem.

Avery MPI 3041 is a transparent gloss monomeric calendered removable self adhesive vinyl. It is suitable for use on solvent and UV curable printers. Because of the film's excellent removable adhesive, Avery MPI 3041 is recommended for short term promotional applications on flat substrates.

Highlights

- Short term Window Graphics (dry application recommended)
- Removable acrylic adhesive
- Easy and clean removal (up to 1 year).

Specifications

- Caliper, facefilm 100 micron
- Gloss 20° 60 %
- Dimensional stability 0,5 mm max.
- Adhesion, initial 320 N/m
- Adhesion, ultimate 400 N/m
- Shelflife 2 years
- Durability 2 years

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97486969	MPI 3041 MONOMERIC VINYL 50 m 1 370 mm 100 µM	1.370	50	100	1 ROL	1 ROL	68,5 m ²

3.13 MPI3601 Quick Mount Remov. Gloss 150 µm

Avery MPI 3601 is a gloss white monomeric calendered vinyl with a removable adhesive. Excellent for overposting due to it's highly opaque characteristics. It suitable for use on solvent and UV curable printers.

Highlights

- All applications where previous applications require gloss overposting
- Acrylic removable adhesive
- Thickness of film allows for easy application

Specifications

- Caliper, facefilm 150 micron
- Opacity 99 %
- Dimensional stability 0.5 mm. max
- Adhesion, initial 200 N/m
- Adhesion, ultimate 350 N/m
- Flammability Self extinguishing
- Shelf life 2 years
- Durability 2 years

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97001877	AVERY QUICKMOUNT 150UM 50 m 1 370 mm 150 µM	1.370	50	150	1 ROL	1 ROL	68,5 m ²
97001709	AVERY QUICKMOUNT 150UM 50 m 1 600 mm 150 µM	1.600	50	150	1 ROL	1 ROL	80,0 m ²

3.14 MPI3621 Quick Mount Remov. Matt 150 µm

Avery Dennison Multi Purpose Inkjet 3621 is a matt white high opacity promotional calendered vinyl with a removable adhesive suitable for indoor and outdoor short-term and promotional applications where over posting and ease of application is required.

Highlights

- All applications where previous applications require matt overposting
- Acrylic removable adhesive
- Thickness of film allows for easy application

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005609	MPI3621 QuickMountMattRem 150um 50x1,370 50 m 1,370 mm 150 µM	1.370	50	150	1 ROL	1 ROL	68,5 m ²

3.15 IJM677 Perforated Window Film

Perforated, self-adhesive, exterior mount film with clear, removable adhesive and a paper release liner for solvent and eco solvent ink

Highlights

- Shopping centre advertising
- Excellent view through
- Clear removable adhesive

Specifications

- Vinyl thickness 150 µm
- Weight liner 80 g/m²
- Perforation size 1,5 mm
- Open area 50%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002517	IJM677 PerfWindowFilm 150um PO 50x1,370	1.370	50	150	1 ROL	1 ROL	68,5 m ²

3.16 IJM676 Self-adh Window Decor. Film Clear

IJM676 is a self-adhesive, clear, polyester film with a polyester release liner, coated with an optically clear, water-proof, glossy coating for (eco) solvent and UV curable printers

Highlights

- Glass decoration
- Crystal-clear, water resistant adhesive (clear-on-clear)
- Dry or wet mounting

Specifications

- Weight total 205 g/m²
- Thickness total 155 µm
- Thickness film 75 µm
- Adhesion 1.0-2.5 N / 25mm

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97001451	IJM676 WindowDecorFilm Rem155Um 20x1,370	1.370	20	155	1 ROL	1 ROL	27,4 m ²

3.17 IJM683 Clear Cling Film Gloss 175 µm

IJM683 is a ultra clear, soft PET cling film with a glossy finish. The silicon adhesion allows for removal without residue.

Highlights

- Crystalclear film
- Good adhesion (without glue) on smooth surfaces
- Excellent print quality

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004496	IJM683 ClearClingFilm Gl,175µm 30x1,372	1.372	30	175	1 ROL	1 ROL	41,2 m ²

3.18 IJM685 White Cling Film Semi-matt 195µm

IJM685 is a white, PET cling film with a semi matt finish. The static cling adhesion allows for removal without residue.

Highlights

- White film with semi matte coating
- Good adhesion on smooth surfaces without glue
- Excellent print quality

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004497	IJM685 WhiteClingFilmSmatt190µm 30x1,372	1.372	30	190	1 ROL	1 ROL	41,2 m ²

3.19 FIN963 Cold Economy Lamin. Gloss 80µm

A glossy monomeric plasticized, calendered laminate film. It is a protective overlaminating film for digitally printed images, followed by application on flat surfaces.

Highlights

- Good UV protection
- Permanent adhesion
- Excellent transparency
- High gloss finish

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97005366	FIN963 ColdEc LamFilm Glos70um 50x1,370	1.370	50	70	1 ROL	1 ROL	68,5 m ²
97005365	FIN963 Cold Ec. Lam. Film Gloss 50x1,040	1.040	50	70	1 ROL	1 ROL	52,0 m ²
97005367	FIN963 ColdEc LamFilm Glos70um 50x1,550	1.550	50	70	1 ROL	1 ROL	77,5 m ²

3.20 Avery Surface Cleaner

Avery surface Cleaner: Een krachtig product voor het reinigen en ontvetten van verschillende ondergronden die voorbereid moeten worden voor de applicatie van zelfklevende materialen

Prod.id	Description	Min. Order
97003741	AVERY SURFACE CLEANER 1L (6 BTL)	1 BX

3.21 Avery Adhesive Remover

Geeft een fantastische schone, lijmrestenvrije ondergrond als de graphics worden verwijderd.

Prod.id	Description	Min. Order
97003742	AVERY ADHESIVE REMOVER 6 X 500ML	1 BX

3.22 Squeegee

Prod.id	Description	Min. Order
97003743	AVERY SQUEEGES PRO WITH FELT (12 PIECES)	1 BX

4 Moist protection screens transparent

Print media for Social Distancing

Living and moving in "1.5 meter society" is not self-evident and demands a lot of our adaptability. In the fight against the Corona virus, companies and institutions are faced with the task of furnishing their spaces in accordance with the new standards of "Social Distancing".

Debido a la gran demanda de estos materiales, aconsejamos hacer previsiones de consumo. Nuestros empleados pueden ayudarle para esto.

To help you arrange spaces and routing according to these guidelines, we have brought together all suitable print media for you.

We have classified the print media and supplies on the basis of the various options for setting up "1.5 meter spaces". Here you will find all types of print media for most commonly used printing techniques.

All our media are tested and guaranteed for trouble-free processing on the various Canon printers.

Here you will find our selection of media that can be used to manufacture transparent screens. In a short time, many creative solutions have been developed by the market, such as making anti-splash screens using transparent film in tendon frames.

Due to the very high demand for certain materials, we have to make a reservation on their availability. Our employees are ready to help you with this.

4.1 IJM332 Clear Film Extra 110 µm

Clear polyester film with an extremely clear, high-quality, inkjet-receptive coating on the front and an anti-static coating on the reverse. The film features a removable, white side stripe for media recognition.

Highlights

- Overlay, window applications
- Excellent print performance
- Optimal see-through characteristics

Specifications

- Weight 155±5 g/m²
- Thickness 108±10 µm

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
189570992	IJM332 Clear Film Extra110um 23x0,914	914	23	110	1 ROL	1 ROL	21,0 m ²

4.2 IJM778 Clear Display Film UV 180 µm

Ultra-clear, transparent, coated polyester film (Front Print) designed for high-quality UV curable printing. Also suited for mirror image printing

Highlights

- Window graphics
- Ultra-clear film with superior ink adhesion
- Ideal for high quality UV printing applications

Specifications

- Weight 250 g/m²
- Thickness 180 µm
- Haze 4%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002509	IJM778 ClearDisplayFilmUV180umPO 30x1,270	1,270	30	180	1 ROL	1 ROL	38,1 m ²

5 Poster media and hanging cards

Print media for Social Distancing

Living and moving in "1.5 meter society" is not self-evident and demands a lot of our adaptability. In the fight against the Corona virus, companies and institutions are faced with the task of furnishing their spaces in accordance with the new standards of "Social Distancing".

To help you arrange spaces and routing according to these guidelines, we have brought together all suitable print media for you.

We have classified the print media and supplies on the basis of the various options for setting up "1.5 meter spaces". Here you will find all types of print media for most commonly used printing techniques.

All our media are tested and guaranteed for trouble-free processing on the various Canon printers.

Here you will find our selection of print media that are ideal for creating eye-catching posters and hanging cards. We offer solutions for almost all printing platforms: digital laser printing, Chrystalpoint, water-based, UV flatbed, UV gel, (Eco) Solvent and Latex.

5.1 LFM411 Fluorescent paper 95 g/m²

Coated, single-sided fluorescent paper in yellow, pink, orange, and green. Its pigments are heat-resistant and free of formaldehyds. Perfectly suited for Canon wide-format copy press and radiant fusing printing systems.

Highlights

- Fluorescent colours
- Green, yellow, pink, orange
- Let your message stand-out

Specifications

- Weight 90±6 g/m²
- Thickness 110±6 µm

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
94852931	FLUORESCENT PINK PAPER 90GSM TCF	841	135	95	1 ROL	1 ROL	113,5 m ²
97005451	LFM411 Fluo Yellow 95 150x0,841	841	150	95	1 ROL	1 ROL	126,2 m ²
97005514	LFM411 Fluo Orange 95 150x0,841	841	150	95	1 ROL	1 ROL	126,2 m ²
97005537	LFM411 Fluo Paper Green 95 150x0,841	841	150	95	1 ROL	1 ROL	126,2 m ²

5.2 Top Coated Plus Gloss

Top Coated Plus Gloss is a double-sided, coated paper for digital printing, that has been developed specially for full colour print applications on professional colour production systems. The smooth paper surface provides high quality prints at an attractive price-performance ratio. Top Coated Plus is available in glossy, silk and matt finish. Perfect for graphic arts applications such as magazines, collateral, photobooks, direct mail and brochures.

Highlights

- Gloss, smooth coating
- Wide range of grammages
- FSC® certified

Specifications

- Paper weights: 115, 130, 150, 170, 200, 250, 300, 350 g/m²
- Whiteness = 123 CIE
- Opacity = 95%

Prod.id	Description	Width (MM)	Length (MM)	g/m ²	Min. Order	Quantity
97004538	Top Coated Plus Gloss 170g 330x762SB FSC	330	762	170	1 PAC	125 SH

5.3 Top Coated Graphic+ Gloss

Top Coated Graphic+ Gloss is a high quality vibrant coated paper suitable for graphic applications. The smooth surface provides a sharp text and colour images. The consistent paper quality delivers excellent runnability.

Highlights

- Glossy coating on both sides
- FSC®-certified

Prod.id	Description	Width (MM)	Length (MM)	g/m ²	Min. Order	Quantity
97005627	TCGraGloss200 330x1300 100 LG FSC 1,300 mm 330 mm 200 GM2	330	1.300	200	1 PAC	100 SH

5.4 Top Colour Zero Banner

Top Colour Zero is a satinated, smooth, paper - with a carbon neutral footprint, enabling high quality, full colour prints. The special surface finish for brilliant colour reproduction, ensures sharp prints and a reliable machine performance. Top Colour Zero is designed for a wide range of applications including; reports, presentations, brochures and short-run magazines, from low to high toner coverage.

Highlights

- For full-colour documents
- Brilliant look due to high whiteness and satinated surface
- Excellent paper for mailings and presentations

Specifications

- Whiteness: 161 CIE
- Paper weights: 90, 100, 120, 160, 200, 250, 300, 350 g/m²
- DIN sizes: A4, A3, A3+, SRA3, SRA2+
- Certifications FSC, EU Ecolabel, climate neutral paper, ISO 9706

Prod.id	Description	Width (MM)	Length (MM)	g/m ²	Min. Order	Quantity
97004539	SAT073 TopColZero 250 330x640 125 LG FSC	330	640	250	1 PAC	125 SH
97004540	SAT083 TopColZero 300 330x640 125 LG FSC	330	640	300	1 PAC	125 SH

5.5 LFM098 Top Color Paper 160 g/m² FSC

A high white, smooth, uncoated paper for high quality working drawings and posters.

Highlights

- High whiteness
- Smooth surface
- FSC certified

Specifications

- Weight 160 g/m²
- Opacity 99%
- Whiteness CIE 168
- Porosity 405 ml/min

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97002794	TOP COLOR PAPER CW 160GSM	700	100	160	1 ROL	1 ROL	70,0 m ²
97001704	TOP COLOR PAPER CW 160GSM	841	100	160	1 ROL	1 ROL	84,1 m ²
97001841	TOP COLOR PAPER CW 160GSM FSC	914	100	160	1 ROL	1 ROL	91,4 m ²
97001705	TOP COLOR PAPER CW 160GSM	1.067	100	160	1 ROL	1 ROL	106,7 m ²

5.6 LFM094 Top Color Paper 200 g/m² FSC

LFM094 Top Color Paper 200 g/m² is an uncoated, bright white and smooth paper that is ideal for high quality poster printing.

Highlights

- Indoor posters
- Premium high white look and feel
- Excellent print quality on the Canon ColorWave 700 (CrystalPoint Technology).

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005439	LFM094 TopColourPaper 200 65x1,067 FSC 65 m 1,067 mm 200 GM2	1.067	65	200	1 ROL	1 ROL	69,4 m ²

5.7 IJM153C Smart Matt Papier 180 g/m²(FSC)

Bright white, matt barrier-coated paper with an ink receptive layer on the front and a balance coating on the reverse. A matt FSC-certified alternative to photo paper, optimized for pigment inks.

Highlights

- Bright white, matt-coated surface
- No wet cockling, due to barrier layer
- Short drying time

Specifications

- Grammage = 180 ± 3 g/m²
- Opacity 98,5 %
- Whiteness = 155 ± 3 CIE

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005552	IJM153C Smart Matt 180 30x0,610 3in FSC	610	30	180	1 ROL	1 ROL	18,3 m ²
97005553	IJM153C Smart Matt 180 30x0,594 3in FSC	594	30	180	1 ROL	1 ROL	17,8 m ²
97005554	IJM153C Smart Matt 180 30x0,914 3in FSC	914	30	180	1 ROL	1 ROL	27,4 m ²
97005555	IJM153C Smart Matt 180 30x0,841 3in FSC	841	30	180	1 ROL	1 ROL	25,2 m ²
97005556	IJM153C Smart Matt 180 30x1,067 3in FSC 30 m 1,067 mm 180 GM2	1.067	30	180	1 ROL	1 ROL	32,0 m ²
97005557	IJM153C Smart Matt 180 60x1,067 3in FSC 60 m 1,067 mm 180 GM2	1.067	60	180	1 ROL	1 ROL	64,0 m ²
97005558	IJM153C Smart Matt 180 30x1,270 3in FSC 30 m 1,270 mm 180 GM2	1.270	30	180	1 ROL	1 ROL	38,1 m ²
97005559	IJM153C Smart Matt 180 30x1,372 3in FSC 30 m 1,372 mm 180 GM2	1.372	30	180	1 ROL	1 ROL	41,2 m ²
97005560	IJM153C Smart Matt 180 30x1,524 3in FSC 30 m 1,524 mm 180 GM2	1.524	30	180	1 ROL	1 ROL	45,7 m ²

5.8 IJM814 Prem. Poster P. Uncoated FSC 160g

A premium, high white, smooth, FSC-certified, uncoated paper for high quality posters. This material can be double sided printed and delivers excellent multicolour prints. This material is 100% recyclable and made from wood procured from sustainably managed sources.

Highlights

- High white paper (CIE 168)
- High opacity (99 %)
- Even, smooth surface
- Excellent colour reproduction with matte appearance
- FSC certified and equipped with the EU Eco Label
- This paper is specially suitable for Colorado1650 with the matt option

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005657	IJM814 PremPostrPapUnc 160 100x1,067 FSC 100 m 1,067 mm 160 GM2	1.067	100	160	1 ROL	1 ROL	106,7 m ²
97005658	IJM814 PremPostrPapUnc 160 100x1,370 FSC 100 m 1,370 mm 160 GM2	1.370	100	160	1 ROL	1 ROL	137,0 m ²
97005659	IJM814 PremPostrPapUnc 160 100x1,600 FSC 100 m 1,600 mm 160 GM2	1.600	100	160	1 ROL	1 ROL	160,0 m ²

5.9 IJM80X Poster Papers Machine Coated

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005386	IJM804 PosterPaperMCGI 170 100x1,370 FSC	1.370	100	170	1 ROL	1 ROL	137,0 m ²
97005564	IJM804 PosterPaperMCGI 170 100x1,600 FSC 100 m 1,600 mm 170 GM2	1.600	100	170	1 ROL	1 ROL	160,0 m ²
97005387	IJM805 PosterPaperMCSi 170G 100x1,067 FSC	1.067	100	170	1 ROL	1 ROL	106,7 m ²
97005388	IJM805 PosterPaperMCSi 170G 100x1,370 FSC	1.370	100	170	1 ROL	1 ROL	137,0 m ²
97005607	IJM805 PosterPaperMCSi 170G 100x1,600 FSC 100 m 1,600 mm 170 GM2	1.600	100	170	1 ROL	1 ROL	160,0 m ²
97005389	IJM806 PosterPaperMCGI 200G 85x1,067 FSC 85 m 1,067 mm 200 GM2	1.067	85	200	1 ROL	1 ROL	90,7 m ²
97005390	IJM806 PosterPaperMCGI 200G 85x1,370 FSC	1.370	85	200	1 ROL	1 ROL	116,5 m ²
97005528	IJM807 Post. P. MC Silk 200 1,600x85 Unb 85 m 1,600 mm 200 GM2	1.600	85	200	15 ROL	1 ROL	136,0 m ²
97005393	IJM808 PosterPaperMCGI 250G 65x1,067 FSC	1.067	65	250	1 ROL	1 ROL	69,4 m ²
97005394	IJM808 PosterPaperMCGI 250G 65x1,370 FSC	1.370	65	250	1 ROL	1 ROL	89,1 m ²
97005395	IJM809 PosterPaperMCSi 250G 65x1,067 FSC	1.067	65	250	1 ROL	1 ROL	69,4 m ²
97005396	IJM809 PosterPaperMCSi 250G 65x1,370 FSC	1.370	65	250	1 ROL	1 ROL	89,1 m ²
97005507	IJM809 PosterPaperMCSi 250G 65x1,600 FSC 65 m 1,600 mm 250 GM2	1.600	65	250	1 ROL	1 ROL	1,0 m ²

5.10 IJM809 Poster Paper MC Silk 250 g/m² FSC

Double machine coated paper for highest quality digital printing, for posters at an economical price level. This paper has a soft silk coating for excellent readability.

Highlights

- Advertising
- Posters
- High-end look
- FSC® certified

Specifications

- Weight = 250 g/m²
- Whiteness = 245 CIE
- Thickness = 245 µm
- Opacity = 99,5%

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005395	IJM809 PosterPaperMCSi 250G 65x1,067 FSC	1.067	65	250	1 ROL	1 ROL	69,4 m ²
97005396	IJM809 PosterPaperMCSi 250G 65x1,370 FSC	1.370	65	250	1 ROL	1 ROL	89,1 m ²
97005507	IJM809 PosterPaperMCSi 250G 65x1,600 FSC 65 m 1,600 mm 250 GM2	1.600	65	250	1 ROL	1 ROL	1,0 m ²

5.11 IJM627 White Outd. Pap. Gloss 200g/m²

IJM627(L) 200g/m² on sileä, läpinäkymätön valkoinen sisä- ja ulkokäytön paperi kiiltävällä barrier-pinnoitteella. Hyvä kesto märkänä, kehitetty erityisesti liuotin- ja UV-väreille. L tarkoittaa isoa rullaa, joka sopii Canon Colorado UVGel-tulostimiin.

Highlights

- Excellent colour brilliance, attractive glossy finish
- Can be folded by hand or machine without rupturing
- Excellent wet strength
- FSC® certified

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97345316	IJM627 WhiteOutdPapGloss200 50x1,067 FSC	1.067	50	200	1 ROL	1 ROL	53,4 m ²
97345344	IJM627 WhiteOutdPapGloss200 50x1,270 FSC	1.270	50	200	1 ROL	1 ROL	63,5 m ²
97345969	IJM627 WhiteOutdPapGloss200 50x1,372 FSC	1.372	50	200	1 ROL	1 ROL	68,6 m ²
97345534	IJM627 WhiteOutdPapGloss200 50x1,600 FSCSCS-COC-000856 FSC MIX CREDIT	1.600	50	200	1 ROL	1 ROL	80,0 m ²

5.12 IJM814 Prem. Poster P. Uncoated FSC 160g

A premium, high white, smooth, FSC-certified, uncoated paper for high quality posters. This material can be double sided printed and delivers excellent multicolour prints. This material is 100% recyclable and made from wood procured from sustainably managed sources.

Highlights

- High white paper (CIE 168)
- High opacity (99 %)
- Even, smooth surface
- Excellent colour reproduction with matte appearance
- FSC certified and equipped with the EU Eco Label
- This paper is specially suitable for Colorado1650 with the matt option

Prod.id	Description	Width (MM)	Length (M)	g/m ²	Min. Order	RL per SU	Quantity
97005657	IJM814 PremPostrPapUnc 160 100x1,067 FSC 100 m 1,067 mm 160 GM2	1.067	100	160	1 ROL	1 ROL	106,7 m ²
97005658	IJM814 PremPostrPapUnc 160 100x1,370 FSC 100 m 1,370 mm 160 GM2	1.370	100	160	1 ROL	1 ROL	137,0 m ²
97005659	IJM814 PremPostrPapUnc 160 100x1,600 FSC 100 m 1,600 mm 160 GM2	1.600	100	160	1 ROL	1 ROL	160,0 m ²

5.13 Glossy labels

Canon's Glossy Labels have a glossy, smooth coating. They have an excellent toner adhesion on colour printers and copiers.

Highlights

- High gloss
- Protective Edges against minimised adhesive bleeding
- Can also be used on CD/DVD

Prod.id	Description	Width (MM)	Length (MM)	g/m ²	Min. Order	Format	Quantity
97003331	A4 LABEL GLOSS 185 WHITE 1/A4 100SHTS	210	297	185	1 BX	A4	100 SH
97003333	A4 LABEL GLOSS 185 WHITE 4/A4 100SHTS	210	297	185	1 BX	A4	100 SH
97003335	A3 LABEL GLOSS 185 WHITE 1/A3 100SHTS	297	420	185	1 BX	A3	100 SH

6 Signage, Roll-ups, and separators

Print media for Social Distancing

Living and moving in "1.5 meter society" is not self-evident and demands a lot of our adaptability. In the fight against the Corona virus, companies and institutions are faced with the task of furnishing their spaces in accordance with the new standards of "Social Distancing".

To help you arrange spaces and routing according to these guidelines, we have brought together all suitable print media for you.

We have classified the print media and supplies on the basis of the various options for setting up "1.5 meter spaces". Here you will find all types of print media for most commonly used printing techniques.

All our media are tested and guaranteed for trouble-free processing on the various Canon printers.

Roll-ups are a very flexible and effective solution for communicating striking or important messages in rooms and are therefore particularly suitable for co-furnishing the workplace in accordance with the guidelines of Social Distancing.

6.1 IJM368 Lightblock Film Matt 255µm

IJM368 is a Bright White PET/PP film with a matt, high-quality coating with excellent light-blocking properties. The film is designed for durable roll-up applications and displays where flat hanging properties are required.

Highlights

- Roll-up displays
- Low reflective photo finish
- Fast drying, water resistant

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004491	IJM368 LightblockFilmMatt 255um 30x0,914	914	30	255	1 ROL	1 ROL	27,4 m ²

6.2 IJM662 Polyprop Light Block Matt 195 µm

IJM662 is a multi-layered polypropylene film with a matt coating on the front and a silver-grey light block coating on the reverse side.

Highlights

- Banners and roll-up displays
- Bright white appearance
- Opaque against rear lights
- Excellent flatness
- Suitable for printing with UVgel ink on Canon Colorado 1640

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004268	PP LIGH BLOCK FILM MATT 195UM	914	30	195	1 ROL	1 ROL	27,4 m ²
97005434	IJM662 PPLightBlockMatt 195um 100x0,914	914	100	195	1 ROL	1 ROL	91,4 m ²
97004269	PP LIGH BLOCK FILM MATT 195UM 30 m 1 067 mm 195 µM	1.067	30	195	1 ROL	1 ROL	32,0 m ²
97005435	IJM662 PPLightBlockMatt 195um 100x1,270	1.270	100	195	1 ROL	1 ROL	127,0 m ²
97004270	PP LIGH BLOCK FILM MATT 195UM 30 m 1 372 mm 195 µM	1.372	30	195	1 ROL	1 ROL	41,2 m ²

6.3 LFM342 Roll-up Film 175 µm

Opaque high-white matt printable polyester film with grey metallic lightblock reverse side.

Highlights

- Dimensionally stable
- Matt white surface
- 100% opacity against rear light exposure

Specifications

- Weight 240 g/m²
- Thickness 180±15 µm
- Opacity 99%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002649	OCE ROLL-UP FILM 175UM	914	30	175	1 ROL	1 ROL	27,4 m ²

6.4 IJM778 Clear Display Film UV 180 µm

Ultra-clear, transparent, coated polyester film (Front Print) designed for high-quality UV curable printing. Also suited for mirror image printing

Highlights

- Window graphics
- Ultra-clear film with superior ink adhesion
- Ideal for high quality UV printing applications

Specifications

- Weight 250 g/m²
- Thickness 180 µm
- Haze 4%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97002509	IJM778 ClearDisplayFlmUV180umPO 30x1,270	1.270	30	180	1 ROL	1 ROL	38,1 m ²

6.5 IJM367 Polyprop Light Block Matt 200 µm

IJM367 is a multi-layered polypropylene film with a matt indoor coating for dye and pigmented inks on the front and a grey light block coating on the reverse side. The film is also compatible with the Canon ColorWave 700 printer.

Highlights

- Indoor banners and roll-up displays
- Bright white appearance
- Anti-glare matt surface

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97004266	PP LIGHT BLOCK FILM 200UM , 3 WHITE	914	30	200	1 ROL	1 ROL	27,4 m ²
97004267	PP LIGHT BLOCK FILM 200UM , 3 WHITE 30 m 1.067 mm 200 µM	1.067	30	200	1 ROL	1 ROL	32,0 m ²

6.6 IJM670 Printable Light Block S Mat 165µm

High-quality, 165 µm, white, polyester film for solvent and UV curable inkjet printing, with a matt printable coating on one side and an antistatic, grey, light block on the back

Highlights

- Roll-up displays
- Scuff and water resistant
- Coating optimized for rapid drying

Specifications

- Weight 234 g/m²
- Thickness 165 µm
- Whiteness (CIE) 97*2*-12 L*a*b
- Opacity > 98%

Prod.id	Description	Width (MM)	Length (M)	µM	Min. Order	RL per SU	Quantity
97395511	IJM670 PrLiBISolv Matt165Um 30x0,914 PO	914	30	165	1 ROL	1 ROL	27,4 m ²
97395631	IJM670 PrLiBISolv Matt165Um 30x1,067 PO	1.067	30	165	1 ROL	1 ROL	32,0 m ²
97395632	IJM670 PrLiBISolv Matt165Um 30x1,270 PO	1.270	30	165	1 ROL	1 ROL	38,1 m ²

Canon

Canon (UK) Ltd.

Cockshot Hill

RH2 8BF

Reigate

United Kingdom

T: 0800 623 623

F: 01277 846 630

E: suppliesadmin@cuk.canon.co.uk

Webshop: suppliesshop.canon.co.uk