



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	i-SENSYS LBP352x			
Model number *	i-SENSYS LBP352x			
Issue date *	2019/10/12			
Intended market *	Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$	

Model number *	i-SENSYS LBP352x		
Issue date *	2019/10/12	Logo	Canon

Product	Product environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium	$\boxtimes$		
	max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and <sup>Note 1</sup> ).			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
1 1.2	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
<b>D</b> ( ()	concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl	$\boxtimes$		
P1.5*	(PCT) max 0.005% by weight (see legal reference). Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	$\square$		
F1.5	at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\square$
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines			$\boxtimes$
D/ at	max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\bowtie$
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			$\square$
1 1.0	microgram/cm2/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	$\boxtimes$		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$		
1 2.2	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	$\boxtimes$		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	$\boxtimes$		
P3.4*	with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
	legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$\boxtimes$		
	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these			
DE	requirements (see legal reference).			
P5.1*	Product packaging Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium			
	max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n		i-SENSYS LBP352x			
Issue da	te *	20169/10/12 Logo	Ca	101	1
Product environmental attributes - Market requirements - Environmental conscious design tem *=mandatory to fill in. Additional information regarding each item may be found under P14.			Requi		
Item P6		nt information	Yes	No	n.a.
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design				
• •		mbly, recycling			
P7.1*		t have to be treated separately are easily separable	$\square$		
P7.2*	Plastic n	aterials in covers/housing have no surface coating.			Π
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			Ē
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		Ē	Ē
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available too		Ħ	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		⊢⊢	H
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			
P7.8*		g can be done using commonly available tools		H	H
P7.9.		arts are available after end of production for: years			H
P7.10		s available after end of production for: years			⊢⊢
17.10		and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS Material type: ABS Material type:			
P7.12	Electrica	cable insulation material of power cables are halogen free (including PVC). (See Note 1)		$\square$	
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)				Ē
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)				Ē
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)				Ħ
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemica ISO 104	I specifications of flame retardants in printed circuit boards (without components) >25g accordi 3-4:	ng		
P7.18	concenti	tarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: it: No legal limits exist, this is a market requirement.			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		lastic parts' weight >25g, recycled material content is %.			
P7.20		lastic parts' weight >25g, biobased material content is %.			
P7.21	If mercu	rrces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*	-	hemical composition: Lithium			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS LBP352x		
Issue date *	2019/10/12	Logo	Canon 🗌

	t environmental a	attributes - Market	requirements (co	ontinued)		Requirement	
Item	<b>F</b>					Yes No	n.a.
<b>P9</b> 9.1	Energy consumpt	following power levels		ations have been	moasured		
-							
Energy r	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for e and test method *	nergy modes	
Max		W	W	1650 W	Canon's Own Standard		
Printing	(Average)	W	W	770.5 W	Canon's Own Standard		
Standby	/	W	W	16.7 W	Canon's Own Standard		
		W	W	W			$\square$
Sleep		W	W	1.89 W	Canon's Own Standard		
		W	W	W			
charger	I power supply / plugged in the wall it disconnected from	w	W	W			
PTEC * Typical B	Energy Consumption	W	W	W			
TEC * Typical B	Energy Consumption	kWh/week	kWh/week	2.775 kWh/w	eek ENERGY STAR (US sche 2.0 for Imaging Equipme		
Default t	ime to enter energy s	ave mode: 5 minutes	5				
P9.2*	Information about th	ne energy save functio	on is provided with th	he product.			
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requirement version <b>2.0</b> Tier: <b>1</b>	nts of the following	voluntary prograr	n/s:		
P10	Emissions						
	Noise emission –	Declared according to	ISO 9296				
P10.1	Mode N	lode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p,}$		
				level $L_{WAd}$ (B)	Desktop (only	er positions	-
	Idle *	StandBy		* Not Detect	Not Detect/Not De	tect	
	Operation *	Print		* 7.2	59.4/56.0		
	Other mode						
	Measured accordin	g to: 🔀 ISO7779 🗌	ECMA-74	by ECMA-74 wit	th L <sub>pAm</sub> measurement distance	m)	1
P10.2	The product meets	the acoustic noise req					
	Chemical emissions from printing products						
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:						
P10.4		te (print phase) is (mg	,				
D40 5	Dust 1.49 Ozone <loq(=0.11) 0.009="" 0.19="" 3.24<="" benzene="" styrene="" td="" tvoc=""></loq(=0.11)>						
P10.5	0.5 Chemical emission requirements of the following voluntary program/s <i>RUL-UZ171</i> are met for : Dust Dust Ozone Styrene Styrene						
			Benzene 🔀	TVO			
P10.6	Electromagnetic e				elds of the following voluntary		

Model n	umber *	i-SENSYS LBP352x				
Issue da	ate *	2019/10/12 Logo	2 <b>a</b> 110	M		
Produc	Product environmental attributes - Market requirements (continued) Requirement met					
Item			Yes	No n.a	ì.	
P11	Consum	hable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\square$			
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.	$\square$		]	
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.	$\boxtimes$			
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			]	
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			]	
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): Corrugated Paper       weight (kg): 4.11         packaging material type(s): EPS       weight (kg): 0.62         packaging material type(s): EPE       weight (kg): 0.3				
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)			]	
P13.3*	Specify r	nedia for user and product documentation (tick box):			1	
	Electroni	ic 🛛 Paper 🖾 Other 🗌				
P13.4*	For pape fiber.	er user and product documentation, please specify contained percentage of post-consumer recycled $1\%$			]	
P14	Additior	nal information				
P9	0.82kWl	n/week ENERGY STAR (US scheme), Eligibility Criteria Version 3.0 for Imaging Equipment				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1