



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Euope Limited	
Contact information *	environment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Printer	
Commercial name *	i-SENSYS LBP710Cx	
Model number *	i-SENSYS LBP710Cx	
Issue date *	2019/10/12	
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square		

Model number *	i-SENSYS LBP710Cx		
Issue date *	2019/10/12	Logo	Canon _

Product	Requirement m			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n		i-SENSYS LBP710Cx			_
Issue da	te *	2019/10/12 Logo	Cai	IOT	
Duali	- 1	next a latter that a substant and the first second a latter state of the second s			
	ct environ	mental attributes - Market requirements - Environmental conscious design		rement m	
Item P6		ory to fill in. Additional information regarding each item may be found under P14.	Yes	No n	i.a.
P6.1*		n for recyclers/treatment facilities is available (see legal reference).			-
P7	Design				_
• •		bly, recycling			
P7.1*		have to be treated separately are easily separable	\square		7
P7.2*	Plastic ma	terials in covers/housing have no surface coating.			╡
P7.3*	Plastic pa	ts >100g consist of one material or of easily separable materials.			╡
P7.4*		ts >25g have material codes according to ISO 11469 referring ISO 1043.			╡
P7.5		ts are free from metal inlays or have inlays that can be removed with commonly available to			╡
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			╡
F7.0	Product I				_
P7.7*		can be done e.g. with processor, memory, cards or drives			-
P7.8*				<u> </u>	=
		can be done using commonly available tools			╡
P7.9.		ts are available after end of production for: years			
P7.10		available after end of production for: years			
		nd substance requirements			
P7.11*		over/housing material type:			
P7.12		pe: PC+ABS Material type: ABS Material type: PC- cable insulation material of power cables are halogen free (including PVC). (See Note 1)			_
P7.12			<u> </u>		╡
	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)				┥
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)				
P7.16	Flame reta Marking:	arded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
P7.17		specifications of flame retardants in printed circuit boards >25g (without components): dditive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 1043-	specifications of flame retardants in printed circuit boards (without components) >25g accord 4:	ling		
P7.18	concentra	arded plastic parts >25g contain the following flame retardant substances/preparations in tions above 0.1%: No legal limits exist, this is a market requirement.			
	1. Chemic 2. Chemic 3. Chemic	al name: , CAS #:			
	Alt. 2 Chemical	specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		astic parts' weight >25g, recycled material content is %.			
P7.20		astic parts' weight >25g, biobased material content is %.			
P7.21	If mercury	ces are free from mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			_	
P8.1*	-	emical composition: <i>Lithium</i>			
P8.2	Batteries	neet the requirements of the following voluntary program/s:]

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS LBP710Cx		
Issue date *	2019/10/12	Logo	Canon –

	t environmental	attributes - Market	requirements (co	ontinued)	Requirement	
Item	F	11			Yes No	n.a
P9 9.1	Energy consump	tion e following power levels		otions have been	measured:	
-				-		
Energy ı	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
MAX		W	W	1470 W	Canon's Own Standard	
Printing	(Average)	W	W	510.4 W	Canon's Own Standard	
Standby	/	W	W	30.5 W	Canon's Own Standard	
		W	W	W		
Sleep		W	W	2.17 W	Canon's Own Standard	
		W	W	W		\square
charger	I power supply / plugged in the wall ut disconnected from	W	W	W		
PTEC * Typical I	Energy Consumptior	W	W	W		
TEC *	Energy Consumptior	kWh/week	kWh/week	1.3 kWh/wee	k ENERGY STAR (US scheme), Version 2.0 for Imaging Equipment	
		save mode: 5 minutes	s		210 for maging 2quipmont	
P9.2*		the energy save function		ne product		- H
P9.3*	ENERGY STAR®	the energy requireme version 2.0 Tier: 1	nts of the following	oluntary prograr	n/s:	
	Others specify:					
P10	Emissions	- Declared according to	100 0000			
P10.1		Mode description	130 9290	Declared	Declared A-weighted	
1 10.1		Node description		A-weighted sound power	sound pressure level L_{pAm} (dB)	
				level L_{WAd} (B)	Operator position Bystander positions Control (only if product is not operator attended)	
	Idle	* Standby		* 5.13	41.7/36.6	
	Operation [*]	* Print		* 6.47	54.2/50.2	
	Operation	FIIIK		0.47	J4.2/JU.2	
	Other mode					
	Measured accordin	ng to: 🛛 ISO7779 🗌	ECMA-74	by ECMA-74 wit	h L _{pam} measurement distance m)	
P10.2	The product meets	s the acoustic noise rec				
	Chemical emissions from printing products					
P10.3*		cording to ECMA-328 (ndard 🔀, other	specify:	
D40 4		ate (print phase) is (mg				
P10.4	Dust 0.59 Ozone <loq(=0.13) 0.019="" 0.121="" 5.22<="" benzene="" styrene="" td="" tvoc=""><td></td></loq(=0.13)>					
P10.4 P10.5		n requirements of the fo		-		
		n requirements of the fo	Dust 🔀	Ozon	e 🖂 Styrene 🖂	
		n requirements of the fo [[-	e 🖂 Styrene 🖂	

Model n	umber *	i-SENSYS LBP710Cx			
Issue da	ite *	2019/10/12 Logo	Can	M	
Produc	t enviror	nmental attributes - Market requirements (continued)	Require	ment I	met
Item			Yes	No	n.a.
P11	Consum	able materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper co EN1228	ntaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonor	nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packagi	ng and documentation			
P13.1*	Product	packaging material type(s): Corrugated Paper weight (kg): 4.06 packaging material type(s): EPS weight (kg): 0.8			
Dia at		packaging material type(s): <i>PE</i> weight (kg): 0.2			
P13.2*		plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes		
P13.3*	Specify r	nedia for user and product documentation (tick box):			
	Electroni	c 🛛 Paper 🖾 Other 🗌			
P13.4*	For pape fiber.	er user and product documentation, please specify contained percentage of post-consumer recycled $ ho \%$			
P14	Addition	nal information			
P9	0.46kWl	n/week ENERGY STAR (US scheme), Eligibility Criteria Version 3.0 for Imaging Equipment			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1