



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statemen	conforms to the statements given in this declaration.		
Type of product *	Printer		
Commercial name *	i-SENSYS LBP611Cn		
Model number *	i-SENSYS LBP611Cn		
Issue date *	2017/4/14		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS LBP611Cn	Logo	Canon
Issue date *	2017/4/14		Callul

Product	Requirement met			
Item	•			n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/weel			\boxtimes
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
50.01	symbol. Information on proper disposal is provided in user manual. (See legal reference)		_	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	I 🔀		
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)	\square		
-	, , , , , , , , , , , , , , , , , , ,		<u> Ц</u>	
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		_	
F 3. I	The Declaration of Conformity can be requested at (add link or e-mail address):			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS LBP611Cn	Logo	D 244 044
Issue date *	2017/4/14		Canon

Product	Product environmental attributes - Market requirements (See General NOTE GN below)					
-	- Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design					
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable					
P7.2*				- -		
	Plastic materials in covers/housing have no surface coating.		<u> </u>	- -		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ц.	Щ.		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ц_			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ц_			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
D= =:	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Ц_			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: years					
P7.10	Service is available after end of production for: years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12	Material type: PC+ABS Material type: Material type: Insulation materials of external electrical cables are PVC free.					
P7.13	Insulation materials of internal electrical cables are PVC free.	- -		- -		
		_#				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts					
	containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low					
	halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			Ш		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	Ш	Ш			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%:					
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been					
	assigned the following Risk phrases; and Hazard statements:					
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		Ш	Ш		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. 					
	or					
	b) The weight of recycled material is 6.85 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	i-SENSYS	S LBP611Cn			Logo	0	•	-
Issue date	sue date * 2017/4/14			Cat	14)				
	environn	nental att	ributes - Market red	quirements (co	ntinued)		Require		
Item	Motorial	and subst	anaa raquiramanta (a	antinued)			Yes	No	n.a.
P7.21*			<mark>ance requirements (c</mark> aterial content is used i		NOTE B7):				
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of t	otal plastic	parts' weight > 25 g,		ic material content (calcu	ulated as a percent	age of		
	total plastic by weight) is %.								
	or b) The	weight of t	he biobased plastic ma	aterial is <i>0.47</i> g.					
P7.22*	Light sou	irces are fre	ee from mercury, i.e. le	ess than 0,1 mg/lar	np.				
	If mercur	y is used s	pecify: Number of lamp	os: and max	kimum mercury content p	er lamp: mg			
P8	Batteries								
P8.1*			mposition: <i>Lithium</i>						Ш
P9			on (See NOTE B8) following power levels	or energy consum	ntions are reported:				
_		noduct the			· · ·	Defenses /Ctore	dand fan a		_
Energy mo	ode "		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stan modes and test		energy	
Sleep mod	le for ENE	RGY	W	W	W				
STAR® Op		Mode							
(OM) produ Standby/of		•	W	W	W				
ENERGY S	STAR Ope	erational							
Mode (OM TEC value	<i>,</i> ,		kWh/week	kWh/week	0.5 kWh/week				
TEC value		GISIAK	KVVII/Week	KVVII/Week	0.5 KVVII/Week				Ш
(TEC= Typ	oical Energ	1V							
MAX			W	W	850 W				
Printing(A	(verage)		W	W	100.1 W				
Standby			W	W	10.3 W				
Low Powe	er		W	W	W				\boxtimes
Sleep			W	W	0.86 W				
			W	W	W				\boxtimes
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking	Protocol) *:				
Print/Scan	Speed *	:	18 images per minute						
Default tim	e to enter	energy sav	re mode: 5 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio			20.222.42	TE 00)				
P10.1	Mode er		Declared according to I ode description	SO 9296 (See NC	Statistical upper limit A-	woighted sound no	wor lovel		
F 10.1	Mode	IVI	ode description		$L_{WA,c}$ (B)	weignied sound po	wei ievei,		
	Idle	*	Standby		* Not Detect				
	Operatio		Print		* 6.3				
	Other mo	ode							
	Measure	d accordino		ECMA-74					
			Other	only if not covered	d by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	i-SENSYS LBP611Cn	Logo	Danon
Issue date *	2017/4/14		Callvii_

Product 6	environmental attributes - Market requirements (continued)	equire	ment	met	
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.	
	Chemical emissions from printing products (See NOTE B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify:				
P10.3	Typical emission rate (operation phase) is (mg/h):				
	Electrophotographic devices: Ozone <i><loq(=0.12)< i=""> Dust <i>0.61</i> Styrene <i>0.08</i> Benzene <i>LOQ(=0.002)</i> TVOC <i>5.95</i></loq(=0.12)<></i>				
	Ink devices: Dust Styrene Benzene TVOC				
	Note: compliance with maximum emission rates in eco labels to be declared in P14.				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).				
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.			$\overline{\boxtimes}$	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 1.45 Product packaging material type(s): EPS weight (kg): 0.51 Product packaging material type(s): PE weight (kg): 0.049				
P13.2*	Product plastic primary packaging is free from PVC.	\boxtimes			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %				
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other				
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:				
	Totally chlorine-free				
	Elemental chlorine-free	\Box			
	Processed chlorine-free	同			
P14	Voluntary programs:				
P14.1	The product meets the requirements of the following voluntary program(s):				
	ENERGY STAR® Criteria version: Date: Product category:				
	Eco-label: Criteria version: Date: Product category:				
DAE	Eco-label: Criteria version: Date: Product category:				
P15 P1.1	Additional information (See NOTE B11) Product on this declaration comply with EU RoHS Directive (2001/65/EU).				
PI.I	The current EU RoHS Directive restricts the use of following substances. Lead Mercury				
	Cadmi um				
	Hexavalent chromium				
	Polybrominated biphenyls (PBB)				
	Polybrominated diphenyl ethers (PBDE)				
	Note:This is based on knowledge as of the date of this document.				
P1.7	http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1