

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	//311011
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Printer				
Commercial name *	i-SENSYS LBP654Cx				
Model number *	i-SENSYS LBP654Cx				
Issue date *	2017/4/14				
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		i-SENSYS LBP65	54Cx		1	Logo			
Issue date *		2017/4/14					Ca	10	11
Produc	t environ	mental attribute	s - Legal requirem	ents			Requir	ement	met
Item							Yes	No	n.a.
P1		ous substances ar							
P1.1*	Products	s do comply with the	e current European Ro	HS Directive. (See legal re	eference and NC	TE B1)	\square		
P1.2*	Commer	nt: Legal reference	bestos (see legal refer has no maximum cond	centration value.			\boxtimes		
P1.3*	hydrobro trichloro	omofluorocarbons (HBFC), hydrochloroflu	nces: Chlorofluorocarbons orcarbons (HCFC), Halons nce). Comment: Legal refe	s, carbontetrachle		,1-		
P1.4*	terpheny	yl (PCT) in preparat	tions (see legal referer	hlorinated biphenyl (PCB), ace).			\boxtimes		
P1.5*	Products chain co	s do not contain mo ontaining at least 48	ore than 0,1% short cha % per mass of chlorin	ain chloroparaffins (SCCP) e in the SCCP (see legal r	eference).				
P1.6*	(see lega	al reference).	-	ot release nickel in concent d according to EN1811:20		5 μg/cm²/	week		
P1.7*				n articles is available at (ad		ontact):			
P2	Batterie								
P2.1*				r, the battery/accumulator d in user manual. (See leg		e disposa	al 🔀		
P2.2*	Batteries referenc		lo not contain more tha	an 0,0005% of mercury or (0,002% of cadmi	um. (See	legal 🔀		
P2.3*	Batteries	s and accumulators	are readily removable	. (See legal reference)			\square		
P3	Conform	nity verification &	Eco design (ErP)						
P3.1*	The proc The Dec europe.	duct is CE-marked t claration of Conform .com/ce-document	to show conformance with the show conformance with the show conformation of the show conformatio	with applicable legal requir at (add link or e-mail addre	ss): http://www.		ce). 🔀		
P3.2*		duct complies with t al reference).	the Eco design require	ments for energy-related p	products,		\boxtimes		
	Required	d information is;	given in item P	15 or added to this docume	ent,		\square		
			available at (ac	d URL): http://canon-eui	rope.com/printe	rs/			
P4	Consum	nable materials							
P4.1*		o conductor (drum, erence and NOTE I		e product, it does not conta	ain cadmium max	(0,01% (see 🔀		
P4.2*	If ink/ton	er is used in the pro	oduct, it does not cont	ain cadmium max 0,1% by	weight (see lega	al referenc	ce). 🛛 🔀		
P4.3*	are Com applicab	nmunity workplace	exposure limits, the pro	d as hazardous or contains oduct/packaging is adequa SDS) in accordance with th	tely labeled acco	ording to			
P5		t packaging							
P5.1*	Packagii	ng and packaging	components do not eight of these together	contain more than 0,01%	6 lead, mercury,	cadmiur	m and 🔀		
P5.2*	The pac		0 0	ations and numbers indica	ting the nature o	f the mate	erial(s) 🔀		
	The pro			zone depleting substance	es as specified i	n the Mo	ontreal 🔀		
P5.3*			has no maximum cond	centration values.					
P5.3*	Commer			centration values.					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	i-SENSYS LBP654Cx	Logo			
Issue date *		2017/4/14		Cat	101	
		mental attributes - Market requirements (See General NOTE GN below)		Desuire		
- Item		nental conscious design tory to fill in. Additional information regarding each item may be found under P14.		Require Yes		net i.a.
P7	Design	to fill in. Additional information regarding each item may be found under F14.		165		i.a.
		nbly, recycling				
P7.1*		t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			Π	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.			Π	
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ilable tools		<u> </u>	H
P7.6*	-	e easily separable. (This requirement does not apply to safety/regulatory labels).				\exists
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools				H
P7.9.		rts are available after end of production for: years				⊢⊢
P7.10		s available after end of production for: years				+
1 1.10		and substance requirements				
P7.11*		over/housing material type (e.g. plastics, metal, aluminum):				
		ype: PC+ABS Material type: PC Material type	/pe:			
P7.12		materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatior	materials of internal electrical cables are PVC free.				
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bron 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chl g more than 25% post-consumer recycled content.	etardants, a	and		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	low		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: ,	ponents): CAS #:			
		emical specifications of flame retardants in printed circuit boards (without component ISO 1043-4:	s) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/p ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	s in		
	<u>Alt.</u> 2: Cł	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4	ł:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which ha the following Risk phrases; and Hazard statements:				
			DTE B5)			
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes		
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (c entage of total plastic by weight) is %.	alculated a	is a		
	or b) The	weight of recycled material is 6.57 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	umber *	i-SENSYS	LBP654Cx			Logo		
Issue date * 2017/4/14		4				Canon		
Product	environ	mental attr	ributes - Market ree	quirements (cont	inued)		Requirement met	
Item							Yes No n.a.	
DT a <i>i</i> t			ance requirements (c					
P7.21*			terial content is used i					
	a) Of tota or	total plastic al plastic by	weight) is %.	the biobased plastic	vered; material content (calcul	ated as a perce	entage of	
		-	he biobased plastic ma					
P7.22*	If mercu	ry is used sp	ee from mercury, i.e. le becify: Number of lamp		o. num mercury content pe	er lamp: r	mg	
P8	Batterie	-						
P8.1*	-		mposition: <i>Lithium</i>					
P9			on (See NOTE B8)	01 000101/	iono oro ronarta di			
P9.1		product the f	following power levels		-	-		
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,	
	de for ENE Operational ducts		W	W	W			
Standby/c ENERGY	off mode fo STAR Op M) products	erational	W	W	W			
	e for ENEF		kWh/week	kWh/week	1.0 kWh/week			
(TEC= Ty	pical Energ	gy						
MAX			W	W	1400 W			
Printing(Average)		W	W	460.5 W			
Standby			W	W	16.8 W			
Low Pow	ver		W	W	W			
Sleep			W	W	0.70 W			
			W	W	W			
Extornal	Dowor Sum	nly Efficience	y Level (International I					
Print/Sca			27 images per minute					
Default tir		•••	e mode: 5 minutes					
P9.2*	Informat	tion about th	e energy save function	n is provided with the	e product.			
P10	Emissio							
D 10 :	1		Declared according to					
P10.1	Mode	M	ode description		Statistical upper limit A-w _{wA,c} (B)	eighted sound	power level,	
	Idle	*	Standby * Not Detect					
	Operatio	on * I	Print * 6.2					
	Other m	ode						
	Measure	ed according		ECMA-74 (only if not covered b				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model number * Issue date *		i-SENSYS LBP	554Cx			Logo		
		2017/4/14			Canon			
Product	environ	mental attribut	es - Market requirement	ts (continued)			Require	ment me
Item							Yes	No n.a
			m printing products (See N					
P10.2*			to ECMA-328 Determinatio	n of Chemical Emiss	ion Rates from E	lectronic		
P10.3			eration phase) is (mg/h):					
	Electron	hotographic devi	ces: Ozone <loq(=0.13)< b=""> D</loq(=0.13)<>	Oust 1.24 Styrene	0.24 Benzene (0.004 TVO	C 9.88	
	Ink devi		Dust	Styrene	Benzene	TVOC		
	Note: co	mpliance with ma	aximum emission rates in eco	o labels to be declare	ed in P14.			
P11			or printing products					
P11.1*			S) is available for the ink/ton				· 🔼	
P11.2*	Paper o EN 122		onsumer recycled fibers car	n be used, provideo	that it meets th	ne requirem	nents of	
P11.3*	2-sided	(duplex) printing/	copying is an integrated proc	luct function.			\boxtimes	
P11.4*	The pro	duct is delivered t	o end-user with default auto	-duplex enabled.			\square	
P13	Packag	ing and docume	ntation					
P13.1* P13.2*	Product Product	packaging mater packaging mater	ial type(s): Corrugated Pape ial type(s): EPS we ial type(s): PE weight (kg): (ackaging is free from PVC.	eight (kg): 0.47	1.72			
P13.3*		duct primary corr er recovered fiber	rugated fiberboard packagin r content: 80%	g, specify the conta	ined percentage	of minimu		
P13.4*		media for user ar nic 🔀, Paper 🔀	nd product documentation (tid	ck box):				
P13.5	Úser an		s item if paper documentatio entation on paper media is cl					
	Totally of	chlorine-free						
	Elemental chlorine-free							
	Process	ed chlorine-free					E E	
P14	Volunta	ry programs:						
P14.1	The pro	duct meets the re	quirements of the following v	voluntary program(s)				
	-	Y STAR®	Criteria version:	Date:		category:		
	Eco-lab		Criteria version:	Date:		category:		
P15	Eco-lab	ei: nal information (Criteria version:	Date:	Product	category:		
P1.1			ation comply with EU RoHS	Directive (2001/A	(////)			
,	The cur Le Me Ca He Po Po	rrent EU RoHS Di Pad Indian India	rective restricts the use um phenyls(PBB) phenyl ethers(PBDE)	of following subs				
P1.7			knowledge as of the date m/about us/sustainebility/l					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item			
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1			
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2			
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3			
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5			
"REACH" Regulation (1907/2006), annex VII	P1.10			
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1			
Directive 2006/95/EC (Low Voltage Directive)	P3.1			
Directive 2004/108/EC (EMC Directive)	P3.1			
Directive 1999/5/EC (R&TTE Directive)	P3.1			
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2			
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3			
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19			
Directive 2004/12/EC (Packaging Directive)	P5.1			
Decision 97/129/EC (Secondary packaging legislation)	P5.2			
Directive 2012/19/EU (WEEE directive)	P6.1			