

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo			
Company name *	Canon Europe Limited				
Contact information *	environment@canon-europe.com	Canon			
e-mail address		Conton			
Internet site *	www.canon-europe.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Printer				
Commercial name *	i-SENSYS LBP621Cw				
Model number *	i-SENSYS LBP621Cw				
Issue date *	2019/10/12				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		i-SENSYS LBP621Cw	Logo			_
Issue date *		2019/10/12		Ca	10	n
Product	t environ	mental attributes - Legal requirements		Require	ement	met
Item				Yes	No	n.a.
P1		bus substances and preparations				
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	\square		
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetracl ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ation values.		1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	nlorinated	\square		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 can nataining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms i	in the 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/\	week		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec	duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address): http://www. com/ce-documentation/		:e). 🔀		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\square		
	Required	l information is; given in item P15 or added to this document,		\square		
		available at (add URL): http://canon-europe.com/prin	ters/			
P4	Consum	able materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and NOTE B1).				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referenc	e). 🔀		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance f munity workplace exposure limits, the product/packaging is adequately labeled ac le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	-			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	rial(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Mo	ntreal 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	i-SENSYS LBP621Cw	Logo			
Issue da	nte *	2019/10/12		Ca	no	n
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ment i	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n	.a.
P7	Design	while reactaling				
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			 -	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u>+</u>	<u> </u>
P7.4 P7.5					<u> </u>	<u> </u>
-		arts are free from metal inlays or have inlays that can be removed with commonly av	allable tool		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
					<u> </u>	<u> </u>
P7.8*		g can be done using commonly available tools		\square		<u> </u>
P7.9.	<u> </u>	rts are available after end of production for: years				<u>Ц</u>
P7.10		s available after end of production for: years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: ABS Material	tuno.			
P7.12	Insulation	n materials of external electrical cables are PVC free.	type.		\square	
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		╞
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	retardants,	and		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	low		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	<u>Alt. 1: Ch</u>	emical specifications of flame retardants in printed circuit boards > 25 g (without con additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): , CAS #:			
		emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	ts) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	ns in		
	<u>Alt. 2: C</u> ł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	-4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	nave been			
D= <i>c</i> = 1			OTE B5)			
P7.20*	lf YES; a a) Of to	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (entage of total plastic by weight) is %.	calculated	as a		
		weight of recycled material is 6.8 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	i-SENSYS	LBP621Cw			Logo			
Issue date * 2019/10/1			2				Can	011	
Product	environn	nental atti	ributes - Market red	quirements (cont	tinued)		Requirer	nent m	net
Item							Yes	No n	n.a.
P7.21*			ance requirements (c iterial content is used in						
F7.21		•			,				\bowtie
	a) Of t tota or	otal plastic I plastic by		the biobased plastic	werea; : material content (calcu	lated as a perce	entage of		
P7.22*	Light sou	irces are fre	e from mercury, i.e. le becify: Number of lamp	ess than 0,1 mg/lam	p. num mercury content pe	er lamp: r	ng		
P8	Batteries					inamp. i	iig		
P8.1*			nposition: <i>Lithium</i>					1	
P9			on (See NOTE B8)					L	
P9.1		-	following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		nergy	
	de for ENE perational ucts		W	W	W			[
	ff mode for STAR Ope	erational	W	W	W			[
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	0.5 kWh/week		AR (US scheme), iteria Version 2.0 inment		
(TEC= Typical Energy Consumption)		IУ			0.19 kWh/week	ENERGY ST	AR (US scheme), iteria Version 3.0		
MAX			W	W	850 W	Canon's Ow	n Standard	[
Printing(A	Average)		W	W	390 W	Canon's Ow	n Standard		Ē
Standby			W	W	8.5 W	Canon's Ow	n Standard	[$\overline{\Box}$
Low Pow	er		W	W	W	Canon's Ow	n Standard		$\overline{\boxtimes}$
Sleep			W	W	0.8 W	Canon's Ow	n Standard		Ē
			W	W	W				Ē
External P	ower Supr	bly Efficienc	y Level (International E	Efficiency Marking F	Protocol) * :			ـــــــــــــــــــــــــــــــــــــ	ᆏ
Print/Scan		-	18 images per minute	,	,			ـــــــــــــــــــــــــــــــــــــ	\exists
	•		e mode: 1 minutes					L 	
P9.2*			e energy save function	n is provided with the	e product				믐
P10	Emissio Noise er		Declared according to I	SO 9296 (See NOT	E B9)				
P10.1	Mode		ode description	5	Statistical upper limit A-v L _{WA,c} (B)	veighted sound	oower level,		
	Idle	*	Standby	*	Not Detect			[
	Operatio		Print		6.6				╡
	Other mo								
	Measure	d according		ECMA-74 (only if not covered	by ECMA-74)			-	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		i-SENSYS LBP	621Cw			Logo			
		2019/10/12		-	Can	011	1		
Product	environ	mental attribut	es - Market requiremen	ts (continued)			Require	ment I	met
Item							Yes	No	n.a.
			om printing products (See						
P10.2*			g to ECMA-328 Determinatic 60) 🔀, other specify:	on of Chemical Emiss	sion Rates from E	Electronic	\square		
P10.3	Typical	emission rate (op	eration phase) is (mg/h):						
	Electro Ink dev		ces: Ozone <loq(=0.13)< b=""> [Dust</loq(=0.13)<>	Dust 0.46 Styrene Styrene	0.11 Benzene Benzene	0.00 ТVOC ТVOC	5.39		
	Noto: o	omplianco with m	aximum emission rates in ec	e labels to be declar	od in P14				
P11			for printing products		eu III F 14.				
P11.1*			S) is available for the ink/tor	er preparation even	if not legally reg	uired (see F	P4.3).		
P11.2*			onsumer recycled fibers ca			-	·		늼
1 11.4	EN 122		unsumer recycled indels ca	in be used, provided					Ш
P11.3*			copying is an integrated pro	duct function.				\mathbf{X}	
P11.4*			to end-user with default auto				<u> </u>		∀
P13		ing and docume		1					
P13.1*	Produc Produc Produc	t packaging mater t packaging mater t packaging mater	ial type(s): Corrugated Pap ial type(s): EPS we ial type(s): PE weight (kg):	eight (kg): 0.46	1.4				
P13.2*			ackaging is free from PVC.						
P13.3*	For pro	duct primary cor her recovered fibe	rugated fiberboard packagir r content: 25 %	ng, specify the conta	ained percentage	e of minimu	ım post-		
P13.4*		media for user ar nic 🔀, Paper 🔀	nd product documentation (ti , Other	ck box):					
P13.5	Úser ar		is item if paper documentation entation on paper media is c						
	Totally	chlorine-free							
		tal chlorine-free					H		
		sed chlorine-free							
P14		ary programs:							
P14.1			equirements of the following	voluntary program(s)	•				
						ootogonu			
	Enero Eco-lab	GY STAR®	Criteria version: Criteria version:	Date: Date:		category: category:			
	Eco-lab		Criteria version:	Date:		category:			
P15		nal information							
P1.1			n comply with EU RoHS Direc	tive(2001/65/EU).					
	The cur L M	rent EU RoHS Dir ead lercury	ective restricts the use of follo						
		admium							
		exavalent chromiu							
		olybrominated biph							
			enyl ethers(PBDE)						
	Note;Tl	nis is based on kno	wledge as of the date of this d	locument.					
P1.7			m/about_us/sustainebility/						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1