



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	i-SENSYS LBP664Cx			
Model number *	i-SENSYS LBP664Cx			
Issue date *	2019/10/12			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS LBP664Cx	Logo	0
Issue date *	2019/10/12		Canon

Product	Require	ment	met		
Item	environmental attributes - Legal requirements	Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square			
	reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes			
	Required information is; given in item P15 or added to this document,	\boxtimes			
	available at (add URL): http://canon-europe.com/printers/	_		_	
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	\boxtimes			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\overline{\boxtimes}$			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to	_			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀			
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀	П		
	used (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS LBP664Cx	Logo	0
Issue date *	2019/10/12		Canon

	t environmental attributes - Market requirements (See General NOTE GN below)	. !		1 1
		Require		
P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Design	Yes	No	n.a.
F /	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		$\overline{\Box}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	$\overline{}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	H	\overline{X}	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	H		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4. CAS			
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is 6.6 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nui	mber * 1-SENSYS LBP664CX				Logo	0		
Issue date	date * 2019/10/12				Canon			
Product	Product environmental attributes - Market requirements (continued) Requirement met							met
Item					, , , , , , , , , , , , , , , , , , ,			n.a.
Material and substance requirements (continued)								
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):							\boxtimes
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g.							
P7.22*			ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lam	p. mum mercury content pe	er lamp: r	mg	
P8	Batteries	3						
P8.1*	Battery c	hemical co	mposition: Lithium					
P9	Energy	consumpti	on (See NOTE B8)					
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,	
Sleep mod STAR® O _I (OM) prod	perational		W	W	W			
Standby/or ENERGY Mode (OM	ff mode for STAR Ope	rational	W	W	W			
TEC value TEC produ	e for ENERGY STAR kWh/week kWh/week 1.0 kWh/week ENERGY STAR (US scheme), Eligibility Criteria Version 2.0 fo Imaging Equipment.		iteria Version 2.0 for lipment. AR (US scheme), iteria Version 3.0 for					
MAX			W	W	1360 W	Canon's Ow		$\overline{\Box}$
Printing(A	Average)		W	W	470 W	Canon's Ow		H
Standby			W	W	17 W	Canon's Ow		+
Low Powe	er		W	W	W	Canon's Ow		
Sleep			W	W	0.6 W	Canon's Ow	n Standard	
			W	W	W			Ħ
External P	ower Supp	ly Efficiend	cy Level (International	Efficiency Marking F	Protocol) *:			Ħ
Print/Scan	Speed *	:	27 images per minute					一
Default tim	ne to enter	energy sav	ve mode: 1 minutes					Ħ
P9.2*								
P10	P10 Emissions							
P10.1	Noise er Mode		Declared according to lode description	(ee NOTE B9) Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle * Standby * Not Detect				\Box			
	Operatio		Print	*	6.3			\forall
	Other mo							
			g to: X ISO 7779	ECMA-74				
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	i-SENSYS LBP664Cx	Logo	0
Issue date *	2019/10/12		Canon

Product 6	environmental attributes	- Market requirements	(continued)	Re	equire	ment	met
Item					Yes	No	n.a.
	Chemical emissions from	printing products (See NC	TE B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic						
	Equipment (ISO/IEC 28360)						ш
P10.3	Typical emission rate (opera						
1 10.0	Typical similation phase) is (ingri).				ш		
	Electrophotographic devices	s: Ozone <i><loq(=0.12)< i=""> Dus</loq(=0.12)<></i>	st 0.93 Styrene 0	.18 Benzene 0.00 TVOC 5.43			
	Ink devices:	Dust	Styrene	Benzene TVOC			\boxtimes
	Nata and Page and of the same of		alcala ta basala da alama	d in D44			
	Note: compliance with maxin		abels to be declared	d IN P14.			
P11	Consumable materials for						
P11.1*	<u> </u>			f not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-cons EN 12281.	sumer recycled fibers can	be used, provided	that it meets the requirements of			
P11.3*	2-sided (duplex) printing/cop	oying is an integrated produc	ct function.		\square		
P11.4*	The product is delivered to e	end-user with default auto-de	uplex enabled.			Ħ	Ħ
P13	Packaging and documenta		·				
P13.1*	Product packaging material		weight (kg): 1	7			
1 10.1	Product packaging material	type(s): EPS weig	ht (kg): 0.48	•			
	Product packaging material						
P13.2*	Product plastic primary pack	caging is free from PVC.			\boxtimes		
P13.3*	For product primary corrug	ated fiberboard packaging.	specify the contai	ned percentage of minimum post-			Ħ
	consumer recovered fiber co		, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,			ш
D40.4*	0 " " 1" 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					_
P13.4*	Specify media for user and product documentation (tick box):						
	Electronic X, Paper X, C						
P13.5	(Please only complete this it						
	User and product document	ation on paper media is chlo	orine-free:				
	If Yes, please specify:						
	Totally chlorine-free						
	Elemental chlorine-free				Ħ		
	Processed chlorine-free				H		
D4.4							
P14	Voluntary programs:	iromanta of the following vol	untom un romano (a).				
P14.1	The product meets the requ	irements of the following voi	untary program(s).				
	ENERGY STAR®	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Se		(
P1.1	Product on this declaration co						
	The current EU RoHS Direct	ive restricts the use of followi	ng substances.				
	Lead						
	Mercury Mercury						
	Cadmium Cadmium						
	Hexavalent chromium						
	Polybrominated biphenyls(PBB)						
	Polybrominated dipheny						
	Note; This is based on knowledge as of the date of this document.						
P1.7	http://canon-europe.com/a	about_us/sustainebility/bu	siness/reach_cus	tomer_statement/			
							· <u>-</u>

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1