



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo	
Company name *	Canon Europe Limited		•
Contact information *	environment@canon-europe.com		Canon
e-mail address			
Internet site *	www.canon-europe.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFD				
Commercial name *	i-SENSYS MF552dw				
Model number *	i-SENSYS MF552dw				
Issue date *	2022/01/13				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

_
υ

Model number *	i-SENSYS MF552dw	Logo	0
Issue date *	2022/01/13		Canon

Product	oduct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$	
P1.4*	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference).			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		Ш	
Da	Pattagian	_		
P2 P2.1*	Batteries If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$	$\overline{}$
P2. I	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	Ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
D0.0*	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/		Ш	
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; qiven in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://canon-europe.com/printers/			_
P4	Consumable materials	•	•	
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater		$\overline{}$	
	than 0,01% (see legal reference and NOTE B1).		ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀	$\overline{}$	
	used (see legal reference).	<i>'</i>	Ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
DC	Comment: Legal reference has no maximum concentration values.			
P6.1*	Treatment information Information for recognized free threat facilities is evallable (see legal reference)			
۲0. I	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS MF552dw	Logo	•
Issue date *	2022/01/13		Canon

Produc	t environmental attributes - Market requirements (See General Note GN below)		
-	Environmental conscious design	Requirement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.	
P7	Design		
	Disassembly, recycling		
P7.1*	Parts that have to be treated separately are easily separable		
P7.2*	Plastic materials in covers/housing have no surface coating.		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		
	Product lifetime		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		
P7.8*	Upgrading can be done using commonly available tools		
P7.9	Spare parts are available after end of production for: years		
P7.10	Service is available after end of production for: years		
	Material and substance requirements		
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type:		
P7.12	Insulation materials of external electrical cables are PVC free.		
P7.13	Insulation materials of internal electrical cables are PVC free.		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "		
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: In plastic parts > 25 g, flame retardant substances/preparations above 0.1% are used which have been		
1 1.19	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		Ш

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	i-SENSYS MF552dw	Logo	0
Issue date *	2022/01/13		Canon

Product environmental attributes - Market requirements (continued)					Require	ment	met	
Item			•	•		Yes	No	n.a.
	Material and substa	ance requirements (c	ontinued)		•			
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pro	oduct (See NOTE B6):				
	,		below shall be answe	,				
	percentage of t	parts' weight > 25 g, tr otal plastic by weight)	is %.	cled plastic material co	ntent (calculated as a			
		ecycled material is 23.						
P7.21*	Biobased plastic ma	terial content is used i	n the product (See NC	OTE B7):				\boxtimes
	a) Of total plastic	parts' weight > 25 g, t	below shall be answe he biobased plastic m		ated as a percentage of			
	total plastic by or	weight) is %.						
		he biobased plastic ma						
P7.22*	Light sources are free If mercury is used sp	ee from mercury, i.e. le becify: Number of lamp	ess than 0,1 mg/lamp. os: and maximu	m mercury content pe	r lamp: mg			
P8	Batteries							
P8.1*	Battery chemical cor	mposition: <i>Lithium</i>						
P9	Energy consumption	on (See NOTE B8)			·			•
P9.1	For the product the f	following power levels	or energy consumption	ns are reported:				
Energy mode * Power level at Power level at 100 V AC 115 V AC 230 V AC modes and test meth			nergy					
	le for ENERGY perational Mode ucts	W	W	W				
	ff mode for STAR Operational) products	W	W	W				
TEC produ	TEC value for ENERGY STAR TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption) kWh/week kWh/week							
MAX		W	W	1420 W	Canon's Own Standa	rd		
Printing(A	(verage)	W	W	590 W	Canon's Own Standa	rd		
Standby		W	W	13.6 W	Canon's Own Standa	rd		
Low Powe	Low Power W W Canon's Own Standa		rd					
Sleep		W	W	0.9 W	Canon's Own Standa	rd		
		W	W	W				
		y Level (International E	Efficiency Marking Pro	tocol) * :				
Print/Scan	Speed *	43 images per minute						
	ie to enter energy sav							
P9.2*	Information about th	e energy save functior	n is provided with the p	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS MF552dw	Logo	
Issue date *	2022/01/13		Canon

Product	Product environmental attributes - Market requirements (continued)			Require	ment	met	
Item		·	,		Yes	No	n.a.
P10	Emissions						
	Noise emission	- Declared according to ISO 9296 (See I	NOTE B9)				
P10.1	Mode	Mode description	Statistical upper lin	mit A-weighted sound power	level,		
	Idle	* Standby	* Not Detect				\Box
	Operation	* Print	* 7.29				Ħ
	Other mode						
	Measured accord	ding to: ISO 7779 ECMA-74	(only if not covered	by ECMA-74)			
	Chemical emissions from printing products (See NOTE B10)						
P10.2*	Test performed a	according to ECMA-328 Determination of	Chemical Emission R	Rates from Electronic	\boxtimes		
	Equipment (ISO/IEC 28360), other specify:						
P10.3	Typical emission	rate (operation phase) is (mg/h):					
	Electrophotographic devices: Ozone <loq(=0.12) 0.01="" 0.13="" 1.24="" 4.00="" benzene="" devices:="" dust="" ink="" styrene="" td="" tvoc="" tvoc<=""><td></td><td></td><td></td></loq(=0.12)>						
	NOTE: complian	ce with maximum emission rates in eco la	abels to be declared in	n P14.			
P11	Consumable materials for printing products						
P11.1*	•	heet (SDS) is available for the ink/toner pr	•	• • • • • • • • • • • • • • • • • • • •	\boxtimes		
P11.2*	EN 12281.	g post-consumer recycled fibers can be us	•	neets the requirements of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes		
P11.4*	The product is de	elivered to end-user with default auto-dup	lex enabled.				
P13	Packaging and						
P13.1*	1* Product packaging material type(s): Corrugated Paper weight (kg): 4.49 Product packaging material type(s): EPS weight (kg): 0.678 Product packaging material type(s): PE weight (kg): 0.127						
P13.2*	Product plastic p	orimary packaging is free from PVC.			\boxtimes		
P13.3*							
P13.4*							
P13.5	(Please only com	nplete this item if paper documentation us					
	Totally chlorine-f						
	Elemental chloring						
	Processed chlori	ne-free					
P14	Voluntary progr						
P14.1	The product mee	ets the requirements of the following volur	ntary program(s):				
	ENERGY STARGECO-label:	® Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS MF552dw	Logo	
Issue date *	2022/01/13		Canon

Product environmental attributes - Market requirements (concluded)			Requirement met
P15	Additional information (See NOTE B11)		
P1.1	Product on this declaration comply with EU RoHS Directive(2011/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE)		
	Note; This is based on knowledge as of the date of this docu		
P1.7	https://www.canon-europe.com/about_us/sustainability/business/reach_customer_statement/		
P10.1	Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) Standby Operator position Active(BW) (1-sided/2-sided) Standby	: 54 / 53 dB : 24 dB : 59 / 59 dB : 26 dB	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	