



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo	
Company name *	Canon Europa N.V.		
Contact information *	environment@canon-europe.com		Canon
e-mail address			
Internet site *	www.canon-europe.com		
Additional information			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFD					
Commercial name *	imageRUNNER 1643iF II					
Model number *	imageRUNNER 1643iF II					
Issue date *	2022/01/13					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements

5	

Model number *	imageRUNNER 1643iF II	Logo	0
Issue date *	2022/01/13		Canon

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/			
P4	Consumable materials	•		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	imageRUNNER 1643iF II	Logo	0
Issue date *	2022/01/13		Canon

	t environmental attributes - Market requirements (See General Note GN below)	Pogu	irom	ont m	ot.
	Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	ent m n.a.	eı
Item P7	Design	res	INO	n.a.	
F /	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\square		1	
P7.2*	Plastic materials in covers/housing have no surface coating.	X			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product lifetime			•	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\geq		
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)]	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			7 1	
	(Coo NOTE BO), Callot, Chemical Hallie.			_	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:]	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	imageRUNNER 1643iF II	Logo	0
Issue date *	2022/01/13		Canon

Product environmental attributes - Market requirements (continued)					Require	ment	met	
Item						Yes	No	n.a.
		ance requirements (c						
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pro	oduct (See NOTE B6)	:			
			below shall be answe					
		parts' weight > 25 g, tl otal plastic by weight)		cled plastic material co	ntent (calculated as a			
	or	otal plastic by weight)	15 /0.					
		ecycled material is 23.						
P7.21*	Biobased plastic ma	terial content is used i	n the product (See NC	OTE B7):				\boxtimes
	If YES; at least one	of the two alternatives	below shall be answe	red;				
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 							
	total plastic by or	weight) is %.						
b) The weight of the biobased plastic material is g.								
P7.22*		ee from mercury, i.e. le pecify: Number of lam		ım mercury content pe	r lamp: mg	\boxtimes		
P8	Batteries	occiny. Harrison of laring	oo. ana maxima	in moreary content po	riamp. mg			
P8.1*	Battery chemical cor	mposition: <i>Lithium</i>						
P9	Energy consumption	on (See NOTE B8)			·	•		
P9.1	For the product the t	following power levels	or energy consumptio	ns are reported:				
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard		nergy	
		100 V AC	115 V AC	230 V AC	modes and test metho	od *		
	de for ENERGY	W	W	W				
(OM) prod	perational Mode ucts							
Standby/or	ff mode for	W	W	W				
	STAR Operational 1) products							
	e for ENERGY STAR	kWh/week	kWh/week	0.41 kWh/week	ENERGY STAR (US	scheme).	
TEC produ	ucts (TEC= Typical				Eligibility Criteria Ve			
Energy Co	onsumption)				Imaging Equipment			
MAX		W	W	1420 W	Canon's Own Standa	ard		
Printing(A	Average)	W	W	590 W	Canon's Own Standa	ard		
Standby		W	W	13.6 W	Canon's Own Standa	ard		
Low Powe	er	W	W	W	Canon's Own Standa	ard		
Sleep		W	W	0.9 W	Canon's Own Standa	ard		
		W	W	W				
External P	ower Supply Efficienc	y Level (International I	Efficiency Marking Pro	tocol) *:				
Print/Scan	Speed * :	43 images per minute						
Default tim	ne to enter energy sav	e mode: 1 minutes						
P9.2*	Information about th	e energy save function	n is provided with the p	product.	•	\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	imageRUNNER 1643iF II	Logo	•
Issue date *	2022/01/13		Canon

Product	environmental	attributes - Market requiren	nents (conti	nued)		Require	ment	met
Item			-	-		Yes	No	n.a.
P10	Emissions							
	Noise emission	- Declared according to ISO 929	96 (See NOTE	B9)				
P10.1	Mode	Mode description		atistical upper limi _{VA,c} (B)	t A-weighted sound power	level,		
	Idle	* Standby	*	Not Detect				\Box
	Operation	* Print	*	7.29				Н
	Other mode							
	Measured accord	ding to: ISO 7779 ECMA		y if not covered by	ECMA-74)			
		sions from printing products (S			·			
P10.2*	Test performed a	according to ECMA-328 Determine	nation of Chen	nical Emission Rat	es from Electronic	\boxtimes		
	Equipment (ISO/IEC 28360), other specify:							
P10.3	Typical emission rate (operation phase) is (mg/h):							
	Electrophotograp	ohic devices: Ozone <i><loq(=0.1< i=""> Dus</loq(=0.1<></i>			Benzene 0.01 TVOC 4.06 zene TVOC			
	NOTE: complian	ce with maximum emission rates	s in eco labels	to be declared in F	P14.			
P11		aterials for printing products				•		
P11.1*	A Safety Data Sh	neet (SDS) is available for the in-	k/toner prepara	ation, even if not le	gally required (see P4.3).			
P11.2*	EN 12281.	post-consumer recycled fibers of	·		ets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrated	product functi	on.		\boxtimes		
P11.4*	The product is de	elivered to end-user with default	auto-duplex er	nabled.		\boxtimes		
P13	Packaging and							
P13.1*	Product packagii	ng material type(s): Corrugated ng material type(s): EPS ng material type(s): PE weight (I	weight (kg):	eight (kg): 4.47 0.678				
P13.2*	Product plastic p	rimary packaging is free from PV	/C.			\boxtimes		
P13.3*	consumer recove	ary corrugated fiberboard packagered fiber content: 25 %	0 0 , ,	ne contained perce	entage of minimum post-			
P13.4*	Specify media fo	r user and product documentation x	on (tick box):					
P13.5		nplete this item if paper documen t documentation on paper media ecify:		ee:				
	Totally chlorine-f	ree						
	Elemental chloring	ne-free				Ħ		
	Processed chlori	ne-free						
P14	Voluntary progr							
P14.1	The product mee	ets the requirements of the follow	ing voluntary ہ	orogram(s):				
	ENERGY STAR	® Criteria version:	г	Date:	Product category:			
	Eco-label:	Criteria version:		Date:	Product category:			
	Eco-label:	Criteria version:		Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	imageRUNNER 1643iF II	Logo	0
Issue date *	2022/01/13		Canon

Product environmental attributes - Market requirements (concluded)			Requirement met
P15	Additional information (See NOTE B11)		
P1.1	Product on this declaration comply with EU RoHS Directive(2011/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE)		
54.5	Note; This is based on knowledge as of the date of this docu		41
P1.7	https://www.canon-europe.com/about_us/sustainability/business/reach_customer_statement/		
P10.1	Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) Standby Operator position Active(BW) (1-sided/2-sided) Standby	: 54 / 53 dB : 24 dB : 59 / 59 dB : 26 dB	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

P6.1