

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Printer
Commercial name *	i-SENSYS X 1238P II
Model number *	i-SENSYS X 1238P II
Issue date *	2022/01/13
Intended market *	🔄 Global 🔀 Europe 🔄 Asia, Pacific & Japan 🔛 Americas 🔛 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9 1 PTEC, ETEC and display resolution

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	i-SENSYS X 1238P II	Logo	
Issue date *	2022/01/13		Canon

Product	Product environmental attributes - Legal requirements R						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes					
	Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes					
	terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm ² /week			\boxtimes			
	(see legal reference).						
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
P1./		\boxtimes					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal						
	symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes					
	reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\bowtie					
	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon- europe.com/ce-documentation/						
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	\square					
	(see legal reference).						
	Required information is; given in item P15 or added to this document,	\boxtimes		\square			
	available at (add URL): http://canon-europe.com/printers/			_			
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square					
	than 0,01% (see legal reference and NOTE B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\square					
D4 2*	legal reference)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to	\boxtimes					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available						
	(see legal reference).			_			
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes					
	hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	;) 🔀					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\square					
1 0.0	Protocol (see legal reference).						
	Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS X 1238P II	Logo	
Issue date *	2022/01/13		Canon

	Environmental conscious design	Requ			
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a	
P7	Design Disessembly recycling				
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			_	
P7.2*	Plastic materials in covers/housing have no surface coating.			_	⊢⊢
P7.3*					⊢⊢
-	Plastic parts > 100 g consist of one material or of easily separable materials.				<u> </u>
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools	\square			
P7.9	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS Material type: PC+ABS Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.			\leq	
P7.13	Insulation materials of internal electrical cables are PVC free.			\triangleleft	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all DPCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		Ľ		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		Ľ		
	 Chemical name: , CAS #. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: 		C		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		Ľ		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model numb	ber *	i-SENSYS	S X 1238P II			Logo	Casa
Issue date *		2022/01/1	3				Canon
	nvironme	ental attr	ibutes - Market re	quirements (conti	nued)		Requirement me
Item				<i>a</i>			Yes No n.:
			ince requirements (c			١.	
17.20	Postconsu	mer recyc	ied plastic material co	ontent is used in the pr	oduct (See NOTE B6):	
a	a) Of tot	al plastic			ered; cled plastic material c	ontent (calculat	ed as a
			ecycled material is 7.1				
P7.21* E	Biobased	plastic ma	terial content is used i	n the product (See No	OTE B7):		
e c t P7.22* L	a) Of tot total p or <u>o) The v</u> Light source	tal plastic plastic by v veight of th ces are fre	parts' weight > 25 g, t weight) is %. ne biobased plastic m e from mercury, i.e. le	aterial is g. ess than 0,1 mg/lamp.	naterial content (calcu		
		is used sp	ecify: Number of lam	ps: and maxim	um mercury content pe	er lamp:	mg
	Batteries						
			nposition: <i>Lithium</i>				L
		-	on (See NOTE B8)	or energy consumption	are reported:		
Energy mode			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and te	57
Sleep mode STAR® Ope (OM) produc	rational M		W	W	W		E
Standby/off r ENERGY ST Mode (OM) p	FAR Opera	ational	W	W	W		
TEC value fo TEC product Energy Cons	ts (TEC= 1		kWh/week	kWh/week	0.33 kWh/week		AR (US scheme),
MAX			W	W	1330 W	Canon's Ow	n Standard
Printing(Av	erage)		W	W	480 W	Canon's Ow	n Standard
Standby			W	W	9.0 W	Canon's Ow	n Standard
Low Power			W	W	W	Canon's Ow	n Standard
Sleep			W	W	0.9 W	Canon's Ow	
			W	W	W		
External Pov	ver Supply	/ Efficienc	Level (International	Efficiency Marking Pro	btocol) * :		L
Print/Scan S			38 images per minute		,		
	•		- ·				
		•••	e mode: 1 minutes				
P9.2* I	Information	n about the	e energy save function	n is provided with the	product.		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model n	number *	i-SENSYS X 1238P II	Logo	Company
Issue da	late *	2022/01/13		Canon

Produc	t environmental	attributes - Market requirem	ents (continued)		Require	ement	met
Item					Yes	No	n.a.
P10	Emissions						
	Noise emission	 Declared according to ISO 929 	6 (See NOTE B9)				
P10.1	Mode	Mode description	Statistical up <i>L_{WA,c}</i> (B)	per limit A-weighted sound power	level,		
	Idle	* Standby	* Not Detect				
	Operation	* Print	* 7.22				
	Other mode						
	Measured accor	ding to: 🔀 ISO 7779 📃 ECMA- Othe		ered by ECMA-74)			
	Chemical emiss	sions from printing products (S	ee NOTE B10)				
P10.2*	Test performed a	according to ECMA-328 Determin	ation of Chemical Emiss	ion Rates from Electronic	\boxtimes		
P10.3	Equipment (ISO/IEC 28360), other specify:						
P10.5	Typical emission rate (operation phase) is (mg/h):						
	Electrophotographic devices: Ozone <loq(=0.12) 0.00="" 0.14="" 1.40="" 3.38<br="" benzene="" dust="" styrene="" tvoc="">Ink devices: Dust Styrene Benzene TVOC</loq(=0.12)>						
	NOTE: compliance with maximum emission rates in eco labels to be declared in P14.						
P11		aterials for printing products					
P11.1*	•	heet (SDS) is available for the ink		0,1,1,7,	\boxtimes		
P11.2*	EN 12281.	g post-consumer recycled fibers c		at it meets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrated printing/copying is an integrated printing of the second se	product function.		\boxtimes		
P11.4*	The product is d	elivered to end-user with default a	uto-duplex enabled.		\boxtimes		
P13	Packaging and	documentation					
P13.1*	Product packagi Product packagi	ng material type(s): <i>Corrugated F</i> ng material type(s): <i>EPS</i> ng material type(s): <i>PE</i> weight (k	weight (kg): 0.242 g): 0.109	1.61			
P13.2*	Product plastic p	primary packaging is free from PV	С.		\boxtimes		
P13.3*	consumer recov	hary corrugated fiberboard packag ered fiber content: 25 %	0,1,1,	d percentage of minimum post-			
P13.4*		or user and product documentation Paper 🔀, Other 🗌	n (tick box):				
P13.5		nplete this item if paper document t documentation on paper media becify:					
	Totally chlorine-	free					
	Elemental chlori				H		
	Processed chlor				H		
P14	Voluntary prog	rams:					
P14.1		ets the requirements of the followi	ng voluntary program(s):				
	ENERGY STAR	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS X 1238P II	Logo	
Issue date *	2022/01/13		Canon

Produc	t environmental attributes - Market requirements (concl	uded)	Requirement met	
P15	Additional information (See NOTE B11)			
P1.1	Product on this declaration comply with EU RoHS Directive The current EU RoHS Directive restricts the use of following Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note;This is based on knowledge as of the date of this docu	y substances.		
P1.7	https://www.canon-europe.com/about_us/sustainability/bus		ement/	
P10.1	Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 54 / 54 dB Standby : Noiseless Operator position Active(BW) (1-sided/2-sided) : 60 / 59 dB Standby : Noiseless			

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	