

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo	
Company name *	Canon Europa N.V.		
Contact information *	environment@canon-europe.com		Canon
e-mail address			
Internet site *	www.canon-europe.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product * MFD

Type of product *	MFD
Commercial name *	i-SENSYS MF455dw
Model number *	i-SENSYS MF455dw
Issue date *	2022/01/13
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	i-SENSYS MF455dw	Logo	
Issue date *	2022/01/13		Canon

Product	Product environmental attributes - Legal requirements Re						
Item		Yes No n.a.					
P1	Hazardous substances and preparations	- · · ·					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference).	\square					
P1.3*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
F 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
1 1.7							
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon- europe.com/ce-documentation/						
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).						
	Required information is; given in item P15 or added to this document,						
	available at (add URL): http://canon-europe.com/printers/						
P4	Consumable materials	· · ·					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\square					
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\square					
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
1 0.1	mormaler for rooyoloo, routinent tuointico lo available (see logal folorence).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nun	nber *	i-SENSYS MF455dw	Logo	
Issue date	*	2022/01/13		Canon

	Environmental conscious design	Requ			
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycling				
² 7.1*	Parts that have to be treated separately are easily separable			_	
P7.2*	Plastic materials in covers/housing have no surface coating.			_	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			-	+
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			-	╘
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			_	-
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		— 	-	\square
7.0	Product lifetime		L	<u> </u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Г	_	
P7.8*	Upgrading can be done using commonly available tools			-	H
P7.9	Spare parts are available after end of production for: years		L		H
P7.10	Service is available after end of production for: years				
	Material and substance requirements	•		÷	
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS Material type: PC+ABS				
P7.12	Insulation materials of external electrical cables are PVC free.			\triangleleft	
P7.13	Insulation materials of internal electrical cables are PVC free.			3	Π
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		Ľ		
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		C		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		Ľ		
	3. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		Ľ		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

NOTE B3 and B4 A Guidance document on Chemical substances is available;

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	i-SENSY	S MF455dw			Logo		
Issue date *	2022/01/1	13				Cano	1
Product environ	mental att	r <mark>ibutes - Market re</mark> e	quirements (conti	nued)		Requiremen Yes No	
	and subst	ance requirements (c	continued)			res no	n.a.
		· · · ·		roduct (See NOTE B6)).		
lf YES; a) Of per or	at least one total plastic centage of t	of the two alternatives	below shall be answe ne postconsumer recy is %.			d as a	
,	-	terial content is used i	•	OTE B7):			\square
a) Of tot or b) Th P7.22* Light so	total plastic al plastic by <u>e weight of t</u> urces are fre		the biobased plastic r aterial is g. ess than 0,1 mg/lamp.	naterial content (calcu		ntage of	
P8 Batterie	s	,		<u> </u>	•	<u> </u>	
		mposition: <i>Lithium</i>					
P9 Energy	consumpti	on (See NOTE B8)					
P9.1 For the	product the	following power levels	or energy consumption	ons are reported:			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		′ 🗌
Sleep mode for ENE STAR® Operational (OM) products		W	W	W			
Standby/off mode for ENERGY STAR Op Mode (OM) product	erational	W	W	W			
TEC value for ENER TEC products (TEC Energy Consumptio	= Typical	kWh/week	kWh/week	0.33 kWh/week		AR (US scheme), iteria Version 3.0 for ipment	
MAX		W	W	1350 W	Canon's Owr	n Standard	
Printing(Average)		W	W	500 W	Canon's Owr	n Standard	$\overline{\Box}$
Standby		W	W	9.4 W	Canon's Owr	n Standard	
Low Power		W	W	W	Canon's Owr	n Standard	
Sleep		W	W	0.9 W	Canon's Owr		
		W	W	W			
External Power Sun	ply Efficienc	y Level (International I					
Print/Scan Speed *		38 images per minute					
•		8 1					<u> </u>
Default time to ente							<u> </u>
P9.2* Informa	ion about th	e energy save function	n is provided with the	product.			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS MF455dw	Logo	
Issue date *	2022/01/13		Canon

Produc	t environmental	attributes - Market requirem	ents (continued)		Require	ement	met
Item					Yes	No	n.a.
P10	Emissions						
	Noise emission	 Declared according to ISO 929 	6 (See NOTE B9)				
P10.1	Mode	Mode description	Statistical up L _{WA,c} (B)	oper limit A-weighted sound power	level,		
	Idle	* Standby	* Not Detec	t			
	Operation	* Print	* 7.22				
	Other mode						
	Measured accor	ding to: 🔀 ISO 7779 📃 ECMA- Oth		vered by ECMA-74)			
	Chemical emiss	sions from printing products (S	ee NOTE B10)			·	
P10.2*		according to ECMA-328 Determin	ation of Chemical Emiss	sion Rates from Electronic	\boxtimes		
D40.0	Equipment (ISO/IEC 28360), other specify:						
P10.3	Typical emission rate (operation phase) is (mg/h):						
	Electrophotogra Ink devices:	phic devices: Ozone <loq(=0.13 Dust</loq(=0.13 		0.18 Benzene 0.01 TVOC 3.60 Benzene TVOC			
	NOTE: complian	ce with maximum emission rates	in eco labels to be decla	ared in P14.			
P11		aterials for printing products					
P11.1*	•	()		if not legally required (see P4.3).	\square		
P11.2*	EN 12281.	g post-consumer recycled fibers c		at it meets the requirements of	\square		
P11.3*	2-sided (duplex)	printing/copying is an integrated	product function.		\boxtimes		
P11.4*	The product is d	elivered to end-user with default a	auto-duplex enabled.		\boxtimes		
P13		documentation					
P13.1*	Product packagi Product packagi	ng material type(s): <i>Corrugated I</i> ng material type(s): <i>EPS</i> ng material type(s): <i>PE</i> weight (k	weight (kg): 0.542 g): 0.124	2.92			
P13.2*	Product plastic p	primary packaging is free from PV	C.		\boxtimes		
P13.3*	consumer recov	hary corrugated fiberboard packag ered fiber content: 25 %	0,1,1	ed percentage of minimum post-			
P13.4*	Specify media for user and product documentation (tick box):						
P13.5		nplete this item if paper document t documentation on paper media becify:					
	Totally chlorine-	free					
	Elemental chlorine-free				H		
	Processed chlor				H		
P14	Voluntary prog						
P14.1		ets the requirements of the followi	ng voluntary program(s)):			
	ENERGY STAR	® Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS MF455dw	Logo	
Issue date *	2022/01/13	-	Canon

Produc	t environmental attributes - Market requirements (concl	uded)	Requirement met	
P15	Additional information (See NOTE B11)			
P1.1	Product on this declaration comply with EU RoHS Directive The current EU RoHS Directive restricts the use of following Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note;This is based on knowledge as of the date of this doct	g substances.		
P1.7	https://www.canon-europe.com/about_us/sustainability/bus		ement/	
P10.1	Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 53 / 53 dB Standby : Noiseless Operator position Active(BW) (1-sided/2-sided) : 58 / 58 dB Standby : Noiseless			

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	