

SAFETY DATA SHEET

OUR REF No. I-214

1. IDENTIFICATION OF THE PRODUCT AND OF THE SUPPLIER

【PRODUCT NAME】 FLOIL G-3MG2
【USE OF THE CHEMICAL】 Lubricant grease
【MANUFACTURER NAME】 Kanto Kasei Ltd.
【MANUFACTURER ADDRESS】 1-8-1, Marunouchi, Chiyoda-ku, Tokyo JAPAN, 100-0005
【DIVISION】 Environmental quality assurance
【PHONE NUMBER】 TEL: 03(3218)7111 FAX: 03(3218)7100
【E-MAIL】 info@kanto-kasei.com

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION (JIS Z7253:2012)

HEALTH HAZARDS : Skin sensitization Category 1
ENVIRONMENTAL HAZARDS : Hazardous to the acute aquatic environment Category 3
: Hazardous to the chronic aquatic environment Category 3

Hazard identification that there is no description in the above-mentioned is
Not applicable or Not possible to classify.

LABEL ELEMENTS

SYMBOLS

:



SIGNAL WORD

: Warning

HAZARD STATEMENT

: H317 : May cause an allergic skin reaction

: H402 : Harmful to aquatic life

: H412 : Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

【Prevention】

: P261 : Avoid breathing dust/fume/gas/mist/vapour/spray.

: P272 : Contaminated work clothing should not be allowed out of the workplace.

: P280 : Wear protective gloves/eye protection/face protection.

: P273 : Avoid release to the environment.

【Response】

: P302+P352 : IF ON SKIN: Wash with plenty water and soap.

: P333+P313 : IF skin irritation or rash occurs, get medical advice/attention.

: P362+P364 : Take off contaminated clothing and wash before reuse.

【Storage】

: None

【Disposal】

: P501 : Dispose of contents/container in accordance with local/regional/national/international regulation.

Even if there is not a mention of the notice by the GHS classification, the information in later, making a sufficient consideration relates to prevention/response/storage/disposal.

3. COMPOSITION/INFORMATION ON INGREDIENTS

DISTINCTION

(SINGLE PRODUCT/MIXTURE) : Mixture

CHEMICAL NAME : Grease

COMPOSITION BASE OIL : Mineral oil 75~85wt%

THICKNER : Lithium soap 5~15wt%

OTHERS : Additives 5~15wt%

CHEMICAL FORMULAE : Not disclose, because of trade secrets

CAS NO : Not disclose, because of trade secrets

UN CLASS/UN NUMBER : Not applicable

4. FIRST-AID MEASURES

IF INHALED : Remove victim to fresh air.

Get medical advice/attention.

IF ON SKIN : Wash the affected area with soap and water.

IF IN EYES : Flush eyes with plenty of water, and get medical advice
/attention.

IF SWALLOWED : Do not induce vomiting. Get medical advice/attention.

If a mouth is polluted, wash it with plenty of water.

MOST IMPORTANT SYMPTOM : No data available

PROTECTION OF PERSON

GIVE FIRST-AID : No data available

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA : Use spray foam, foam, powder or CO₂ gas
extinguishing media.FIRST FIRE : Use powder or CO₂ gas extinguishing media.

LARGE-SCALE FIRE : Use foam extinguishing media.

UNSUITABLE EXTINGUISHING MEDIA : Prohibit rod-shaped water injection.

PECULIAR HAZARD STATEMENT : No data available

PECULIAR EXTINCTION METHOD : Cut off combustion source of fire.

: Sprinkle water to equipment to cool.

: Prohibit to enter to the scene of a fire except staff.

PROTECTION OF THE PERSON

EXTINGUISHES FIRE : Extinguish fire on the windward side of the fire and
not fail to wear protector.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS : Always wear protective equipment when working.

ENVIRONMENTAL PRECAUTIONS : Take care not to be drained into river and drain.

: If the medicine is used for the sea, it should be
what suits the standard in the technology that
provides by the transportation ministerial ordinance.

METHODS FOR CONTAINMENT

AND CLEANING UP : Remove source of a fire.

SMALL QUANTITY : Remove with a spatula or shovel, or absorb with soil,
sand or a cloth. Wipe off remainder with a cloth.LARGE QUANTITY : Prevent access by roping off the perimeter around
the leak. Prevent the spilling grease from spreading
with soil and sand. After draining off to a safety
area, collect as much as possible into an empty container.AT SEA : Prevent dispersion by creating an oil fence.
Scoop up or use adsorption mats to soak up.
When chemicals are used, these must comply with
technological standards as set down in ministry
of transport ordinances.

PREVENTION MEASURE
OF SECOND DISASTER

- : Inform promptly a related organization to attempt prevention and the expansion prevention of the accident when leaking.
 - : Remove source of a fire and prepare extinguishing media.
-

7. HANDLING AND STORAGE

HANDLING

TECHNICAL MEASURES

- : Avoid contact with flame, sparks and heated objects. Do not allow unnecessary dispersion of vapor.
- : Take steps to prevent static electricity, and use conductive work clothes and shoes.
- : Remove completely it in the safety area, if the mechanical equipment are repaired and are processed.
- : Wear protector, if there is possibility of skin contact or eye contact.
- : Avoid inhalation of vapor or mist.
- : Containers must be sealed.

NOTES

- : The vapor from petroleum products builds up easily as it is heavier than air. It is therefore necessary to ensure adequate ventilation and take care with fire.

NOTES OF SAFE HANDLING

- : Handling should be done at room temperature. Prevent contamination of water and impurities.
- : Avoid contact with halogens, strong acids, alkaline substances and oxidants.

STORAGE

- : Protect from sunlight. Store in a well-ventilated place.
 - : Avoid heat, sparks, flames and any build-up of static electricity.
 - : Electrical equipment used in the storage area must have a non-explosive structure, and devices must be earthed.
 - : Avoid contact and storing with halogens, strong acids, alkaline substances and oxidants.
 - : Do not apply pressure to empty containers.
 - : Don't cut, weld, heat, or make the hole the container. Traces might ignite attended with the explosion.
-

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EQUIPMENT MEASURES

- : If the vapor arises, ventilation equipment or closing of vapor source is needed.
- : The equipment for washing and the body washing of eyes is set up near the handling area.

MANAGEMENT CONCENTRATION
ALLOWABLE CONCENTRATION

- : Not established
- : Japan Society for Occupational Health(2010)
3mg/m³ (as mist of mineral oil)
- : ACGIH TWA : 5mg/m³ (as mist of mineral oil)

PROTECTION

RESPIRATORY PROTECTION

- : If necessary, wear hazard mask.

HAND PROTECTION

- : Wear the resistance to oil if coming in contact repeating for a long term.

EYE PROTECTION

- : Wear safety glasses with side shields.

SKIN PROTECTION

- : When contacting for a long time or repeatedly, wear oil resistant ones.

APPROPRIATE SANITARY
REQUIREMENT

- : Remove dirty clothes, wash completely and reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	: Semisolid
COLOR	: Green
ODOR	: Slightly odor
p H	: No data
MELTING POINT/FREEZING POINT	: No data
INITIAL BOILING POINT	
AND BOILING	: No data
FLASH POINT	: Over 130°C (SETA)
UPPER/LOWER FLAMMABILITY	
OR EXPLOSIVE LIMITS	: Upper : 7wt% lower : 1wt% (Base oil)
VAPOR PRESSURE	: No data
VAPOR density	: No data
RELATIVE DENSITY	
(WATER=1)	: Approx. 0.89
SOLUBILITY	: Water : Insoluble
	Other solvent : Insoluble
AUTO-IGNITION TEMPERATURE	: No data
DECOMPOSITION TEMPERATURE	: No data
VISCOSITY	: No data

10. STABILITY AND REACTIVITY

STABILITY	: Stability at room temperature
POSSIBILITY OF HAZARDOUS	
REACTIONS	: Avoid contact with strong acids.
CONDITIONS TO AVOID	: Avoid contact with halogens, strong acids, alkaline substances and oxidants.
HAZARDOUS DECOMPOSITION	
PRODUCTS	: CO
OTHER	: No data available

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	: Oral : rat LD ₅₀ ≥ 5000mg/kg
SKIN CORROSION/IRRITATION	: No data available
RESPIRATORY OR SKIN	
SENSITIZATION	: May cause an allergic skin reaction
GERM CELL MUTAGENICITY	: No data available
CARCINOGENICITY	
BASE OIL	: IARC : Group3
THICKNER	: No data available
ADDITIVE	: No data available
REPRODUCTIVE TOXICITY	: No data available
STOT-single exposure	: May cause respiratory irritation
STOT-repeated exposure	: No data available
ASPIRATION HAZARD	: No data available

12. ECOLOGICAL INFORMATION

TOXICITY		
FISH	: No data available	
OTHERS	: No data available	
PERSISTENCE/DEGRADABILITY	: No data available	
BIOACCUMULATIVE POTENTIAL	: No data available	
MOBILITY IN SOIL	: No data available	
OTHER ADVERSE EFFECTS	: No data available	

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD : Consider disposal via licensed waste disposal company. Scrap may be incinerated under properly controlled condition. Follow all regulations in your country.

14. TRANSPORT INFORMATION

Not classified as dangerous in all means of transport regulations, including air, sea and land.

INTERNATIONAL REGULATIONS

FOR TRANSPORT : Not regulated (Not dangerous)

UN CLASS : Not applicable

UN NUMBER : Not applicable

PRODUCT NAME : Not applicable

CONTAINER GRADE : Not applicable

SEAWATER POLLUTION MATERIAL : None

SPECIFIC SECURITY PRECAUTION

AND CONDITION OF TRANSPORTATION : The container is avoided direct sunlight, and it loads so as not to be damaged, corroded and leak.
The collapse of cargo piles is prevented surely.
: Don' t pile the heavy load.

15. REGULATORY INFORMATION

Ensure this material in compliance with nation's requirements, and ensure conformity to local regulation.

16. OTHER INFORMATION

Please read the SDS well before use.

SAFETY DATA SHEETS ARE ISSUED BASED ON THE LATEST INFORMATION WE HAVE KNOWN.

HOWEVER, THESE ARE NOT THE ONE TO INSURE SAFETY.

THESE ARE PROVIDED TO COMPANIES HANDLING THE MATERIALS AS REFERENCE INFORMATION REGARDING HAZARDOUS AND HARMFUL CHEMICALS TO ENSURE SAFE HANDLING.

WE ASK THAT THESE SHEETS BE USED BY COMPANIES AS REFERENCE AND WITH THE UNDERSTANDING THAT IT IS NECESSARY FOR MEASURES APPROPRIATE TO THE SPECIFIC CIRCUMSTANCES RELATED TO HANDLING THE MATERIALS TO BE TAKEN UNDER THEIR OWN RESPONSIBILITY. ACCORDINGLY, THIS DATA SHEET IN NO WAY CONSTITUTES A GUARANTEE OF SAFETY.