## SAFETY DATA SHEET

OUR REF No. I-126

1. IDENTIFICATION OF THE PROD [PRODUCT NAME] [USE OF THE CHEMICAL] [SUPPLIER'S NAME] [SUPPLIER'S ADDRESS] [DIVISION] [PHONE NUMBER] [E-MAIL]	DUCT AND OF THE SUPPLIER FLOIL GE-676 Electro-conductive grease Kanto Kasei Ltd. 1-8-1, Marunouchi, Chiyoda-ku, Tokyo JAPAN, 100-0005 Environmental quality assurance TEL: 03(3218)7111 FAX: 03(3218)7100 <u>info@kanto-kasei.com</u>		
2. HAZARDS IDENTIFICATION EU CLASSIFICATION (EC) 1272/2008(CLP) : Not classified LABEL ELEMENTS No label elements according to Regulation (EC) No. 1272/2008 OTHER HAZARD STATEMENT IMPORTANT SYMPTOM : The product is flammability, so take care with fire. ASSUMED STATE OF EMERGENCY : No date available Environmental Hazards :No significant hazards. Material does not meet the criteria for PBT or vPvB in accordance with REACH Annex XIII.			
CHEMICAL NAME COMPOSITIION BASE OIL THICKNER OTHERS CHEMICAL FORMULAE CAS NO	N INGREDIENTS : Mixture : Grease : Mineral oil 80~90wt% : Carbon Black 5~15wt% : Additives 1~10wt% : Not disclose, because of trade secrets : Not disclose, because of trade secrets : Not applicable		
IF ON SKIN IF IN EYES IF SWALLOWED MOST IMPORTANT SYMPTOM PROTECTION OF PERSON GIVE FIRST-AID	<ul> <li>: Remove victim to fresh air. Get medical advice/attention.</li> <li>: Wash the affected area with soap and water.</li> <li>: Flush eyes with plenty of water, and get medical advice /attention.</li> <li>: Do not induce vomiting. Get medical advice/attention. If a mouth is polluted, wash it with plenty of water.</li> <li>: No data available</li> <li>: No data available</li> <li>: No data available</li> </ul>		

5. FIRE-FIGHTING MESURES EXTINGUISHING MEDIA FIRST FIRE LARGE-SCALE FIRE UNSUITABLE EXTINGUISHING MEDIA PECULIAR HAZARD STATEMENT PECULIAR EXTINCTION METHOD PROTECTION OF THE PERSON EXTINGUISHIES FIRE	<ul> <li>: Use spray foam, foam, powder or CO<sub>2</sub> gas extinguishing media.</li> <li>: Use powder or CO<sub>2</sub> gas extinguishing media.</li> <li>: Use foam extinguishing media.</li> <li>: Prohibit rod-shaped water injection.</li> <li>: No data available</li> <li>: Cut off combustion source of fire.</li> <li>: Sprinkle water to equipment to cool.</li> <li>: Prohibit to enter to the scene of a fire except staff.</li> <li>: Extinguish fire on the windward side of the fire and not fail to wear protector.</li> </ul>
6. ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS ENVIRONMENTAL PRECAUTIONS	<ul><li>: Always wear protective equipment when working.</li><li>: Take care not to be drained into river and drain.</li><li>: If the medicine is used for the sea, it should be what suits the standard in the technology that provides by the transportation ministerial ordinance.</li></ul>
METHODS FOR CONTAINMENT AND CLEANING UP SMALL QUANTITY	: Remove source of a fire. : Remove with a spatula or shovel, or absorb with soil,
LARGE QUANTITY	sand or a cloth. Wipe off remainder with a cloth. : Prevent access by roping off the perimeter around the leak. Prevent the spilling grease from spreading with soil and sand. After draining off to a safety area, collect as much as possible into an empty
AT SEA	<pre>container. : Prevent dispersion by creating an oil fence. Scoop up or use adsorption mats to soak up. When chemicals are used, these must comply with technological standards as set down in ministry of transport ordinances.</pre>
PREVENTION MESURE OF SECOND DISASTER	<ul><li>Inform promptly a related organization to attempt prevention and the expansion prevention of the accident when leaking.</li><li>Remove source of a fire and prepare extinguishing media.</li></ul>
7. HANDLING AND STORAGE HANDLING	
TECHNICAL MESURES	<ul> <li>Avoid contact with flame, sparks and heated objects. Do not allow unnecessary dispersion of vapor.</li> <li>Take steps to prevent static electricity, and use conductive work clothes and shoes.</li> <li>Remove completely it in the safety area, if the mechanical equipment are repaired and are processed.</li> <li>Wear protector, if there is possibility of skin contact or eye contact.</li> <li>Avoid inhalation of vapor or mist.</li> </ul>
NOTES	<ul><li>: Containers must be sealed.</li><li>: The vapor from petroleum products builds up easily as it is heavier than air. It is therefore necessary to ensure adequate ventilation and take care with fire.</li></ul>

take care with fire.

NOTES OF SAFE HANDLING	<ul> <li>Handling should be done at room temperature. Prevent contamination of water and impurities.</li> <li>Avoid contact with halogens, strong acids, alkaline</li> </ul>
STORAGE	<ul> <li>substances and oxidants.</li> <li>Protect from sunlight. Store in a well-ventilated place.</li> <li>Avoid heat, sparks, flames and any build-up of static electricity.</li> </ul>
	: Electrical equipment used in the storage area must have a non-explosive structure, and devices must be earthed.
	: Avoid contact and storing with halogens, strong acids, alkaline substances and oxidants.
	: Do not apply pressure to empty containers. : Don't cut, weld, heat, or make the hole the container.
8. EXPOSURE CONTROLS/PERSONAL	DEATECTION
EQUIPMENT MESURES	: If the vapor arises, ventilation equipment or
	closing of vapor source is needed. : The equipment for washing and the body washing of eyes is set up near the handling area.
MANAGEMENT CONCENTRATION	: Not established
ALLOWABLE CONCENTRATION	: Japan Society for Occupational Health(2010) 3 mg/m³ (as mist of mineral oil)
PROFESSION	: ACGIH(2010) TWA $5mg/m^3$ (as mist of mineral oil)
PROTECTION RESPIRATORY PROTECTION	: If necessary, wear hazard mask.
HAND PROTECTION	: Wear the resistance to oil if coming in contact repeating for a long term.
EYE PROTECTION SKIN PROTECTION	: Wear safety glasses with side shields. : When contacting for a long time or repeatedly, wear oil resistant ones.
APPROPRIATE SANITARY REQUIREMENT	: Remove dirty clothes, wash completely and reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

5. THISTORE AND CHEMICAL TROLE	X1129
APPEARANCE	: Semisolid
COLOR	:Black
ODOR	: Slightly odor
рH	:No data
MELTING POINT/FREEZING POINT	:No data
INITIAL BOILING POINT	
AND BOILING	:No data
FLASH POINT	: 0ver 200°C (SETA)
UPPER/LOWER FLAMMABILITY	
OR EXPLOSIVE LIMITS	:Upper:7wt% lower:1wt% (Base oil)
VAPOR PRESSURE	:No data
VAPOR density	:No data
RELATIVE DENSITY(WATER=1)	:No data
SOLUBILITY	:Water : Insoluble
	Other solvent : Insoluble
AUTO-IGNITION TEMPERATURE	:No data
DECOMPOSITION TEMPERATURE	:No data
VISCOSITY	:No data

10. STABILITY AND REACTIVITY STABILITY POSSIBILITY OF HAZARDOUS REACTIONS CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	<pre>: Stability at room temperature : Avoid contact with strong acid. : No data available : Avoid contact with halogens, strong acids, alkaline substances and oxidants. : CO</pre>
11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY RESPIRATORY OR SKIN SENSITIZATION CARCINOGENICITY BASE OIL THICKNER ADDITIVE	:Oral :rat LD <sub>50</sub> ≧ 5000mg/kg :Not classified :No data :IARC:Group3 :No data Available :No data Available
12. ECOLOGICAL INFORMATION TOXICITY FISH OTHERS PERSISTENCE/DEGRADABILITY BIOACCUMULATIVE POTENTIAL MOBILITY IN SOIL	: No data available : No data available : No data available : No data available : No data available
13. DISPOSAL CONSIDERATIONS WASTE DISPOSAL METHOD	: Consider disposal via licensed waste disposal company. Scrap may be incinerated under properly controlled condition. Follow all regulations in your country.
14. TRANSPORT INFORMATION Not classified as dangerous	s in the meaning of transport regulations.
INTERNATIANAL REGULATIONS FOR TRANSPORT UN CLASS UN NUMBER PRODUCT NAME CONTAINER GRADE SEAWATER POLLUTION MATERIAL SPECIFIC SECURITY PRECAUTION AND CONDITION OF TRANSPORTATION	: Not regulated (Not dangerous) : Not applicable : Not applicable : Not applicable : Not applicable : None N : Flammable liquid is used, so fire caution

: Carry the container so as not to violently vibrate.

- : The stacking height when carrying it should be 3m or less.
- : Not carried along with the high pressure gas.

## 15. REGULATORY INFORMATION

Ensure this material in compliance with nation's requirements, and ensure conformity to local regulation.

## 16. OTHER INFORMATION

Please read the SDS well before use.

SAFETY DATE SHEETS ARE ISSUED BASED ON THE LATEST INFORMATION WE HAVE KNOWN. HOWEVER, THESE ARE NOT THE ONE TO INSURE SAFETY. THESE ARE PROVIDED TO COMPANIES HANDLING THE MATERIALS AS REFERENCE INFORMATION REGARDING HAZARDOUS AND HARMFUL CHEMICALS TO ENSURE SAFE HANDLING. WE ASK THAT THESE SHEETS BE USED BY COMPANIES AS REFERENCE AND WITH THE UNDERSTANDING THAT IT IS NECESSARY FOR MESURES APPROPRIATE TO THE SPECIFIC CIRCUMSTANCES RELATED TO HANDLING THE MATERIALS TO BE TAKEN UNDER THEIR OWN RESPONSIBILITY. ACCORDINGLY, THIS DATA SHEET IN NO WAY CONSTITUTES A GUARANTEE OF SAFETY.