HANARL UD-38KE

SAFETY DATA SHEET

OUR REF No. Ⅲ-81

85~95wt%

1. IDENTIFICATION OF THE PRODUCT AND OF THE SUPPLIER

[PRODUCT NAME]HANARL UD-38KE[USE OF THE CHEMICAL]Lubricant[MANUFACTURER NAME]Kanto Kasei Ltd.

[MANUFACTURER ADDRESS] 1-8-1, Marunouchi, Chiyoda-ku, Tokyo JAPAN, 100-0005

[DIVISION] Chemical Safety Division

[PHONE NUMBER] TEL: 03 (3218) 7111 FAX: 03 (3218) 7100

(E-MAIL) info@kanto-kasei.com

2. HAZARDS IDENTIFICATION

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Label elements

Signal word: Not applicable.

Symbols: Not applicable.

Pictograms: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

DISTINCTION

(SINGLE PRODUCT/MIXTURE) : Mixture

CHEMICAL NAME : Dry film lubricant COMPOSITIION : Fluorinated solvent

:Fluoric oil and others 5~15wt%

CHEMICAL FORMULAE : Not disclose, because of trade secrets CAS NO : Not disclose, because of trade secrets

UN CLASS/UN NUMBER : Not applicable

4. FIRST-AID MEASURES

IF INHALED : Remove person to fresh air.

If you feel unwell, get medical attention.

IF ON SKIN : Wash with soap and water.

IF IN EYES : Flush with large amounts of water.

Remove contact lenses if easy to do. Continue rinsing.

IF SWALLOWED : Rinse mouth.

MOST IMPORTANT SYMPTOM

PROTECTION OF PERSON : No data available
GIVE FIRST-AID : No data available
SPECIAL NOTE TO DOCTOR : No data available

5. FIRE-FIGHTING MESURES

EXTINGUISHING MEDIA : Material will not burn. Use a fire fighting agent

suitable for the surrounding fire.

PECULIAR HAZARD STATEMENT : Exposure to extreme heat can give rise to thermal

decomposition.

HAZARDOUS DECOMPOSITION : Carbon monoxide, Carbon dioxide

PROTECTION OF THE PERSON EXTINGUISHIES FIRE

: When firefighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

- : Evacuate area. Ventilate the area with fresh air.
- : For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.
- : Observe precautions from other sections.

ENVIRONMENTAL PRECAUTIONS

: Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

METHODS FOR CONTAINMENT AND CLEANING UP

- : Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material.
- : Mix in sufficient absorbent until it appears dry. : Collect as much of the spilled material as possible.
- : Place in a closed container approved for transportation
- by appropriate authorities.
- : Clean up residue with an appropriate solvent selected by a qualified and authorized person.
- : Ventilate the area with fresh air.
- : Dispose of collected material as soon as possible in accordance with applicable local/regional/national/ international regulations.

7. HANDLING AND STORAGE HANDLING

- : Do not breathe thermal decomposition products.
- : Avoid skin contact with hot material. : For industrial or professional use only.
- : Do not eat, drink or smoke when using this product.
- : Wash thoroughly after handling.
- : Avoid release to the environment.
- : Avoid contact with oxidizing agents (ex. chlorine, chromic acid etc.)

STORAGE : Store in a well-ventilated place. : Keep container tightly closed.

> : Store away from heat, acids, strong bases, oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EQUIPMENT MESURES : Provide appropriate local exhaust when product is heated.

: Use general dilution ventilation and/or local exhaust.

: If ventilation is not adequate, use respiratory

protection equipment.

MANAGEMENT CONCENTRATION ALLOWABLE CONCENTRATION

: Not established : TWA:200 ppm

DATE OF ISSUE/LAST REVISION: April 5, 2019

HANARL UD-38KE

PROTECTION

RESPIRATORY PROTECTION : If necessary, wear hazard mask. EYE PROTECTION : Safety Glasses with side shields

HAND PROTECTION : Select and use gloves and/or protective clothing

: Gloves made from the following material(s) are

recommended: Nitrile Rubber

SKIN PROTECTION : Select and use body protection to prevent contact based

on the results of an exposure assessment.

: The following protective clothing material(s) are

recommended: Apron - Nitrile

: Wear heat insulating gloves when handling hot material THERMAL HAZARDS

to prevent thermal burns.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Liquid

COLOR : Milky white **ODOR** : Slightly odor : Not applicable MELTING POINT/FREEZING POINT : Approx. −138°C

INITIAL BOILING POINT

рН

: 75∼80°C AND BOILING

FLASH POINT : No flash point

UPPER/LOWER FLAMMABILITY

OR EXPLOSIVE LIMITS : Not applicable

VAPOR PRESSURE : Approx. 109 mmHg (25℃)

: Approx. 9.1 (0°C) VAPOR DENSITY RELATIVE DENSITY (WATER=1) : Approx. 1. 43

SOLUBILITY : Water : Nil

Other solvent : No Data Available

AUTO-IGNITION TEMPERATURE : Approx. 375 ℃ DECOMPOSITION TEMPERATURE : Not applicable

VISCOSITY : Approx. 0.4 centistoke

* These data except for appearance are about a solvent.

10. STABILITY AND REACTIVITY

REACTIVITY : This material is considered to be non-reactive under

: Stable.

normal use conditions.

STABILITY

POSSIBILITY OF HAZARDOUS

REACTIONS : Hazardous polymerization will not occur.

CONDITIONS TO AVOID : None known.

INCOMPATIBLE MATERIALS : Strong acids, Strong bases, Strong oxidizing agents

HAZARDOUS DECOMPOSITION

PRODUCTS

: PFIB, HF

: If the product is exposed to extreme condition of heat **OTHER** from misuse or equipment failure, toxic decomposition

products that include hydrogen fluoride and

perfluoroisobutylene can occur.

11. TOXICOLOGICAL INFORMATION

A ACUTE TOXICITY : Oral : Rat: LD50 > 2,000 mg/kg

Inhalation(vapor): Rat: LC50 4hr > 989 mg/l

SKIN CORROSION/IRRITATION : Rabbit: No significant irritation

SERIOUS EYE DANAGE/

IRRITATION : Rabbit: No significant irritation

RESPIRATORY OR SKIN

SENSITIZATION : Guinea Pig : Not classified GERM CELL MUTAGENICITY : In Vitro : Not mutagenic

In vivo : Not mutagenic

CARCINOGENICITY : No data available

REPRODUCTIVE TOXICITY : Not classified for development

STOT-single exposure : respiratory irritation: Not classified

STOT-repeated exposure : Not classified ASPIRATION HAZARD : No data available

12. ECOLOGICAL INFORMATION

ACUATIC TOXICITY ACUTE : No toxicity

CHARONIC : No toxicity

PERSISTENCE/DEGRADABILITY : No data available
BIOACCUMULATIVE POTENTIAL : No data available
MOBILITY IN SOIL : No data available
OTHER ADVERSE EFFECTS : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

- : Dispose of waste product in a permitted industrial waste facility. Combustion products will include HF. Facility must be capable of handling halogenated materials.
- : Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations.
- : Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

14. TRANSPORT INFORMATION

Not regulated per U.S. DOT, IATA or IMO.

INTERNATIANAL REGULATIONS

FOR TRANSPORT : Not regulated (Not dangerous)

UN CLASS : Not applicable
UN NUMBER : Not applicable
PRODUCT NAME : Not applicable
CONTAINER GRADE : Not applicable

SEAWATER POLLUTION MATERIAL : None

SPECIFIC SECURITY PRECAUTION

AND CONDITION OF TRANSPORTATION: The container is avoided direct sunlight, and it

loads so as not to be damaged, corroded and leak. The collapse of cargo piles is prevented surely.

: Don't pile the heavy load.

15. REGULATORY INFORMATION

EPCRA 311/312 Hazard Classifications: Physical Hazards: Not applicable

Health Hazards : Not applicable

HANARL UD-38KE

16. OTHER INFORMATION

Please read the SDS well before use.

SAFETY DATE SHEETS ARE ISSUED BASED ON THE LATEST INFORMATION WE HAVE KNOWN. HOWEVER, THESE ARE NOT THE ONE TO INSURE SAFETY.

THESE ARE PROVIDED TO COMPANIES HANDLING THE MATERIALS AS REFERENCE INFORMATION REGARDING HAZARDOUS AND HARMFUL CHEMICALS TO ENSURE SAFE HANDLING.

WE ASK THAT THESE SHEETS BE USED BY COMPANIES AS REFERENCE AND WITH THE UNDERSTANDING THAT IT IS NECESSARY FOR MESURES APPROPRIATE TO THE SPECIFIC CIRCUMSTANCES RELATED TO HANDLING THE MATERIALS TO BE TAKEN UNDER THEIR OWN RESPONSIBILITY. ACCORDINGLY, THIS DATA SHEET IN NO WAY CONSTITUTES A GUARANTEE OF SAFETY.