

Issuing date : 06-Jun-2017
 Revision date : 14-Nov-2019

SDS # : TCW 1575 R - 02 EU EN
 Version : 02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Canon C-EXV 55 Drum Unit Cyan
Product code(s) 2187C002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Toner for electrophotographic machines

1.3. Details of the supplier of the safety data sheet

Supplier

Importer
 Canon Europa N.V.
 Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands
 +31 20 5458545, +31 20 5458222
 www.canon-europe.com, ceu-Reach@canon-europe.com

Manufacturer

Canon Inc.
 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency telephone number

| | | | |
|------------------|----------------------|-----------------------|------------------------|
| Austria | +43 (0) 1 406 43 43 | Belgium | +32 (0) 70 245 245 |
| Bulgaria | 112 | Croatia | +385 (0)1-23-48-342 |
| Cyprus | 1401 | Czech Republic | +420 224919293 |
| Denmark | +45 82 12 12 12 [*1] | Estonia | 16662 |
| Finland | +358 (0)9 471977 | France | +33 (0)1 45 42 59 59 |
| Greece | +30 210 7793777 | Hungary | +36 80 20 11 99 |
| Italy | +39 (0)55 7947819 | Latvia | +371 67042473 |
| Lithuania | +370 687 53378 | Luxembourg | 112 |
| Malta | 112 | Netherlands | +31 (0)30-2748888 [*2] |
| Poland | 112 | Portugal | +351 808 250 143 |
| Romania | +40 21 318 36 06 | Slovakia | +421 2 5477 4166 |
| Slovenia | 112 | Spain | 112 |
| Sweden | 112 [*3] | United Kingdom | 111 (UK only) |
| Iceland | 112 | Liechtenstein | 145 |
| Norway | +47 22 59 13 00 | Switzerland | 145 |

*1 Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

*2 Only for the purpose of informing medical personnel in cases of acute intoxications.

*3 Ask for Poison Information

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 Not classified

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other information

None

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Chemical name | CAS-No | EC-No | REACH registration number | Weight % | Classification (Reg. 1272/2008) | Note to other hazards |
|----------------------------|-----------|-----------|---------------------------|----------|---------------------------------|-----------------------|
| Polyester resin | CBI | CBI | None | 70 - 80 | None | |
| Styrene acrylate copolymer | CBI | CBI | None | 5 - 10 | None | |
| Pigment | CBI | CBI | None | 5 - 10 | None | |
| Wax | CBI | CBI | None | 3 - 10 | None | |
| Amorphous silica | 7631-86-9 | 231-545-4 | 01-2119379499-16-xxxx | 3 - 10 | None | |

Full texts of Hazard statement(s) are listed in SECTION 16

Note to other hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Move to fresh air. Get medical attention immediately if symptoms occur. |
| Ingestion | Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur. |
| Skin contact | Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur. |
| Eye contact | Flush with plenty of water. Get medical attention immediately if symptoms occur. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|--|
| Inhalation | None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract. |
| Ingestion | None under normal use. |
| Skin contact | None under normal use. |

Eye contact None under normal use. May cause slight irritation.

Chronic effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung damage.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

5.2. Special hazards arising from the substance or mixture

Special hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for firefighters

None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

| Chemical name | EU OEL | Austria | Belgium | Bulgaria | Cyprus |
|-------------------------------|--|---|---|---|---|
| Amorphous silica 7631-86-9 | None | TWA: 4 mg/m ³ inhalable fraction | None | None | None |
| Chemical name | Czech Republic | Denmark | Finland | France | Germany |
| Amorphous silica 7631-86-9 | TWA: 4.0 mg/m ³ amorphous SiO ₂ | None | TWA: 5 mg/m ³ | None | TRGS TWA: 4 mg/m ³ inhalable fraction DFG TWA: 4 mg/m ³ inhalable fraction |
| Chemical name | Greece | Hungary | Ireland | Italy | Netherlands |
| Amorphous silica 7631-86-9 | None | None | TWA: 6 mg/m ³ total inhalable dust TWA: 2.4 mg/m ³ respirable dust STEL: 18 mg/m ³ total inhalable dust STEL: 7.2 mg/m ³ respirable dust | None | None |
| Chemical name | Poland | Portugal | Romania | Slovakia | Spain |
| Amorphous silica 7631-86-9 | None | None | None | TWA: 4.0 mg/m ³ total aerosol | None |
| Chemical name | Sweden | United Kingdom | Norway | Switzerland | Turkey |
| Amorphous silica 7631-86-9 | None | TWA: 6 mg/m ³ inhalable dust TWA: 2.4 mg/m ³ respirable dust | TWA: 1.5 mg/m ³ respirable dust STEL: 1.5 mg/m ³ respirable dust | TWA: 4 mg/m ³ inhalable dust, also manufactured in wet processing | None |

8.2. Exposure controls

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|--------------------------------|
| Eye/face protection | Not required under normal use. |
| Skin protection | Not required under normal use. |
| Respiratory protection | Not required under normal use. |
| Thermal hazards | Not applicable |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------------------------|----------------------------|
| Appearance | Cyan ; powder |
| Odor | Slight odor |
| Odor threshold | No data available |
| pH | Not applicable |
| Melting/freezing point (°C) | 85 - 120 (Softening point) |
| Boiling point/range (°C) | Not applicable |
| Flash point (°C) | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not flammable; estimated |

| | |
|--|--------------------------------------|
| Flammability limits in air | |
| Upper flammability limit | Not applicable |
| Lower flammability limit | Not applicable |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Relative density | 1.0 - 1.5 |
| Solubility(ies) | Organic solvent; partly soluble |
| Partition coefficient: n-octanol/water | Not applicable |
| Auto-ignition temperature (°C) | No data available |
| Decomposition temperature (°C) | > 200 |
| Viscosity (mPa s) | Not applicable |
| Explosive properties | May form explosive mixtures with air |
| Oxidizing properties | No data available |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous decomposition products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|--|
| Acute toxicity | Estimate: LD50 > 2000 mg/kg (Ingestion) |
| Skin corrosion/irritation | Estimate: Mild irritant |
| Serious eye damage/eye irritation | Estimate: Transient slight conjunctival irritation only. |
| Sensitization | Estimate: Non-sensitizing |
| Germ cell mutagenicity | Ames Test (S. typhimurium, E. coli): Negative |
| Carcinogenicity | No data available |

| | |
|---------------------------------|---|
| Reproductive toxicity | No data available |
| STOT - single exposure | No data available |
| STOT - repeated exposure | Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. |
| Aspiration hazard | No data available |
| Other information | No data available |

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Estimate: Fish, 96h LC50 > 100 mg/l
Estimate: Crustaceans, 48h EC50 > 100 mg/l
Estimate: Algae, ErC50(0-72h) > 100 mg/l

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

| | |
|--------------------------------------|---------------------|
| 14.1. UN number | 2807 |
| 14.2. UN proper shipping name | Magnetized material |

| | |
|---|--|
| 14.3. Transport hazard class | 9 |
| 14.4. Packing group | None |
| 14.5. Environmental hazards | Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code. |
| 14.6. Special precautions for users | 32 or more of these products shipped together, by air, are regulated as magnetized material. |
| 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code | Not applicable |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|---------------------------------|---------------|
| (EC) No 1907/2006 Authorisation | Not regulated |
| (EC) No 1907/2006 Restriction | Not regulated |
| (EC) No 1005/2009 | Not regulated |
| (EU) 2019/1021 | Not regulated |
| (EU) No 649/2012 | Not regulated |
| Other information | None |

15.2. Chemical safety assessment

None

SECTION 16: Other information

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, (EU) 2017/2398 and (EU) 2019/983, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

| | |
|------------------------|------------------------------|
| Issuing date : | 06-Jun-2017 |
| Revision date : | 14-Nov-2019 |
| Revision note | SECTION 3, 8, and 11 revised |

This safety data sheet (SDS) is supplied voluntarily.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.