

Issuing date : 21-Jul-2000  
Revision date : 17-Mar-2016

SDS # : ICW 1235 R - 01 EU EN  
Version : 06

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

**Product name** Canon Color BJ Cartridge BC-33e  
**Product Code(s)** 4611A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** Ink for Ink Jet Printer

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Importer  
Canon Europa N.V.  
Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands  
+31 20 5458545, +31 20 5458222  
www.canon-europe.com, ceu-Reach@canon-europe.com

#### Manufacturer

Canon Inc.  
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

### 1.4. Emergency Telephone Number

<b>Austria</b>	+43 (0) 1 406 43 43	<b>Belgium</b>	+32 (0) 70 245 245
<b>Bulgaria</b>	112	<b>Croatia</b>	+385 (0)1-23-48-342
<b>Cyprus</b>	1401	<b>Czech Republic</b>	+420 224919293
<b>Denmark</b>	+45 82 12 12 12 [ <sup>*1</sup> ]	<b>Estonia</b>	16662
<b>Finland</b>	+358 (0)9 471977	<b>France</b>	+33 (0)1 45 42 59 59
<b>Greece</b>	+30 210 7793777	<b>Hungary</b>	+36 80 20 11 99
<b>Italy</b>	+39 (0)55 7947819	<b>Latvia</b>	+371 67042473
<b>Lithuania</b>	+370 687 53378	<b>Luxembourg</b>	112
<b>Malta</b>	112	<b>Netherlands</b>	+31 (0)30-2748888 [ <sup>*2</sup> ]
<b>Poland</b>	112	<b>Portugal</b>	+351 808 250 143
<b>Romania</b>	+40 21 318 36 06	<b>Slovakia</b>	+421 2 5477 4166
<b>Slovenia</b>	112	<b>Spain</b>	112
<b>Sweden</b>	112 [ <sup>*3</sup> ]	<b>United Kingdom</b>	111 (UK only)
<b>Iceland</b>	112	<b>Liechtenstein</b>	145
<b>Norway</b>	+47 22 59 13 00	<b>Switzerland</b>	145

\*1 Kontakt Gifflinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

\*2 Only for the purpose of informing medical personnel in cases of acute intoxications.

\*3 Ask for Poison Information

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Not classified

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

Not classified

## 2.2. Label Elements

### Labelling according to Regulation (EC) No 1272/2008

Contains 1,2-benzisothiazol-3(2H)-one.

May produce an allergic reaction.

Contains less than 30% of components with unknown hazards to the aquatic environment.

### Hazard pictograms

Not required

### Signal word

Not required

### Hazard statements

Not required

### Precautionary Statements - EU (§28, 1272/2008)

Not required

### Other Information

Labelling according to Regulation (EU) No 528/2012

Contains a preservative to control microbial deterioration.

## 2.3. Other Hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (67/548)	Indication of danger	Classification (Reg. 1272/2008)
Glycerin	56-81-5	200-289-5	None	5 - 10	None	None	None
Ethylene glycol	107-21-1	203-473-3	None	1 - 10	Xn; R22	Xn - Harmful	Acute Tox. 4 (H302)
Diethylene glycol	111-46-6	203-872-2	None	1 - 10	Xn; R22	Xn - Harmful	Acute Tox. 4 (H302)
Isopropyl alcohol	67-63-0	200-661-7	None	1 - 5	F; R11 Xi; R36 R67	F - Highly flammable Xi - Irritant	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)
Ammonium benzoate	1863-63-4	217-468-9	None	1 - 5	Xi; R36	Xi - Irritant	Eye Irrit. 2 (H319)
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts	90295-11-7	291-001-7	CBI	1 - 5	Xi; R41	Xi - Irritant	Eye Dam. 1 (H318)
Quinoline derivative	CBI	CBI	None	1 - 5	Xi; R36	Xi - Irritant	Eye Irrit. 2 (H319)
Triazine derivative	CBI	CBI	None	1 - 5	Xi; R36 R52-53	Xi - Irritant	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)
Ammonia derivative	CBI	CBI	None	5 - 15	None	None	None
Triol	CBI	CBI	None	5 - 10	None	None	None
Water	7732-18-5	231-791-2	None	60 - 80	None	None	None

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

---

<b>Inhalation</b>	Move to fresh air. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.
<b>Eye Contact</b>	Flush with plenty of water. Get medical attention immediately if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.
<b>Ingestion</b>	None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Skin Contact</b>	None under normal use.
<b>Eye Contact</b>	None under normal use. May cause slight irritation.
<b>Chronic Effects</b>	None under normal use.

**4.3. Indication of any immediate medical attention and special treatment needed**

None

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**  
Use CO<sub>2</sub>, dry chemical, or foam, Water.

**Unsuitable extinguishing media**  
None

**5.2. Special hazards arising from the substance or mixture**

**Special Hazard**  
None

**Hazardous combustion products**  
Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

**5.3. Advice for firefighters**

**Special protective equipment for fire-fighters**  
None

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes and clothing.

**6.2. Environmental Precautions**

Keep out of waterways.

**6.3. Methods and material for containment and cleaning up**

Wipe up with adsorbent material (e.g. cloth, fleece).

**6.4. Reference to other sections**

None

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

**7.3. Specific end uses**

Ink for Ink Jet Printer. Obtain special instructions before use.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure Limits**

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Glycerin 56-81-5	None	None	TWA: 10 mg/m <sup>3</sup>	None	None
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL: 20 ppm STEL: 52 mg/m <sup>3</sup>	None	TWA: 52 mg/m <sup>3</sup> TWA: 20 ppm STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	None	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> STEL: 40 ppm STEL: 176 mg/m <sup>3</sup>	None	TWA: 10 mg/m <sup>3</sup>	None
Isopropyl alcohol 67-63-0	None	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 800 ppm STEL: 2000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 980.0 mg/m <sup>3</sup> STEL: 1225.0 mg/m <sup>3</sup>	None
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts 90295-11-7	None	TWA: 1 mg/m <sup>3</sup> inhalable fraction STEL: 4 mg/m <sup>3</sup> inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup>	None	TWA: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	DFG TWA: 200 mg/m <sup>3</sup> inhalable fraction Ceiling / Peak: 400 mg/m <sup>3</sup> inhalable fraction

Ethylene glycol 107-21-1	TWA: 50 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 50 mg/m <sup>3</sup> STEL: 40 ppm STEL: 100 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TRGS TWA: 10 ppm TRGS TWA: 26 mg/m <sup>3</sup> DFG TWA: 10 ppm DFG TWA: 26 mg/m <sup>3</sup> Ceiling / Peak: 20 ppm Ceiling / Peak: 52 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	None	TWA: 2.5 ppm TWA: 11 mg/m <sup>3</sup>	None	None	TRGS TWA: 10 ppm TRGS TWA: 44 mg/m <sup>3</sup> DFG TWA: 10 ppm DFG TWA: 44 mg/m <sup>3</sup> Ceiling / Peak: 40 ppm Ceiling / Peak: 176 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 490 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TRGS TWA: 200 ppm TRGS TWA: 500 mg/m <sup>3</sup> DFG TWA: 200 ppm DFG TWA: 500 mg/m <sup>3</sup> Ceiling / Peak: 400 ppm Ceiling / Peak: 1000 mg/m <sup>3</sup>
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts 90295-11-7	None	None	TWA: 1 mg/m <sup>3</sup>	None	None
<b>Chemical name</b>	<b>Greece</b>	<b>Hungary</b>	<b>Ireland</b>	<b>Italy</b>	<b>Netherlands</b>
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup>	None	TWA: 10 mg/m <sup>3</sup> mist STEL: 30 mg/m <sup>3</sup> mist	None	None
Ethylene glycol 107-21-1	None	TWA: 52 mg/m <sup>3</sup> STEL: 104 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> particulate STEL: 40 ppm particulate	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	None	None	TWA: 23 ppm TWA: 100 mg/m <sup>3</sup> STEL: 69 ppm STEL: 300 mg/m <sup>3</sup>	None	None
Isopropyl alcohol 67-63-0	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> STEL: 2000 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	None	None
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts 90295-11-7	None	STEL: 4 mg/m <sup>3</sup>	None	None	None
<b>Chemical name</b>	<b>Poland</b>	<b>Portugal</b>	<b>Romania</b>	<b>Slovakia</b>	<b>Spain</b>
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup> inhalable fraction	TWA: 10 mg/m <sup>3</sup> mist	None	None	TWA: 10 mg/m <sup>3</sup> mist
Ethylene glycol 107-21-1	TWA: 15 mg/m <sup>3</sup> STEL: 50 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	TWA: 10 mg/m <sup>3</sup> inhalable aerosol fraction	None	TWA: 115 ppm TWA: 500 mg/m <sup>3</sup> STEL: 184 ppm STEL: 800 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup>	None
Isopropyl alcohol 67-63-0	TWA: 900 mg/m <sup>3</sup> STEL: 1200 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Sweden</b>	<b>United Kingdom</b>	<b>Norway</b>	<b>Switzerland</b>	<b>Turkey</b>

Glycerin 56-81-5	None	TWA: 10 mg/m <sup>3</sup> mist	None	TWA: 50 mg/m <sup>3</sup> inhalable dust STEL: 100 mg/m <sup>3</sup> inhalable dust	None
Ethylene glycol 107-21-1	TLV: 10 ppm aerosol and vapor TLV: 25 mg/m <sup>3</sup> aerosol and vapor STEL: 20 ppm aerosol and vapor STEL: 50 mg/m <sup>3</sup> aerosol and vapor	TWA: 10 mg/m <sup>3</sup> particulates	TWA: 20 mg/m <sup>3</sup> dust TWA: 52 ppm total dust and vapor TWA: 52 mg/m <sup>3</sup> STEL: 52 mg/m <sup>3</sup> dust STEL: 20 ppm	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL: 20 ppm STEL: 52 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	TLV: 10 ppm TLV: 45 mg/m <sup>3</sup> STEL: 20 ppm STEL: 90 mg/m <sup>3</sup>	TWA: 23 ppm TWA: 101 mg/m <sup>3</sup>	None	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> STEL: 40 ppm STEL: 176 mg/m <sup>3</sup>	None
Isopropyl alcohol 67-63-0	TLV: 150 ppm TLV: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 100 ppm STEL: 245 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	None

## 8.2. Exposure controls

**Appropriate engineering controls** None under normal use conditions.

### Individual protection measures, such as personal protective equipment

<b>Eye/face Protection</b>	Not required under normal use.
<b>Skin Protection</b>	Not required under normal use.
<b>Respiratory Protection</b>	Not required under normal use.
<b>Thermal hazards</b>	Not Applicable

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Black, Cyan, Magenta, Yellow ; Liquid
<b>Odor</b>	Slight odor
<b>Odor threshold</b>	No data available
<b>pH</b>	8 - 10
<b>Melting/Freezing point (°C)</b>	No data available
<b>Boiling Point/Range (°C)</b>	No data available
<b>Flash Point (°C)</b>	Cyan, Magenta, Yellow: 55 - 57 (Tag. Closed Cup. Combustion is not sustainable.) (Estimate) Black: None; estimated
<b>Evaporation Rate</b>	No data available
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Flammability Limits in Air</b>	
<b>Upper Flammability Limit</b>	No data available
<b>Lower Flammability Limit</b>	No data available
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Relative density</b>	1.0 - 1.1
<b>Solubility(ies)</b>	Water; miscible
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature (°C)</b>	No data available
<b>Decomposition Temperature (°C)</b>	No data available
<b>Viscosity (mPa s)</b>	1 - 5
<b>Explosive properties</b>	None; estimated
<b>Oxidizing properties</b>	None; estimated

## 9.2. Other Information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None

### 10.2. Chemical stability

Stable

### 10.3. Possibility of Hazardous Reactions

None

### 10.4. Conditions to Avoid

None

### 10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

### 10.6. Hazardous Decomposition Products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), and/or Ammonia.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	Cyan: LD50 > 2500 mg/kg (Ingestion) (OECD Guideline) Magenta: LD50 > 2500 mg/kg (Ingestion) (Estimate) (OECD Guideline) Black and Yellow: No data available
<b>Skin corrosion/irritation</b>	Black: Non-irritant (Estimate) (OECD Guideline) Cyan and Yellow: Mild irritant (OECD Guideline) Magenta: Mild irritant (Estimate) (OECD Guideline)
<b>Serious eye damage/eye irritation</b>	Black and Magenta: Minimal irritant (Estimate) (OECD Guideline) Cyan and Yellow: Minimal irritant (OECD Guideline)
<b>Sensitization</b>	Black and Magenta: Non-sensitizer (Estimate) (OECD Guideline) Cyan and Yellow: Non-sensitizer (OECD Guideline)

<b>Germ cell mutagenicity</b>	Ames test: All colors: Negative Magenta: Chromosome aberration test: Negative Black, Cyan, Yellow: Chromosome aberration test: No data available
<b>Carcinogenicity</b>	No data available
<b>Reproductive Toxicity</b>	No data available
<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	No data available
<b>Aspiration hazard</b>	No data available
<b>Other Information</b>	No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity effects**  
No data available

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of in accordance with local regulations.

## SECTION 14: Transport information

**14.1. UN number** None

**14.2. UN Proper Shipping Name** None



<b>14.3. Transport Hazard Class</b>	None
<b>14.4. Packing Group</b>	None
<b>14.5. Environmental Hazards</b>	No special environmental precautions required.
<b>14.6. Special Precautions for users</b>	None
<b>14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not Applicable

## SECTION 15: Regulatory information

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EC) No 850/2004	Not regulated
(EU) No 649/2012	Not regulated
Other Information	None

### **15.2. Chemical safety assessment**

None

## SECTION 16: Other information

### **Full text of R-phrases referred to under sections 2 and 3**

R11 - Highly flammable  
R22 - Harmful if swallowed  
R36 - Irritating to eyes  
R41 - Risk of serious damage to eyes  
R67 - Vapors may cause drowsiness and dizziness

### **Risk Combination Phrases**

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### **Full text of H-Statements referred to under sections 2 and 3**

H225 - Highly flammable liquid and vapor  
H302 - Harmful if swallowed  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H412 - Harmful to aquatic life with long lasting effects

### **Key literature references and sources for data**

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans  
- EU Directive 1999/45/EC  
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- IARC: International Agency for Research on Cancer
- EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- CBI: Confidential Business Information

**Issuing date :** 21-Jul-2000  
**Revision date :** 17-Mar-2016  
**Revision Note** Entirely revised

**This safety data sheet (SDS) is supplied under (EC) No 1907/2006 Article 31-3.**

**Disclaimer**

**The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.**