Canon

Issuing date : 27-Jul-2012 Revision date : 18-Nov-2021

Safety Data Sheet

SDS #: TCW 0484 R - 02 EU EN Version: 03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Canon C-EXV 45 Yellow Toner

Product code(s) 6948B002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use

Toner for electrophotographic machines

1.3. Details of the supplier of the safety data sheet

Supplier

Importer Canon Europa N.V. / Canon (UK) Ltd. Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands +31 20 5458545, +31 20 5458222 www.canon-europe.com, ceu-Reach@canon-europe.com

5 The Square, Stockley Park, Uxbridge, Middlesex, UB11 1ET United Kingdom +44 01895 648000

Manufacturer

Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency telephone number

| Austria Bulgaria Cyprus Denmark Finland | +43 (0) 1 406 43 43 +359 2 9154 233 1401 +45 82 12 12 12 [*1] +358 (0)9 471977 | Belgium Croatia Czech Republic Estonia France | +32 (0) 70 245 245 +385 (0)1-23-48-342 +420 224919293 16662 +33 (0)1 45 42 59 59 |
|---|--|---|--|
| Greece | +30 210 7793777 | Hungary | +36 80 20 11 99 |
| Ireland | 353 (1) 809-2166/-2566 | Italy | +39 (0)55 7947819 |
| Latvia | +371 67042473 | Lithuania | +370 (85) 2362052 |
| Luxembourg | (+352) 8002 5500 | Malta | 21224071 |
| Netherlands | +31 (0)30-2748888 [*2] | Poland | 42 25 38-421/-422/-406 |
| Portugal | +351 800 250 250 | Romania | +40 21 318 36 06 |
| Slovakia | +421 2 5477 4166 | Slovenia | 112 |
| Spain | +34 91 562 04 20 | Sweden | 112 ^[*3] |
| United Kingdom | +44 121 507 4123 | Iceland | 112 |
| Liechtenstein Switzerland | 145 145 | Norway | +47 22 59 13 00 |

*1 Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

*2 Only for the purpose of informing medical personnel in cases of acute intoxications.

*3 Ask for Poison Information

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Not required

Signal word Not required

Hazard statements Not required

Precautionary statements Not required

Other information None

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Chemical name | CAS-No | EC-No | REACH registration number | Weight % | Classification (Regulation (EC) No 1272/2008) | SCL, M-factor, ATE | Note to other hazards |
|------------------|------------|-----------|---------------------------------|----------|--|--------------------------|--------------------------|
| Polyester resin | CBI | СВІ | None | 80 - 90 | None | No data available | |
| Pigment | CBI | CBI | None | 5 - 10 | None | No data available | |
| Amorphous silica | 7631-86-9 | 231-545-4 | 01-2119379499- 16-xxxx | 1 - 3 | None | No data available | |
| Titanium dioxide | 13463-67-7 | 236-675-5 | None | | None (For titanium dioxide in powder form containing 1% or more of particles with aerodynamic diameter ≤ 10µm: Carc. 2 (H351 inhal.)) | No data available | |

Full texts of Hazard statement(s) are listed in SECTION 16

Note to other hazards : The following substance(s) is (are) marked with (1), (2), (3) and/or (4)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)

- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

- (4) Endocrine disrupting substance under Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move to fresh air. Get medical attention immediately if symptoms occur. |
|--------------|--|
| Ingestion | Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur. |
| Skin contact | Wash off immediately with soap and plenty of water. Get medical attention immediately if |

| | symptoms occur. | | | |
|---|--|--|--|--|
| Eye contact | Flush with plenty of water. Get medical attention immediately if symptoms occur. | | | |
| 4.2. Most important symptoms and | effects, both acute and delayed | | | |
| Inhalation | None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract. | | | |
| Ingestion | None under normal use. | | | |
| Skin contact | None under normal use. | | | |
| Eye contact | None under normal use. May cause slight irritation. | | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | | | |

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media None

5.2. Special hazards arising from the substance or mixture

Special hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for firefighters None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

| Chemical name | EU OEL | Austria | Belgium | Bulgaria | Cyprus |
|--------------------------------|--|--|--|--|--|
| Amorphous silica 7631-86-9 | None | TWA: 4 mg/m ³ inhalable fraction | None | None | None |
| Titanium dioxide 13463-67-7 | None | TWA: 5 mg/m ³ alveolar dust, respirable fraction STEL: 10 mg/m ³ alveolar dust, respirable fraction | TWA: 10 mg/m ³ | TWA: 10.0 mg/m ³ respirable dust | None |
| Chemical name | Czech Republic | Denmark | Finland | France | Germany |
| Amorphous silica 7631-86-9 | TWA: 4.0 mg/m³ amorphous SiO2 | None | TWA: 5 mg/m³ | None | TRGS TWA: 4 mg/m ³ inhalable fraction DFG TWA: 4 mg/m ³ inhalable fraction |
| Titanium dioxide 13463-67-7 | None | TWA: 6 mg/m³ | None | TWA: 10 mg/m ³ | DFG TWA: 0.3 mg/m ³ respirable fraction Ceiling / Peak: 2.4 mg/m ³ respirable fraction |
| Chemical name | Greece | Hungary | Ireland | Italy | Netherlands |
| Amorphous silica 7631-86-9 | None | None | TWA: 6 mg/m ³ total inhalable dust TWA: 2.4 mg/m ³ respirable dust STEL: 18 mg/m ³ respirable dust STEL: 7.2 mg/m ³ respirable dust | None | None |
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m³ inhalable fraction TWA: 5 mg/m³ respirable fraction | None | TWA: 10 mg/m ³ total inhalable dust TWA: 4 mg/m ³ respirable dust STEL: 30 mg/m ³ respirable dust STEL: 12 mg/m ³ | None | None |
| Chemical name | Poland | Portugal | Romania | Slovakia | Spain |
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m ³ inhalable fraction TWA: 10 mg/m ³ STEL: 30 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 15 mg/m ³ | TWA: 5 mg/m ³ | TWA: 10 mg/m ³ |
| Chemical name | Sweden | United Kingdom | Norway | Switzerland | Turkey |

| Amorphous silica 7631-86-9 | None | TWA: 6 mg/m ³ inhalable dust TWA: 2.4 mg/m ³ respirable dust | TWA: 1.5 mg/m ³ respirable dust STEL: 3 mg/m ³ respirable dust | TWA: 4 mg/m³ inhalable dust | None |
|--------------------------------|--------------------------|---|---|---|------|
| Titanium dioxide 13463-67-7 | TLV: 5 mg/m ³ | TWA: 10 mg/m ³ total inhalable TWA: 4 mg/m ³ respirable | TWA: 5 mg/m ³ STEL: 10 mg/m ³ | TWA: 3 mg/m ³ respirable dust | None |

8.2. Exposure controls

Appropriate engineering controls None under normal use conditions.

| | - | |
|--------------------------------|-------------------|------------------------|
| Individual protection measures | , such as persona | I protective equipment |
| | | |

| Eye/face protection | Not required under normal use. |
|------------------------|--------------------------------|
| Skin protection | Not required under normal use. |
| Respiratory protection | Not required under normal use. |
| Thermal hazards | Not applicable |
| | •• |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous decomposition products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

| 11.1. | Information on hazard classes as defined in Regulation | (EC |) No 1272/2008 | |
|-------|--|-----|----------------|--|
| | | • | | |

| Acute toxicity | LD50 > 2000 mg/kg (Ingestion) |
|-----------------------------------|--|
| Skin corrosion/irritation | Non-irritant |
| Serious eye damage/eye irritation | Transient slight conjunctival irritation only. |
| Sensitization | Non-sensitizing |
| Germ cell mutagenicity | Ames Test (S. typhimurium, E. coli): Negative |
| Carcinogenicity | The IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. Also European Chemical Agency evaluated titanium dioxide in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu m$ as a Group 2 carcinogen under EU Regulation (EC) No 1272/2008 for similar reason. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats. |
| Reproductive toxicity | No data available |
| STOT - single exposure | No data available |
| STOT - repeated exposure | Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. |
| Aspiration hazard | No data available |
| | |

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects Fish, 96h LL50 > 100 mg/l (WAF) Crustaceans, 48h EL50 > 100 mg/l (WAF) Algae, ErL50(0-72h) > 100 mg/l (WAF)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

| 14.1. UN number or ID number | None |
|---|--|
| 14.2. UN proper shipping name | None |
| 14.3. Transport hazard class | None |
| 14.4. Packing group | None |
| 14.5. Environmental hazards | Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code. |
| 14.6. Special precautions for users | IATA: Not regulated |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation Not regulated

| (EC) No 1907/2006 Restriction | Not regulated |
|-------------------------------|---------------|
| (EC) No 1005/2009 | Not regulated |
| (EU) 2019/1021 | Not regulated |
| (EU) No 649/2012 | Not regulated |
| Other information | None |

15.2. Chemical safety assessment

None

SECTION 16: Other information

The data in SECTION 9, 11 and 12 of this SDS are based on the test results of this product, or estimates based on the data of similar product or the ingredients of this product.

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the

Carcinogenic Risk of Chemicals to Humans

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- SCL: Specific Concentration Limit
- M-factor: Multiplication factor
- ATE: Acute Toxicity Estimate
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern

- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC,

- 2006/15/EC, 2009/161/EU, (EU) 2017/164 and (EU) 2019/1831.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

| Issuing date : | 27-Jul-2012 |
|-----------------|------------------|
| Revision date : | 18-Nov-2021 |
| Revision note | Entirely revised |

This safety data sheet (SDS) is supplied under (EC) No 1907/2006 Article 31-3.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.