

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name** Canon Ink Tank BCI-15 Color  
**Product code(s)** 8191A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** Ink for Ink Jet Printer

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Importer  
Canon Europa N.V.  
Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands  
+31 20 5458545, +31 20 5458222  
www.canon-europe.com, ceu-Reach@canon-europe.com

#### Manufacturer

Canon Inc.  
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

### 1.4. Emergency telephone number

<b>Austria</b>	+43 (0) 1 406 43 43	<b>Belgium</b>	+32 (0) 70 245 245
<b>Bulgaria</b>	+359 2 9154 233	<b>Croatia</b>	+385 (0)1-23-48-342
<b>Cyprus</b>	1401	<b>Czech Republic</b>	+420 224919293
<b>Denmark</b>	+45 82 12 12 12 <sup>[*1]</sup>	<b>Estonia</b>	16662
<b>Finland</b>	+358 (0)9 471977	<b>France</b>	+33 (0)1 45 42 59 59
<b>Greece</b>	+30 210 7793777	<b>Hungary</b>	+36 80 20 11 99
<b>Ireland</b>	353 (1) 809-2166/-2566	<b>Italy</b>	+39 (0)55 7947819
<b>Latvia</b>	+371 67042473	<b>Lithuania</b>	+370 (85) 2362052
<b>Luxembourg</b>	(+352) 8002 5500	<b>Malta</b>	21224071
<b>Netherlands</b>	+31 (0)30-2748888 <sup>[*2]</sup>	<b>Poland</b>	42 25 38-421/-422/-406
<b>Portugal</b>	+351 800 250 250	<b>Romania</b>	+40 21 318 36 06
<b>Slovakia</b>	+421 2 5477 4166	<b>Slovenia</b>	112
<b>Spain</b>	+34 91 562 04 20	<b>Sweden</b>	112 <sup>[*3]</sup>
<b>United Kingdom</b>	+44 121 507 4123	<b>Iceland</b>	112
<b>Liechtenstein</b>	145	<b>Norway</b>	+47 22 59 13 00
<b>Switzerland</b>	145		

\*1 Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

\*2 Only for the purpose of informing medical personnel in cases of acute intoxications.

\*3 Ask for Poison Information

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**  
Reproductive toxicity Category 1B

### 2.2. Label elements

**Labelling according to Regulation (EC) No 1272/2008**

### Hazard pictograms



**Signal word**  
Danger

**Hazard statements**  
May damage fertility or the unborn child.

**Precautionary statements**  
Not required

**Other information**  
Contains 1,2-benzisothiazol-3(2H)-one.  
May produce an allergic reaction.  
Contains less than 30% of components with unknown hazards to the aquatic environment.  
UFI: Cyan: J800-30GS-900R-P16D, Yellow: E600-K0TD-0007-0PMA

### 2.3. Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to other hazards
Ammonia derivative	CBI	CBI	CBI	5 - 15	None	
Glycerin	56-81-5	200-289-5	None	5 - 10	None	
Ethylene glycol	107-21-1	203-473-3	01-2119456816-28-xxxx	1 - 10	Acute Tox. 4 (H302) STOT RE 2 (kidney) (H373)	(1)
2-Pyrrolidinone	616-45-5	210-483-1	01-2119475471-37-xxxx	1 - 10	Eye Irrit. 2 (H319) Repr. 1B (H360)	
Diethylene glycol	111-46-6	203-872-2	01-2119457857-21-xxxx	1 - 5	Acute Tox. 4 (H302)	
Isopropyl alcohol	67-63-0	200-661-7	01-2119457558-25-xxxx	1 - 5	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	
Substituted phthalocyanine	CBI	291-001-7	01-2120763679-35-xxxx	1 - 5	Eye Dam. 1 (H318)	
Quinoline derivative	CBI	276-445-1	None	1 - 5	Eye Irrit. 2 (H319)	
Triazine derivative	CBI	418-520-5	None	1 - 5	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	
Water	7732-18-5	231-791-2	None	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to other hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
  - (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
  - (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006
- In case a safety data sheet supplied under (EC) No 1907/2006 Article 31-3 is necessary, please contact us.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Flush with plenty of water. Get medical attention immediately if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.
<b>Ingestion</b>	None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Skin contact</b>	None under normal use.
<b>Eye contact</b>	None under normal use. May cause slight irritation.
<b>Chronic effects</b>	None under normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media**  
Use CO<sub>2</sub>, water, dry chemical, or foam.

**Unsuitable extinguishing media**  
None

### 5.2. Special hazards arising from the substance or mixture

**Special hazard**  
None

**Hazardous combustion products**  
Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

### 5.3. Advice for firefighters

**Special protective equipment for firefighters**  
None

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

**6.2. Environmental precautions**

Keep out of waterways.

**6.3. Methods and material for containment and cleaning up**

Wipe up with adsorbent material (e.g. cloth, fleece).

**6.4. Reference to other sections**

None

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

**7.3. Specific end uses**

Ink for Ink Jet Printer. Obtain special instructions before use.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits**

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Glycerin 56-81-5	None	None	TWA: 10 mg/m <sup>3</sup>	None	None
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL: 20 ppm STEL: 52 mg/m <sup>3</sup>	None	TWA: 52 mg/m <sup>3</sup> TWA: 20 ppm STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	None	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> STEL: 40 ppm STEL: 176 mg/m <sup>3</sup>	None	TWA: 10 mg/m <sup>3</sup>	None
Isopropyl alcohol 67-63-0	None	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 800 ppm STEL: 2000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 980.0 mg/m <sup>3</sup> STEL: 1225.0 mg/m <sup>3</sup>	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup>	None	TWA: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TRGS TWA: 200 mg/m <sup>3</sup> inhalable fraction DFG TWA: 200 mg/m <sup>3</sup> inhalable fraction Ceiling / Peak: 400 mg/m <sup>3</sup> inhalable fraction
Ethylene glycol 107-21-1	TWA: 50 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 50 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	TRGS TWA: 10 ppm TRGS TWA: 26 mg/m <sup>3</sup>

		TWA: 10 mg/m <sup>3</sup>	STEL: 40 ppm STEL: 100 mg/m <sup>3</sup>	STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	DFG TWA: 10 ppm DFG TWA: 26 mg/m <sup>3</sup> Ceiling / Peak: 20 ppm Ceiling / Peak: 52 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	None	TWA: 2.5 ppm TWA: 11 mg/m <sup>3</sup>	None	None	TRGS TWA: 10 ppm TRGS TWA: 44 mg/m <sup>3</sup> DFG TWA: 10 ppm DFG TWA: 44 mg/m <sup>3</sup> Ceiling / Peak: 40 ppm Ceiling / Peak: 176 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 490 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TRGS TWA: 200 ppm TRGS TWA: 500 mg/m <sup>3</sup> DFG TWA: 200 ppm DFG TWA: 500 mg/m <sup>3</sup> Ceiling / Peak: 400 ppm Ceiling / Peak: 1000 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Greece</b>	<b>Hungary</b>	<b>Ireland</b>	<b>Italy</b>	<b>Netherlands</b>
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup>	None	None	None	None
Ethylene glycol 107-21-1	None	TWA: 52 mg/m <sup>3</sup> STEL: 104 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> particulate STEL: 30 mg/m <sup>3</sup> particulate	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	None	None	TWA: 23 ppm TWA: 100 mg/m <sup>3</sup> STEL: 69 ppm STEL: 300 mg/m <sup>3</sup>	None	None
Isopropyl alcohol 67-63-0	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> STEL: 2000 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	None	None
<b>Chemical name</b>	<b>Poland</b>	<b>Portugal</b>	<b>Romania</b>	<b>Slovakia</b>	<b>Spain</b>
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup> inhalable fraction	TWA: 10 mg/m <sup>3</sup> mist	None	TWA: 11 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> mist
Ethylene glycol 107-21-1	TWA: 15 mg/m <sup>3</sup> STEL: 50 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> Ceiling: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>
Diethylene glycol 111-46-6	TWA: 10 mg/m <sup>3</sup> inhalable fraction	None	TWA: 115 ppm TWA: 500 mg/m <sup>3</sup> STEL: 184 ppm STEL: 800 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> Ceiling: 90 mg/m <sup>3</sup>	None
Isopropyl alcohol 67-63-0	TWA: 900 mg/m <sup>3</sup> STEL: 1200 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Sweden</b>	<b>United Kingdom</b>	<b>Norway</b>	<b>Switzerland</b>	<b>Turkey</b>
Glycerin 56-81-5	None	TWA: 10 mg/m <sup>3</sup> mist	None	TWA: 50 mg/m <sup>3</sup> inhalable dust STEL: 100 mg/m <sup>3</sup> inhalable dust	None
Ethylene glycol 107-21-1	TLV: 10 ppm TLV: 25 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> particulates	TWA: 20 ppm total dust and vapor TWA: 52 mg/m <sup>3</sup> total dust and vapor STEL: 104 mg/m <sup>3</sup> dust STEL: 40 ppm	TWA: 10 ppm aerosol, vapour TWA: 26 mg/m <sup>3</sup> aerosol, vapour STEL: 20 ppm aerosol, vapour STEL: 52 mg/m <sup>3</sup> aerosol, vapour	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup>
Diethylene glycol	TLV: 10 ppm	TWA: 23 ppm	None	TWA: 10 ppm aerosol,	None

111-46-6	TLV: 45 mg/m <sup>3</sup> STEL: 20 ppm STEL: 90 mg/m <sup>3</sup>	TWA: 101 mg/m <sup>3</sup>		vapour TWA: 44 mg/m <sup>3</sup> aerosol, vapour STEL: 40 ppm aerosol, vapour STEL: 176 mg/m <sup>3</sup> aerosol, vapour	
Isopropyl alcohol 67-63-0	TLV: 150 ppm TLV: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 125 ppm STEL: 306.25 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	None

## 8.2. Exposure controls

**Appropriate engineering controls** None under normal use conditions.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Not required under normal use.  
**Skin protection** Not required under normal use.  
**Respiratory protection** Not required under normal use.  
**Thermal hazards** Not applicable

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Cyan, Magenta, Yellow ; Liquid
<b>Odor</b>	Slight odor
<b>Odor threshold</b>	No data available
<b>pH</b>	7 - 10
<b>Melting/freezing point (°C)</b>	No data available
<b>Boiling point/range (°C)</b>	No data available
<b>Flash point (°C)</b>	55 - 58 (Tag. Closed Cup. Combustion is not sustainable.) (Estimate)
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Flammability limits in air</b>	
<b>Upper flammability limit</b>	No data available
<b>Lower flammability limit</b>	No data available
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Relative density</b>	1.0 - 1.1
<b>Solubility(ies)</b>	Water; miscible
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition temperature (°C)</b>	No data available
<b>Decomposition temperature (°C)</b>	No data available
<b>Viscosity (mPa s)</b>	1 - 5
<b>Explosive properties</b>	None; estimated
<b>Oxidizing properties</b>	None; estimated

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None

## 10.2. Chemical stability

Stable

## 10.3. Possibility of hazardous reactions

None

## 10.4. Conditions to avoid

None

## 10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

## 10.6. Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), and/or Ammonia.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

<b>Acute toxicity</b>	Cyan and Magenta: LD50 > 2500 mg/kg (Ingestion) (Estimate) (OECD Guideline) Yellow: No data available
<b>Skin corrosion/irritation</b>	Cyan and Magenta: Mild irritant (Estimate) (OECD Guideline) Yellow: Mild irritant (OECD Guideline)
<b>Serious eye damage/eye irritation</b>	Cyan and Magenta: Minimal irritant (Estimate) (OECD Guideline) Yellow: Minimal irritant (OECD Guideline)
<b>Sensitization</b>	Cyan and Magenta: Non-sensitizer (Estimate) (OECD Guideline) Yellow: Non-sensitizer (OECD Guideline)
<b>Germ cell mutagenicity</b>	Ames test: All colors: Negative Magenta: Chromosome aberration test: Negative Cyan and Yellow: Chromosome aberration test: No data available
<b>Carcinogenicity</b>	No data available
<b>Reproductive toxicity</b>	2-pyrrolidone is classified as a Category 1B (GHS) developmental toxicant. However, the amount of exposure to 2-pyrrolidone is negligible under intended use of this product.
<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	No data available

Aspiration hazard No data available

Other information No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity effects

Cyan and Yellow:

No data available

Magenta:

Fish, 96h LC50 > 100 mg/L, NOEC = 100 mg/L (Estimate) (OECD Guideline)

Crustaceans, 48h EC50 > 100 mg/L, NOEC = 100 mg/L (Estimate) (OECD Guideline)

Algae, ErC50 (0-72h) > 200 mg/L, EbC50 (72h) > 76 mg/L, NOEC = 12.5 mg/L (Estimate) (OECD Guideline)

NOEC: No Observed Effect Concentration

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of in accordance with local regulations.

## SECTION 14: Transport information

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class None

14.4. Packing group None



**14.5. Environmental hazards** Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.

**14.6. Special precautions for users** IATA: Not regulated

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code** Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EU) 2019/1021	Not regulated
(EU) No 649/2012	Not regulated
Other information	None

### 15.2. Chemical safety assessment

None

## SECTION 16: Other information

### Full text of H-statements referred to under SECTION 2 and 3

H225 - Highly flammable liquid and vapor  
H302 - Harmful if swallowed  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H360 - May damage fertility or the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
H412 - Harmful to aquatic life with long lasting effects

### Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans  
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012

### Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic  
- vPvB: very Persistent and very Bioaccumulative  
- SVHC: Substances of Very High Concern  
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164 and (EU) 2019/1831.  
- TWA: Time Weighted Average  
- STEL: Short Term Exposure Limit  
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
- IARC: International Agency for Research on Cancer  
- IATA: International Air Transport Association  
- CBI: Confidential Business Information

Issuing date : 14-Nov-2002

Revision date : 30-Sep-2020

Revision note SECTION 2, 3, 11, and 16 revised

This safety data sheet (SDS) is supplied under (EC) No 1907/2006 Article 31-3.

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.