

EFFORTLESS SCANNING WITH THE ULTRA SLIM DESKTOP SCANNER



Fast, high quality scanning

Scanning made easier with the super-compact and intelligent imageFORMULA DR-C225 II ideal for small office and counter-top environments.

Boosting your productivity

To reduce delays and keep production levels high the DR-C225 II offers easy 'one-touch' scanning. Pressing the scanner's start button boots up your CaptureOnTouch software application and gets you ready to scan in seconds. Canon takes innovation forward with the scanner's intuitive natural feeding concept. This allows users to feed documents into the scanner face up, in their natural orientation.

B&W AND COLOUR SPEED 25 PPM / 50 IPM DAILY VOLUME 1,000 - 2,500 AUTOMATIC DOCUMENT FEEDER 45 SHEETS FAST, HIGH QUALITY SCANNING



DR-C225 II

SLEEK, COMPACT & VERSATILE SCANNERS

Slim profile, unique design

With its innovative and space-saving vertical J-Path design the DR-C225 IIsets the standard for ultra-compact desktop scanners.

The vertical J-Path design allows documents to be fed and received vertically, so no extra desk space is required. Side-mounted cables and ports let you place the device directly against a rear wall, or even on a shelf, for the ultimate in space-saving convenience.

Extremely versatile and reliable

The DR-C225 II can handle a varied mix of document types. By switching the paper feeding to straight-through path you can scan A3 sized documents (in folio mode), thick documents, embossed cards and 3 metre long documents with ease.

The reliable ultrasonic Double Feed Detection feature accurately detects when more than one sheet is fed simultaneously, which can prevent important information from being lost or missed.

Fast, high quality scanning

The DR-C225 II delivers impressive double-sided scanning speeds directly to smart devices.

Equipped with a CMOS CIS (Contact Image Sensor) unit; high quality images can be produced allowing better text readability for enhanced OCR (Optical Character Recognition) accuracy.

Simple, intuitive scanning

The DR-C225 II have been designed to encourage easy scanning with an array of intuitive features. The Full Auto Mode feature (when using CaptureOnTouch software) automatically applies the best settings for key document parameters – including text orientation, page size detection, colour, resolution and skip blank page, saving you time and effort.



J-Path document transport for a uniquely compact footprint

Paper is placed into the automatic feeder, face front, from the top of the scanner and fed through a J-path transport system where paper exits the scanner from the front of the scanner vertically.

Canon's J-Path design allows to eliminate to need for output trays that extend from the front of the scanners. Therefore, the device takes up less than half the desk space area while scanning.

This makes the DR-C225 II ideal for placement in busy office departments, reception areas and customer service points. It can be uniquely

positioned on a thick window shelf, or neatly against a wall or desk partition.



POWERFUL SOFTWARE BUILT FOR INTEGRATION AND PERFORMANCE

With Canon's CaptureOnTouch you can easily scan paper documents into various digital formats, and save them to multiple destinations, including cloud services. It incorporates "one touch" scanning and advanced image processing tools for simplifying the scanning operation and ensuring high quality results. It is also possible to edit the settings of already scanned images, eliminating the need to redo any scans. What's more you scan up to 3 file output destinations in one step.







More sustainable packaging

The product is packaged with the environment in mind. The packaging has recently been revised to remove the use of plastic. Therefore, the Setup Guide now comes without plastic bag and there are no plastic handles on the box, allowing for better recycling of materials. Also, recyclable paper is used to protect the roller and the product is supplied without Setup disc.



TECHNICAL SPECIFICATIONS



Туре Document Reading Sensor Optical Resolution Light Source Reading Side Interface Dimensions

Weight Power Requirements Power Consumption

Operating Environment Environmental Compliance

READING SPEED (A4, Portrait, 200dpi) B&W Greyscale

DOCUMENT SPECIFICATIONS Width Length Thickness

Long Document

Card Scanning

Folio Mode Business Card Paper Separation Feeder Capacity

OUTPUT Resolution

Mode

SPECIAL FEATURES

BUNDLED SOFTWARE For Windows OS

For Mac OS

Options Consumables Suggested Daily Duty Cycle

Desktop Type Sheet Fed Scanner CMOS CIS 1 Line Sensor 600 dpi RGBIED Simplex / Duplex / Skip blank page / Folio High Speed USB.2.0 (USB 3.0 compatible) Tray Closed: 300 (W) mm x 156 (D) mm x 220 (H) mm Tray Opened: 300 (W) mm x 235 (D) mm x 339 (H) mm Approx: 2.7 kg AC 100 - 240V (50 / 60Hz) Scanning: 12.8W Sleep Mode: 1.8W or less, Power Turned Off: 0.5W or less 10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH RoHS

DR-C225 II 25 ppm / 50 ipm 25 ppm / 50 ipm 25 ppm / 50 ipm

J-Path 50.8 mm - 216 mm 70 mm - 356 mm 0.06 - 0.15 mm (52 - 128 g/m²)

0.05 - 0.25 mm (40 - 209 g/m²) Up to 3000mm (Selectable in MS Windows Control Panel) 53.9 x 85.5 x 0.76 mm (Embossed card scanning is supported) 216 mm x 297mm (Max) Length: 85 mm - 91 mm

Straight Through

50.8 mm - 216 mm

53.9 mm - 356 mm

Retard Roller Method (Reversing Seperator Roller) 45 sheets

150 dpi x 150 dpi, 200 dpi x 200 dpi, 300 dpi x 300 dpi, 400 dpi x 400 dpi, 600 dpi x 600 dpi Black & White, Error Diffusion, Advanced Text Enhancement I, Advanced Text Enhancement II (Advanced Text Enhancement I not available with Mac driver), 8-Bit Greyscale: (256-Level), 24-Bit Colour, Auto Colour Detection

Automatic Page Size Detection, Deskew, 3-Dimensional Colour Correction (partially by driver), Colour Dropout (RGB), Colour Enhancement (Red), Auto Colour Detection, Text Enhancement, MulliStream, Preset Gamma Curve, Scan Panel, Prescan, Character Emphasis, Erase Shadow, Image Rotation, Skip Blank Page, Select Scanning Document Side, Folio, Scan Area Setting, Text Orientation Recognition, Background Smoothing, Shadow Removal (On / Off), Rapid Recovery Scan, Double Feed Detection (Ultrasonic Sensor / By Length), Full Auto Mode

ISIS / TWAIN Driver CaptureOnTouch Pro Cardiris TWAIN Driver CaptureOnTouch A4 Flatbed Scanner Unit 102 Exchange Roller Kit

¹ The scanning speeds may depend on the specification of the PC and the setting of functions Visit the Canon website for more information



A4 Flatbed Scanner Unit 102

Handle exceptions with optional flatbed

Scan bound books, journals and fragile media by adding the Flatbed Scanner Unit 102 for documents up to A4 scanning. Connected by USB, this flatbed scanner works seamlessly with the DR-C225 II in a smooth dual-scanning operation that lets you apply the same image-enhancement features to any scan.

Software Developer Kit (SDK)

Software developer kits and tools are available through the Canon Developer Programme To register for the program Please visit the registration page -

- https://developers.canon-europe.com/
- If you experience any issues signing up please contact CDP admin at cdp-admin@canon-europe.com

Canon Ireland

Co. Dublin. Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie

Canon (UK) Ltd

The Bower 4 Roundwood Avenue Stocklev Park Uxbridge UB11 1AF

Canon Electronics Inc. canon-elec.co.jp **Canon Europe** canon-europe.com English edition © Canon Europa N.V.,2023



3006 Lake Drive Citywest, Saggart

from 1.000 to 2.500 scans/day