



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	imageRUNNER C1325iF		
Model number *	imageRUNNER C1325iF		
Issue date *	2019/10/12		
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$	

Model number *		imageRUNNER C1325iF		_		
Issue date *		2019/10/12	Logo	Car	1011	
Product environmental attributes - Legal requirements						t met
Item				Yes	No	n.a.
	lazardo	us substances and preparations		100	110	ma.
		do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavale	ent chromium	$\square$		
		%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers				
		e legal reference and Note 1).				
		do not contain Asbestos (see legal reference).		$\boxtimes$		
		It: Legal reference has no maximum concentration value.		$\square$		
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
		ation values.	Iaximum			
		do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorina	ated terphenyl	$\boxtimes$		
		ax 0.005% by weight (see legal reference).				
		do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	chain containing	$\square$		
		8% per mass of chlorine in the SCCP max 0.1% (see legal reference).	-			
		nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho				$\boxtimes$
		idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference	e).			
		t: Legal reference has no maximum concentration values.	otio ominac			
		nd leather parts with direct skin contact do not contain Azo colorants that split arom 03% by weight (see legal reference and Note 1).	natic amines			$\bowtie$
		parts do not contain arsenic and chromium as a wood preservation treatment as w	ell as			$\boxtimes$
		prophenol and derivatives (see legal reference).				
		it: Legal reference has no maximum concentration values.				
P1.9* P	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0	).5			$\boxtimes$
		m/cm2/week (see legal reference).		_		
		t: Max limit in legal reference when tested according to EN1811:1998.				
	Batteries			<u> </u>		
		duct contains a battery or an accumulator, it is labeled with the disposal symbol an		$\boxtimes$		
		n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper				
		in user manual. (See legal reference)	uispusai is			
		ells used in the product do not contain more than 2% by weight of mercury. Other b	atteries or	$\bowtie$		
		ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le				
		and accumulators are easily removable by either users or service providers (as de		$\mathbf{X}$		
		f the product). Exception: Batteries that are permanently installed for safety, perfor	mance, medical		-	
		ntegrity reasons do not have to be "easily removable". (See legal reference)				
		MC connection to the telephone network and labeling	<u>,</u>			
		luct complies with legally required safety standards as specified (see legal reference	,	$\square$		
P3.2* T	he prod	luct complies with legally required standards for electromagnetic compatibility (see	legal reference).	$\square$		
		t is intended for connection to a public telecom network or contains a radio transmi		$\boxtimes$		
		Ily required standards for radio and telecommunication devices (see legal reference				
	he prod	luct is labeled to show conformance with applicable legal requirements (see legal re	eference).	$\square$		
		able materials				
		conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	ax 0.01% (see	$\bowtie$		
		erence and Note 1).				_
		er is used in the product, it does not contain cadmium max 0.1% by weight (see leg				
P4.3* If	f the ink	/toner formulation/preparation is classified as hazardous according to applicable re-	gulations, the	$\boxtimes$		
		packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordar	nce with these			
		ents (see legal reference). packaging				
		packaging ng and packaging components do not contain lead, mercury, cadmium and hexaval	ent chromium	$\square$		
		% by weight of these together.				
		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).			
		luct packaging material is free from ozone depleting substances as specified in the	,		$\exists$	
		(see legal reference).	montredi	Å		
		it: Legal reference has no maximum concentration values.				
		7				

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	mber * imageRUN	NNER C1325iF			_				
Issue da	e * 2019/10/12	2		Logo	Cano	<b>)11</b>			
Produ	Product environmental attributes - Market requirements - Environmental conscious design				Require	Requirement me			
Item			arding each item may be found und		Yes	No	n.a.		
P6	Treatment information		arang caor terr may be round and		100	110			
P6.1*			vailable (see legal reference).		$\square$				
P7	Design								
	Disassembly, recycl								
P7.1*	Parts that have to be	treated separately are easi	ily separable		$\square$				
P7.2*	Plastic materials in co	overs/housing have no surfa	ace coating.		$\square$				
P7.3*	Plastic parts >100g co	consist of one material or of	easily separable materials.				一一		
P7.4*	Plastic parts >25g hav	ave material codes accordin	g to ISO 11469 referring ISO 1043			Ē	Ħ		
P7.5			nlays that can be removed with con			H	⊢⊢		
P7.6*			loes not apply to safety/regulatory l	· · · · · ·			╶╞┥		
17.0	Product lifetime		ides not apply to salety/regulatory i	abeis).					
P7.7*		ne e.g. with processor, mer	mony cards or drives		$\square$				
P7.8*		one using commonly availab	-			<u> </u>			
	10 0	<b>v</b> ,			$\square$		⊢⊢		
P7.9.		lable after end of production	•				<u> </u>		
P7.10		after end of production for:	years						
	Material and substa								
P7.11*	Product cover/housing			Material trace DO					
P7.12	Material type: PC+AE		Il type: <b>PC+PLA</b> les are halogen free (including PVC	Material type: PC					
					<u> </u>		_님		
P7.13			es are halogen free (including PVC	). (See Note 1)	<u> </u>		<u> </u>		
P7.14		stic parts >25g are halogen							
P7.15			25g are halogen free. (See Note 2)						
P7.16	Flame retarded plastic Marking:	ic parts >25g in covers / ho	usings are marked according ISO 1	1043-4:					
P7.17		ons of flame retardants in pr , TBBPA (reactive) ,	inted circuit boards >25g (without c Other; chemical name: ,	components): CAS #:					
	Alt. 2 Chemical specification ISO 1043-4:	ons of flame retardants in pr	inted circuit boards (without compo	onents) >25g according					
P7.18	concentrations above		llowing flame retardant substances	/preparations in					
	<ol> <li>Chemical name:</li> <li>Chemical name:</li> <li>Chemical name:</li> </ol>	, , ,	CAS #: CAS #: CAS #:						
	Alt. 2 Chemical specification	ons of flame retardants in pl	astic parts >25g according ISO 104	13-4:					
P7.19		weight >25g, recycled mate							
P7.20		weight >25g, biobased mat	terial content is %.						
P7.21		e from mercury ecify: Number of lamps:	and max. mercury content per	lamp: mg					
P8	Batteries								
P8.1*	Battery chemical com								
P8.2	Batteries meet the rec	equirements of the following	voluntary program/s:						

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	imageRUNNER C1325iF		
Issue date *	2019/10/12	Logo	Canon

	t environmental	attributes - Market	requirements (c	ontinued)		Requirement	
Item	<b>F</b>	11				Yes No	n.a
<b>P9</b> 9.1	Energy consump	tion e following power levels		ntions have been	moseurod		
-							
Energy r	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for and test method *	energy modes	
Max		W	W	1500 W	Canon's Own Standard		
Printing	nting(Average) W W 387.1 W Canon's Own Standard						
StnadBy		W	W	28.8 W Canon's Own Stat			
		W	W	W			$\square$
Sleep		W	W	0.99 W	Canon's Own Standard		
		W	W	W			$\square$
charger	I power supply / plugged in the wall It disconnected from	W	W	W	V		
PTEC * Typical E	Energy Consumptior	W	W	W			
TEC * Typical B	Energy Consumptior	kWh/week	kWh/week	0.8 kWh/wee	k ENERGY STAR (US sch 2.0 for Imaging Equipm		
		save mode: 1 minutes	s				
P9.2*		the energy save function		he product.			$- \exists$
P9.3*	ENERGY STAR® Others specify:	s the energy requireme version <b>2.0</b> Tier: <b>1</b>	nts of the following	voluntary progran	n/s:		
P10	Emissions	<u> </u>	100 0000				
<b>B</b> 40.4		Declared according to	ISO 9296	<u> </u>			
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A-weigh sound pressure level $L_{\mu}$		
				level $L_{WAd}$ (B)			1
				WAU	Desktop (only	/ if product is not	
					or Desk side 🗌 🛛 🛛 Op	erator attended)	
	Idle	* StandBy		* Not Detect	Not Detect/Not D	etect	
	Operation '	* Print		* 6.5	50/49		
	Other mode						-
	Measured according	ng to: 🔀 ISO7779 🗌	ECMA-74				-
P10.2	The product meets	Other			h L <sub>pAm</sub> measurement distance		┶┍┓
1 10.2	The product meets the acoustic noise requirements of the following voluntary program/s:     Chemical emissions from printing products						
P10.3*	Test performed ac						
	Typical emission r	ate (print phase) is (mg					
P10.3* P10.4	Typical emission r Dust 0.8 Ozon	ate (print phase) is (mg e <loq(=0.12) styre<="" td=""><td>ene <b>0.69</b> Benze</td><td></td><td>C 3.8</td><td></td><td></td></loq(=0.12)>	ene <b>0.69</b> Benze		C 3.8		
	Typical emission r Dust 0.8 Ozon	ate (print phase) is (mg e < <u>LOQ(=0.12)</u> Styr n requirements of the fo	ene <b>0.69</b> Benze blowing voluntary p Dust 🔀	rogram/s <b>RAL-U</b> 2 Ozon	Z171 are met for : e 🛛 Styrene 🔀		
P10.4	Typical emission r Dust 0.8 Ozon	ate (print phase) is (mg e < <u>LOQ(=0.12)</u> Styrn n requirements of the fo	ene 0.69 Benze ollowing voluntary p	rogram/s <b>RAL-U</b>	Z171 are met for : e 🛛 Styrene 🔀		

Model n	umber *	imageRUNNER C1325iF						
Issue da	ate *	2019/10/12	Logo		Canon			
Duadaa								
	t enviroi	nmental attributes - Market requirements (continued)			Requiren			
Item					Yes	No	n.a.	
P11	Consum	hable materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see	P4.3).	$\square$			
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the req 1.	luirements	of	$\square$			
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.			$\boxtimes$			
P12	Ergonor	nics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.				$\boxtimes$	
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					$\boxtimes$	
P13	Packagi	ng and documentation						
P13.1*	Product	packaging material type(s): Corrugated Paper       weight (kg): 4.7         packaging material type(s): EPS       weight (kg): 1.3         packaging material type(s): PE weight (kg): 0.3       0.3						
P13.2*								
P13.3*	Specify r	media for user and product documentation (tick box):						
	Electron							
P13.4*	For pape fiber.	er user and product documentation, please specify contained percentage of post-co $9\%$	onsumer re	ecycled				
P14	Additior	nal information						
<b>P9</b>	0.32kWI	h ENERGY STAR (US scheme), Eligibility Criteria Version 3.0 for Imaging E	quipment					

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1