



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Canon	Logo		
Company name *	Canon Europe Limited			
Contact information *	nvironment@canon-europe.com Canon			
Internet site *	www.canon-europe.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	MFD	
Commercial name *	imageRUNNER C1225iF	
Model number *	imageRUNNER C1225iF	
Issue date *	2019/10/12	
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *		imageRUNNER C1225iF		_		
Issue dat	e *	2019/10/12	Logo	Can	011	
Product environmental attributes - Legal requirements						met
Item				Yes		n.a.
P1		ous substances and preparations				
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium					
	max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max					
	0,1% (see legal reference and Note 1).					
P1.2*	Products do not contain Asbestos (see legal reference).		\boxtimes			
P1.3*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
F1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111.	\bowtie		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n				
		ration values.				
P1.4*	Products	s do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorin	ated terphenyl	\square		
		ax 0.005% by weight (see legal reference).				
P1.5*		s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	chain containing) 🖂		
D. t. at		48% per mass of chlorine in the SCCP max 0.1% (see legal reference).				
P1.6*		nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho				\bowtie
		ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referenc nt: Legal reference has no maximum concentration values.	<i></i>			
P1.7*		nd leather parts with direct skin contact do not contain Azo colorants that split aron	natic amines			\triangleleft
		03% by weight (see legal reference and Note 1).				
P1.8*	Wooden	parts do not contain arsenic and chromium as a wood preservation treatment as w	ell as			X
		orophenol and derivatives (see legal reference).				
		nt: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5).5			\bowtie
		am/cm2/week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.				
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, it is labeled with the disposal symbol an	d if it contains	\square		_
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be					
		with the chemical symbol for the metal concerned, Hg or Pb. Information on proper	disposal is			
		l in user manual. (See legal reference)				
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other b		\bowtie	Шl	
D0 0*		ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le				_
P2.3*		s and accumulators are easily removable by either users or service providers (as de f the product). Exception: Batteries that are permanently installed for safety, perfor		\boxtimes		
		ntegrity reasons do not have to be "easily removable". (See legal reference)	mance, medical			
P3		EMC connection to the telephone network and labeling				
P3.1*		duct complies with legally required safety standards as specified (see legal reference	e).	\square		
P3.2*		duct complies with legally required standards for electromagnetic compatibility (see			<u> </u>	Ħ
P3.3*		t is intended for connection to a public telecom network or contains a radio transmi			 	H
		ally required standards for radio and telecommunication devices (see legal reference				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).					
P4		nable materials		لاتنا		
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	ax 0.01% (see	\square		
		erence and Note 1).	X			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see leg	gal reference).	\square		
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous according to applicable re	gulations, the	\square		
		packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accorda	nce with these			_
	requirements (see legal reference).					
P5		packaging	and allow a			
P5.1*	max 0.0	ng and packaging components do not contain lead, mercury, cadmium and hexaval 1% by weight of these together.		\square		
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).	\boxtimes		
P5.3*		duct packaging material is free from ozone depleting substances as specified in the	Montreal	\square		
		(see legal reference).				_
	Commer	nt: Legal reference has no maximum concentration values.				

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu					
Issue da	ate * 2019/10/12	Logo	Cai	1011	
Produ	ict environmental attributes - Market requirements - Environmental conscious	design	Require	mont	mot
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	uesign	Yes	No	n.a.
P6	Treatment information		100	110	n.u.
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design				
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.			<u> </u>	⊢⊢
P7.3*				<u> </u>	<u> </u>
P7.3 P7.4*	Plastic parts >100g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			<u> </u>	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly a	avallable tools.		<u> </u>	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools		\square		
P7.9.	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
P7.12		al type: PC			
	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)				ᆜ
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)				<u> </u>
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without compone TBBPA (additive), TBBPA (reactive), Other; chemical name:	nts): CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) > ISO 1043-4:	25g according			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/prepara concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.	tions in			
	1. Chemical name:,CAS #:2. Chemical name:,CAS #:3. Chemical name:,CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Of total plastic parts' weight >25g, recycled material content is %.				
P7.20	Of total plastic parts' weight >25g, biobased material content is %.				
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batteries				
P8.1*	Battery chemical composition: Li				
P8.2	Batteries meet the requirements of the following voluntary program/s:				Ē

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	imageRUNNER C1225iF		
Issue date *	2019/10/12	Logo	Canon

	t environmental	attributes - Market	requirements (co	ontinued)	Requireme						
Item					Yes N	lo n.a					
P9 9.1	Energy consumpt	tion • following power levels		ntiona have haan	maaauradu						
	-			puons nave been							
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	;					
Max		W	W	1500 W	Canon's Own Standard						
Printing	(Average)	W	W	387.1 W	Canon's Own Standard						
StnadBy	y	W	W	28.8 W	Canon's Own Standard						
		W	W	W							
Sleep		W	W	0.99 W	Canon's Own Standard						
		W	W	W							
charger	I power supply / plugged in the wall It disconnected from	W	W	W							
PTEC * Typical E	Energy Consumption	W	W	W							
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	0.8 kWh/wee	 ENERGY STAR (US scheme), Version 2.0 for Imaging Equipment 	n 🗌					
Default t	ime to enter energy	save mode: 1 minute	s								
P9.2*		the energy save function		he product.		7 -					
P9.3*	The product meets ENERGY STAR® Others specify:	the energy requireme version 2 Tier: 1	nts of the following	voluntary prograr	n/s:						
P10	Emissions										
		Declared according to	ISO 9296			-					
P10.1	Mode N	Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)						
				level L_{WAd} (B)	Operator position Bystander positions Desktop (only if product is r or Desk side operator attender						
	Idle *	StandBy		* Not Detect	Not Detect/Not Detect						
	Operation *	Print		* 6.5	50/49						
	Operation	T TIIK		0.0	50,45						
	Other mode										
	Measured accordir	ng to: 🔀 ISO7779 🗌	ECMA-74	by ECMA-74 wit	h L _{pAm} measurement distance m)						
	The product meets	the acoustic noise rec									
P10.2	Chemical emissions from printing products										
P10.2	Chemical emission										
		cording to ECMA-328	(ISO/IEC 28360) sta								
P10.2 P10.3* P10.4	Test performed ac Typical emission ra	ate (print phase) is (mg	j/h):								
P10.3* P10.4	Test performed ac Typical emission ra Dust 0.8 Ozone	ate (print phase) is (mg e <loq(=0.12) styr<="" td=""><td>n/h): ene 0.69 Benze</td><td>ne 0.004 TVO</td><td>C 3.8</td><td></td></loq(=0.12)>	n/h): ene 0.69 Benze	ne 0.004 TVO	C 3.8						
P10.3*	Test performed ac Typical emission ra Dust 0.8 Ozone	ate (print phase) is (mg e <loq(=0.12) styr<br="">n requirements of the fo</loq(=0.12)>	n/h): ene <u>0.69</u> Benze ollowing voluntary p	ne <i>0.004</i> TVO rogram/s RAL-U	C 3.8 Z171 are met for :						
P10.3* P10.4	Test performed ac Typical emission ra Dust 0.8 Ozone	ate (print phase) is (mg e < <u>LOQ(=0.12)</u> Styr n requirements of the fo	g/h): ene <u>0.69</u> Benze bllowing voluntary pi Dust ⊠	ne <u>0.004</u> TVO rogram/s RAL-U2 Ozone	C 3.8 Z171 are met for : ⊠ [∋ ⊠ Styrene ⊠						
P10.3* P10.4	Test performed ac Typical emission ra Dust 0.8 Ozone	ate (print phase) is (mg e < <u>LOQ(=0.12)</u> Styr n requirements of the fo I	n/h): ene <u>0.69</u> Benze ollowing voluntary p	ne <i>0.004</i> TVO rogram/s RAL-U	C 3.8 Z171 are met for : ⊠ [∋ ⊠ Styrene ⊠						

Model n	umber *	imageRUNNER C1225iF					
Issue da	ate *	2019/10/12	Logo		Cano	n 📃	
Produc	t enviror	nmental attributes - Market requirements (continued)			Requirer	nent	met
Item					Yes	No	n.a.
P11	Consum	nable materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see	P4.3).	\boxtimes		
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the rec 1.	quirements	of	\boxtimes		
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonor	mics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.				X
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					\boxtimes
P13		ing and documentation					
P13.1*	Product	packaging material type(s): Corrugated Paper weight (kg): 4.7 packaging material type(s): EPS weight (kg): 1.3 packaging material type(s): PE weight (kg): 0.3 0.3					
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)			\boxtimes		
P13.3*	Specify r Electroni	media for user and product documentation (tick box): ic					
P13.4*	For pape fiber.	er user and product documentation, please specify contained percentage of post-co 7%	onsumer re	ecycled			
P14	Additior	nal information					
P9	0.32kWl	h/week ENERGY STAR (US scheme), Eligibility Criteria Version 3.0 for Im-	aging Equ	ıipmen	t		

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1