



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Canon	Logo		
Company name *	Canon Europa N.V.			
Contact information *	environment@canon-europe.com			
	•			
Internet site *	www.canon-europe.com			
Additional information				

The company declares (ba	The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	ts given in this declaration.				
Type of product *	Printer				
Commercial name *	-SENSYS LBP351x				
Model number *	i-SENSYS LBP351x				
Issue date *	2019/10/12				
Intended market *	ed market * Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🔲 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	i-SENSYS LBP351x		
Issue date *	20196/10/12	Logo	

Product	environmental attributes - Legal requirements	Requirement me			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and Note 1).				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).				
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\overline{}$			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\overline{\boxtimes}$			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	i-SENSYS LBP351x		
Issue date *	2019/10/12	Logo	

Produc	oduct environmental attributes - Market requirements - Environmental conscious design				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\square	П	П	
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	П	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools	$\overline{\mathbb{X}}$	$\overline{\Box}$	$\overline{\Box}$	
P7.9.	Spare parts are available after end of production for: years			П	
P7.10	Service is available after end of production for: years			Ħ	
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: PC+ABS Material type: ABS Material type:				
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\boxtimes		
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		\boxtimes		
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
	ISO 1043-4:				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Of total plastic parts' weight >25g, recycled material content is %.				
P7.20	Of total plastic parts' weight >25g, biobased material content is %.				
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				
P8.1*	Battery chemical composition: <i>Lithium</i>				
P8.2	Batteries meet the requirements of the following voluntary program/s:				

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS LBP351x		
Issue date *	2019/10/12	Logo	

	Product environmental attributes - Market requirements (continued) Requirement met							met	
Item							n.a.		
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions have been measured:									
9.1	For the product the	tollowing power levels	s or energy consump	otions nave been	meas	<u>surea:</u>			
Energy m	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Standa and test method *	ard for energy mod	es	
Max		W	W	1650 W		Canon's Own Star	ndard		
Printing((Average)	W	W	720.9 W		Canon's Own Star	ndard		
Standby		W	W	16.7 W		Canon's Own Star	ndard		
		W	W	W					
Sleep		W	W	1.89 W		Canon's Own Star	ndard		
		W	W	W					\boxtimes
charger p	power supply / blugged in the wall disconnected from	W	W	W					
PTEC * Typical E	nergy Consumption	W	W	W					
TEC * Typical E	nergy Consumption	kWh/week	kWh/week	2.405 kWh/w	eek	ENERGY STAR (U 2.0 for Imaging Eq		ion	
Default ti	me to enter energy :	save mode: 5 minutes	3	•				1	
P9.2*	Information about t	he energy save function	n is provided with th	ne product.			\square		
P9.3*	The product meets ENERGY STAR® Others specify:	the energy requirement version 2.0 Tier: 1	nts of the following v	oluntary progran	n/s:				
P10	Emissions								
	Noise emission -	Declared according to	ISO 9296						
P10.1	Mode N	Mode description		Declared		Declared A-	-weighted		
				A-weighted sound power		sound pressure le	vel $L_{p{\sf Am}}$ (dB)		
				level L_{WAd} (B)	Ope	rator position B	Bystander positions	; 🔲	
				WAG ()		Desktop	(only if product is		
						or Desk side	operator attend	ded)	
	Idle *	StandBy		* Not Detect		Not Detect/	Not Detect		
	Operation *	Print		* 7.09		58.2/	55.0		
	Other mode								
	Measured accordin	ug to: X ISO7770	ECMA-74						
Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)									
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:									
D40.00	Chemical emissions from printing products								
P10.3*		cording to ECMA-328 (ndard 🔀, other	speci	i <u>y:</u>			Щ
P10.4		ate (print phase) is (mg	,						
P10.5		ne <loq(=0.11) fo<="" of="" requirements="" sty="" td="" the=""><td></td><td></td><td>OC 3</td><td></td><td></td><td>$\overline{}$</td><td></td></loq(=0.11)>			OC 3			$\overline{}$	
F 10.5	Chemical emission		Dust 🔀	ogram/s RUL-U z Ozon		Styrene	1	Ш	Ш
	Benzene TVOC								
Electromagnetic emissions									
P10.6	10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:								

Model number *	i-SENSYS LBP351x		
Issue date *	2019/10/12	Logo	

Produc	ct environmental attributes - Market requirements (continued)	Requirer	ment	met	
Item	• • • • • • • • • • • • • • • • • • • •	Yes	No	n.a.	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes			
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Paper Product packaging material type(s): EPS Weight (kg): 0.62 Product packaging material type(s): EPE weight (kg): 0.3				
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes			
P13.3*	Specify media for user and product documentation (tick box): Electronic				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%				
P14	Additional information				
P9	0.73kWh/week ENERGY STAR (US scheme), Eligibility Criteria Version 3.0 for Imaging Equipment				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1