



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Canon | Logo |
|------------------------|------------------------------|-------|
| Company name * | Canon Europa N.V. | |
| Contact information * | environment@canon-europe.com | Canon |
| e-mail address | | |
| Internet site * | www.canon-europe.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | |
|--|--|--|--|
| Type of product * | MFD | | |
| Commercial name * | imageRUNNER ADVANCE DX C7770i | | |
| Model number * | imageRUNNER ADVANCE DX C7770i | | |
| Issue date * | 2019/11/27 | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | |
| Additional information | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| Model number * | imageRUNNER ADVANCE DX C7770i | Logo | 0 |
|----------------|-------------------------------|------|-------|
| Issue date * | 2019/11/27 | | Canon |

| Product | oduct environmental attributes - Legal requirements | | | |
|---------|--|-------------|----------|------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1) | \boxtimes | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.4* | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | | | |
| P1.5* | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | e 🔀 | | |
| P1.6* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. | | | |
| P1.7* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): | | | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) | | | |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference) | I 🖂 | | |
| P2.3* | Batteries and accumulators are readily removable. (See legal reference) | \boxtimes | | |
| P3 | Conformity verification & Eco design (ErP) | | | |
| P3.1* | The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/ | | | |
| P3.2* | The product complies with the Eco design requirements for energy-related products, (see legal reference). | | | |
| | Required information is; given in item P15 or added to this document, | | | |
| P4 | available at (add offe). Interproduction our operation | | | |
| P4.1* | Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). | \square | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there | | \dashv | Ħ |
| | are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together. | | | |
| P5.2* | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference). | , | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montres Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | al 🔀 | | |
| P6 | Treatment information | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | \boxtimes | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | imageRUNNER ADVANCE DX C7770i | Logo | 0 |
|----------------|-------------------------------|------|-------|
| Issue date * | 2019/11/27 | | Canon |

| Item *= P7 | emandatory to fill in. Additional information regarding each item may be found under P14. Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts > 100 g consist of one material or of easily separable materials. Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Digrading can be done e.g. with processor, memory, cards or drives Digrading can be done using commonly available tools Expare parts are available after end of production for: years District is available after end of production for: years District is available after end of production for: years | Yes | | n.a. |
|---|--|--------------|-----------|------------------------|
| P7 D P7.1* P3 P7.2* P1 P7.3* P2 P7.4* P2 P7.5 P2 P7.6* L4 P7.7* U | Design Disassembly, recycling Dearts that have to be treated separately are easily separable Delastic materials in covers/housing have no surface coating. Delastic parts > 100 g consist of one material or of easily separable materials. Delastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Delastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Delastic parts are easily separable. (This requirement does not apply to safety/regulatory labels). Deroduct lifetime Degrading can be done e.g. with processor, memory, cards or drives Degrading can be done using commonly available tools | | | |
| P7.1* P3 P7.2* P1 P7.3* P1 P7.4* P1 P7.5 P1 P7.6* L4 P7.7* U | Plastic parts > 100 g consist of one material or of easily separable materials. Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Product lifetime Plagrading can be done e.g. with processor, memory, cards or drives Plagrading can be done using commonly available tools Proper parts are available after end of production for: Plagrading and substance requirements | | | |
| P7.1* P6 P7.2* P1 P7.3* P1 P7.4* P1 P7.5 P1 P7.6* L6 P7.7* U | Plastic materials in covers/housing have no surface coating. Plastic parts > 100 g consist of one material or of easily separable materials. Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Product lifetime Plagrading can be done e.g. with processor, memory, cards or drives Plagrading can be done using commonly available tools | | | |
| P7.2* P1 P7.3* P1 P7.4* P1 P7.5 P1 P7.6* La P7.7* U | Plastic materials in covers/housing have no surface coating. Plastic parts > 100 g consist of one material or of easily separable materials. Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Plastic parts are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Plagrading can be done e.g. with processor, memory, cards or drives Plagrading can be done using commonly available tools | | | |
| P7.3* P1 P7.4* P1 P7.5 P1 P7.6* La P7.7* U | Plastic parts > 100 g consist of one material or of easily separable materials. Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Product lifetime Degrading can be done e.g. with processor, memory, cards or drives Degrading can be done using commonly available tools Expansion of production for: Degrading can be done using commonly available tools | | | |
| P7.4* PI P7.5 PI P7.6* La P7.7* U | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Expare parts are available after end of production for: years Service is available after end of production for: years Material and substance requirements | | | |
| P7.5 Pl P7.6* La P1 P7.7* U | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Expare parts are available after end of production for: years Service is available after end of production for: years Material and substance requirements | | | |
| P7.6* La P1 P7.7* U | abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Ipgrading can be done e.g. with processor, memory, cards or drives Ipgrading can be done using commonly available tools Ipare parts are available after end of production for: years Iservice is available after end of production for: years Interial and substance requirements | | | |
| P7.7* U | Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Upgrading can be done using commonly available tools Upgrading can be done using commonly available tools Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Upgrading can be done using can be done u | | | |
| | Upgrading can be done using commonly available tools Expare parts are available after end of production for: Service is available after end of production for: Years Material and substance requirements | | | |
| P7.8* U | pare parts are available after end of production for: years fervice is available after end of production for: years Interial and substance requirements | | | |
| | dervice is available after end of production for: ### years ################################### | | | $\neg \overline{\neg}$ |
| | laterial and substance requirements | | | |
| P7.10 S | | | | |
| M | | | | |
| | Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC+SAN Material type: ABS | | | |
| | nsulation materials of external electrical cables are PVC free. | | \square | |
| | nsulation materials of internal electrical cables are PVC free. | $-$ H $^{-}$ | \square | H |
| | external plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% | 6 | | |
| w po | reight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and olyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts ontaining more than 25% post-consumer recycled content. | b | | |
| P7.15 P | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low alogen as defined in IEC 61249-2-21. (See NOTE B2) | v | | |
| P7.16 FI | lame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: | | | |
| P7.17 A | Lit. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): BBPA (additive) | | | |
| <u>A</u> l | <u>lt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g | | | |
| | ccording ISO 1043-4: llt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in | <u></u> | | |
| 1. | oncentrations above 0,1%: . Chemical name: , CAS #: (See NOTE B4) | | | |
| | . Chemical name: , CAS #: " . Chemical name: , CAS #: " | | | |
| | lt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | | |
| | n plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been ssigned the following Risk phrases; and Hazard statements: | | | |
| | the source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) | | | |
| P7.20* P | ostconsumer recycled plastic material content is used in the product (See NOTE B6): | \boxtimes | | |
| If a) or b) | percentage of total plastic by weight) is %. | a | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| wodei nui | ImageRUNNER ADVANCE DX C///UI | | | | Logo | O a man | | | |
|--|---|--------------|--|--|--|------------------------------|-------------|--|--|
| Issue date | ue date * 2019/11/27 | | | Canon | | | | | |
| Product | Product environmental attributes - Market requirements (continued) Requirement met | | | | | | | | |
| Item | | | | • | • | | Yes No n.a. | | |
| | Material | and subst | ance requirements (c | continued) | | | | | |
| P7.21* | Biobased | d plastic ma | aterial content is used i | in the product (See I | NOTE B7): | | | | |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. | | | | | entage of | | | |
| P7.22* | , | | | | | | | | |
| P8 | Batteries | 3 | | | | | | | |
| P8.1* | Battery c | hemical co | mposition: <i>Litium</i> | | | | | | |
| P9 | Energy | consumpti | on (See NOTE B8) | | | | | | |
| P9.1 | For the p | roduct the | following power levels | or energy consump | tions are reported: | | | | |
| Energy mo | ode * | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/St modes and te | 0, | | |
| Sleep mod STAR® O _I (OM) prod | perational | | W | W | W | | | | |
| Standby/or ENERGY Mode (OM | ff mode for STAR Ope | rational | W | W | W | | | | |
| | | kWh/week | 4.5 kWh/week 1.19 kWh/week | Eligibility Cr Imaging Equ ENERGY ST | AR (US scheme), iteria Version 3.0 for | | | | |
| MAX W | | W | W | 2100 W | Canon's Ow | n Standard | | | |
| Printing(A | Average) | | W | W | 1319 W | Canon's Ow | | | |
| Standby | 3 3 3 | | W | W | 119.6 W | Canon's Ow | n Standard | | |
| Low Powe | er | | W | W | W | Canon's Ow | n Standard | | |
| Sleep | | | W | W | 0.9 W | Canon's Ow | | | |
| | | | W | W | W | | | | |
| External P | ower Supp | ly Efficiend | cy Level (International I | Efficiency Marking F | Protocol) *: | | | | |
| Print/Scan | Speed * | : | 70 images per minute | | | | | | |
| Default tim | Default time to enter energy save mode: 15 minutes | | | | | | | | |
| P9.2* | Informati | on about th | ne energy save function | n is provided with th | e product. | | | | |
| P10 | Emissio | ns | | | | | | | |
| P10.1 | Noise er Mode | | Declared according to lode description | (| See NOTE B9) Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B) | | | | |
| | Idle * Standby * Not Detect | | | | | | | | |
| | Operatio | | Print | | 7.55 | | | | |
| | Other mo | | | | | | | | |
| | Measure | d according | g to: X ISO 7779 | ECMA-74 | | | | | |
| | | _ 000010111 | | (only if not covered | by ECMA-74) | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model number * | imageRUNNER ADVANCE DX C7770i | Logo | 0 |
|----------------|-------------------------------|------|-------|
| Issue date * | 2019/11/27 | | Canon |

| Chemical emissions from printing products (See NOTE B10) | Product (| environmental attributes - Market requirements (continued) | equire | ment | met | |
|--|-----------|--|-------------|------|------|--|
| P10.2 Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISDIEC 23800) _ cheer specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.02 Dust 1.27 Styrene 0.18 Benzene 0.02 TVOC 4.75 Ink devices: Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products Note: compliance with maximum emission rates in eco labels to be declared in P14. P11.1 A Safety Data Shete (ISOS) is available for the inktioner preparation, even if not legally required (see P4.3). | Item | | Yes | No | n.a. | |
| Equipment (SO/IEC 28360) other specify: Filed emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.02 Dust 1.27 Styrene 0.18 Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. | | | | | | |
| Electrophotographic devices: Ozone 1.02 Dust 1.27 Styrene 0.18 Benzene 0.02 TVOC 4.75 Ink devices: Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.17 A Safety Data Sheet (SDS) is available for the inktoner preparation, even if not legally required (see P4.3). P11.18 A Safety Data Sheet (SDS) is available for the inktoner preparation, even if not legally required (see P4.3). P11.19 A Safety Data Sheet (SDS) is available for the inktoner preparation, even if not legally required (see P4.3). P11.19 A Safety Data Sheet (SDS) is available for the inktoner preparation, even if not legally required (see P4.3). P11.20 A Safety Data Sheet (SDS) is available for the inktoner preparation, even if not legally required (see P4.3). P11.21 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of P1.19 Electrophy of P1.20 Electrophy | P10.2* | and the contract of the contra | | | | |
| Ink devices: Dust Styrene Benzene TVOC | P10.3 | Typical emission rate (operation phase) is (mg/h): | | | | |
| P11.1° A Safety Data Sheet (SDS) is available for the inkhoner preparation, even if not legally required (see P4.3). P11.2° Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3° 2-sided (duplex) printing/copying is an integrated product function. P11.4° The product is delivered to end-user with default auto-duplex enabled. P13.1° Product packaging material type(s): Plywood Weight (kg): 22.5 Product packaging material type(s): Corrugated Paper Weight (kg): 20.1 Product packaging material type(s): EPS Weight (kg): 20.8 P13.1° Product plastic primary packaging is free from PVC. P13.3° For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4° Specify media for user and product documentation (tick box): Electronic Q. Paper Q. Other P13.5° (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Ec | | , , , | | | | |
| P11.1° A Safety Data Sheet (SDS) is available for the inkhoner preparation, even if not legally required (see P4.3). P11.2° Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3° 2-sided (duplex) printing/copying is an integrated product function. P11.4° The product is delivered to end-user with default auto-duplex enabled. P13.1° Product packaging material type(s): Plywood Weight (kg): 22.5 Product packaging material type(s): Corrugated Paper Weight (kg): 20.1 Product packaging material type(s): EPS Weight (kg): 20.8 P13.1° Product plastic primary packaging is free from PVC. P13.3° For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4° Specify media for user and product documentation (tick box): Electronic Q. Paper Q. Other P13.5° (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Ec | | Note: compliance with maximum emission rates in eco labels to be declared in P14 | | | | |
| P11.1.1 A Safety Data Sheet (SDS) is available for the inkfloner preparation, even if not legally required (see P4.3). P11.2.1 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of P11.2.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of P11.3 Packaging and decimentation P11.4.1 The product packaging material type(s): Plywood weight (kg): 22.5 Product packaging material type(s): Corrugated Paper weight (kg): 20.1 Product packaging material type(s): Corrugated Paper weight (kg): 20.1 Product packaging material type(s): P13.2 Product packaging material type(s): P13.2 Product packaging material type(s): P13.3 Product packaging material type(s): P13.4 Product packaging paper p13.5 Product packaging packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4 Product packaging paper p13.4 Product p13.4 Product p13.4 Product p13.4 Product p13.4 Product documentation on paper media is chlorine-free: P13.5 Product documentation on paper media is chlorine-free: P14.5 Product documentation on paper media is chlorine-free: P14.5 Product meets the requirements of the following voluntary program(s): P14.5 Product meets the requirements of the following voluntary program(s): P14.5 Product meets the requirements of the following voluntary program(s): P14.5 Product meets the requirements of the following voluntary program(s): P14.5 Product category: P15.5 Product meets the requirements of the following voluntary program(s): P14.5 Product category: P15.5 P14.5 Product m2.5 P14.5 P1 | P11 | <u> </u> | | | | |
| P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of S N 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Packaging and documentation P13. Product packaging material type(s): Plywood weight (kg): 22.5 Product packaging material type(s): Plywood weight (kg): 22.5 Product packaging material product plackaging material type(s): Plywood weight (kg): 20.8 Product plackaging material product packaging stee from PVC. P13.1* Product plastic primary packaging is free from PVC. P13.2* Product plastic primary packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Other P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product mests the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Co-label: Criteria version: Date: Product category: Cadmium Polytromainated biphenyl with BU Rotts Directive(2001/65/BU). The current BU Rotts Directive restricts the use of following substances. Lead Mercury Cadmium Polytromainated diphenyl ethers(PBB) Polytro | | | | | | |
| P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Pywood weight (kg): 22.5 Product packaging material type(s): Corngated Paper weight (kg): 20.1 Product packaging material type(s): Corngated Paper weight (kg): 20.1 Product packaging material type(s): EPS weight (kg): 20.8 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other Diversity Paper Other Product packaging is packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other Other Product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: P15. Additional information (See NOTE B1) Product on this declaration comply with BU RottS Directive(2001/65/EU). The current EU RottS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavlent chromium Polybromiated diphenyls(PBB) Polybromiated diphenyls thers(PBDB) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ Sound Pressure (LpAm) Bystander's position Active(EW) (1-sided/2-sided) : 56 / 55 dB Active(LD) (1-sided/2-sided) : 56 / 55 dB Active(LD) (1-sided/2-sided) : 56 / 55 dB | P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of | | | | |
| P13. Packaging and documentation P13.1* Product packaging material type(s): Plywood weight (kg): 22.5 Product packaging material type(s): Corrugated Paper weight (kg): 2.08 P13.2* Product packaging material type(s): EPS weight (kg): 2.08 P13.3* Product packaging material type(s): EPS weight (kg): 2.08 P13.3* For product pintary packaging is free from PVC. P13.3* For product pintary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other Paper Pape | P11.3* | | | | | |
| Product packaging material type(s): Plywood weight (kg): 22.5 Product packaging material type(s): EPS weight (kg): 20.8 Product packaging material type(s): EPS weight (kg): 20.8 Product packaging material type(s): EPS weight (kg): 20.8 Product plastic primary packaging is free from PVC. | P11.4* | The product is delivered to end-user with default auto-duplex enabled. | \boxtimes | | | |
| Product packaging material type(s): EPS weight (kg): 2.08 Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14. Voluntary programs: ENERGY STAR® | | | | | | |
| P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other User and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product catego | P13.1* | Product packaging material type(s): Corrugated Paper weight (kg): 20.1 | | | | |
| P13.4* Specify media for user and product documentation (tick box): | P13.2* | Product plastic primary packaging is free from PVC. | \boxtimes | | | |
| Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Product category: Pro | P13.3* | | | | | |
| P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Product category: Product c | P13.4* | | | | | |
| Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14. Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Product category: Eco-label: Product category: P15 Additional information (See NOTE B11) P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | P13.5 | (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: | | | | |
| Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B11) P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note;This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B11) P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(CL) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 36 db | | • | Ħ | | | |
| P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B11) P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | Processed chlorine-free | | | | |
| ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Product category: Date: Product category: Product category: Product category: Product category: Product category: Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56/55 dB Active(CL) (1-sided/2-sided) : 56/55 dB Standby : 36 db | | | | | | |
| Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Product category: P15 Additional information (See NOTE B11) P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | P14.1 | The product meets the requirements of the following voluntary program(s): | | | | |
| P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note;This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | Eco-label: Criteria version: Date: Product category: | | | | |
| P1.1 Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | D4E | | | | | |
| The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | 7 1.7 | The current EU RoHS Directive restricts the use of following substances. Lead Mercury | | | | |
| Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| Note; This is based on knowledge as of the date of this document. P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| P1.7 http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/ P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| P10.1 Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | P1.7 | | | | | |
| Active(BW) (1-sided/2-sided) : 56 / 55 dB Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| Active(CL) (1-sided/2-sided) : 56 / 55 dB Standby : 36 db | | | | | | |
| Standby : 36 db | | | | | | |
| | | | | | | |
| Operator position | | Operator position | | | | |
| Active(BW) (1-sided/2-sided) : 55 / 55 dB | | Active(BW) (1-sided/2-sided) : 55 / 55 dB | | | | |
| Active(CL) (1-sided/2-sided) : 55 / 55 dB Standby : 37 dB | | | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|---|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |