



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	
Company name *	Canon Europe Limited	
Contact information *	Environment@canon-europe.com	
e-mail address		
Internet site *	www.canon.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	i-SENSYS LBP312x			
Model number *	i-SENSYS LBP312x			
Issue date *				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

woder number "		1-3EN3 13 LBP312X	Logo			
Issue date *						
	environ	mental attributes - Legal requirements		Require		
Item				Yes	No	n.a.
P1		ous substances and preparations	OTE DAY			
P1.1*		do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	<u> </u>	<u>Ц</u>	
P1.2*	Commer	do not contain Asbestos (see legal reference). St: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach		,1-		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated			
		POT) in preparations (see legal reference).	iioiiiiatoa		ш	
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms	in the		
	chain co	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm ²	/week		
		al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):		$\overline{}$	
F 1.7	KEACH	Afficie 33 information about substances in afficies is available at (add ORL of mail	contact).		Ш	Ш
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with	the dispos	al 🔀		
		Information on proper disposal is provided in user manual. (See legal reference)		<u> </u>	ш	
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See	e legal		
	referenc	,				
P2.3*		and accumulators are readily removable. (See legal reference)				
P3		nity verification & Eco design (ErP)				
P3.1*		fluct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal referen	ice).	Ш	Ш
P3.2*		fluct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document,				
		available at (add URL): http://www.canon-europe.com	m/printers	s/		
P4	Consum	able materials	•			
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% ((see		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referen	ce).		
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance for	or which th	iere 🔀		
		munity workplace exposure limits, the product/packaging is adequately labeled acc			_	_
		le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	nts is availa	able		
P5		al reference). packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	v cadmiu	m and		
. 5.1		ent chromium by weight of these together.	,, ວິດຕາກາດ	4114	ш	
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature	of the mat	erial(s)		
DE 2*		e legal reference).	in the **	ontrool		
P5.3*		duct packaging material is free from ozone depleting substances as specified (see legal reference).	in the M	ontreal 🔀	Ш	Ш
	Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS LBP312x	Logo	
Issue date *			

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disconnelly recycling			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		+	
P7.3*			₩	
	Plastic parts > 100 g consist of one material or of easily separable materials.		井	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	Ш	
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ	<u> <u> </u></u>
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: ABS Material type: Insulation materials of external electrical cables are PVC free.			
		_ <u> </u>		
P7.13	Insulation materials of internal electrical cables are PVC free.	_ <u></u>	\boxtimes	<u> </u>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
D7.45	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_	_	_
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		Ш	
	2. Chemical name: , CAS #: " Coe No 12 B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes	Ш	
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. 			
	or			
	b) The weight of recycled material is 5.6 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber * i-SENSYS LBP312x Logo					Logo				
Issue date	*					_				
Product	environn	nental att	ributes - Market re	quirements (con	tinued)			Req	uiremen	t met
Item					•			`	'es No	n.a.
	Material and substance requirements (continued)									
P7.21*	Biobased	d plastic ma	aterial content is used	in the product (See	NOTE B7):				\boxtimes	
			of the two alternatives parts' weight > 25 g,			ntont (coloulat	ad aa a nara	antaga of		
		l plastic by		the biobased plastic	: material co	ntent (calculat	eu as a perc	entage of		
	or	,	o ,							
	•	•	the biobased plastic m	-						
P7.22*	If mercur	y is used s	ee from mercury, i.e. le pecify: Number of lam			y content per l	amp:	mg		
P8	Batteries									
P8.1*			mposition: Lithium							
P9			on (See NOTE B8)		tions are ren	orto di				
P9.1		roduct the	following power levels							
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC			Reference/S modes and to		energy	′ 📙
Sleep mod			W	W	V	V				\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of			W	W	V	V				X
ENERGY S										
Mode (OM TEC value			kWh/week	kWh/week	1.6	kWh/week				
TEC products		01 01741	KVVII/ WOOK	KWIII WOOK		KWIII WOOK				Ш
(TEC= Typ	ical Energ	IV								
MAX		.,	W	W	1310	W				
Printing(Average)		W	W	609.7	W				
Standby			W	W	8.60	W				$\overline{\Box}$
Low Pow	ver		W	W	V	V				
Sleep			W	W	1.06	W				
			W	W	V	V				
External Po	ower Supp	oly Efficienc	y Level (International	Efficiency Marking F	Protocol) * :					
Print/Scan			43 images per r	, ,						
	Default time to enter energy save mode: 5 minutes									
P9.2*	57									
P10										
	Noise er	nission – [Declared according to	ISO 9296 (See NOT	ΓE B9)					
P10.1	Mode	М	ode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle	*	Standby	,	Not Detec	et .				
	Operatio	n *	Print	3	6.8					
	Other mo									
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74						
	I		Other	(only if not covered	by ECMA-74	4)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		i-SENSYS LBP312x	Logo				
Issue date *							
Product 6	environ	mental attributes - Market requirements (continued)		Re	quirer	nent	met
Item		, ,			Yes	No	n.a.
	Chemic	cal emissions from printing products (See NOTE B10)					
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from E	lectronic		\boxtimes		
		ent (ISO/IEC 28360) X, other specify:					
P10.3	Typical	emission rate (operation phase) is (mg/h):					Ш
	Electrop	photographic devices: Ozone LOQ(=0.13) Dust 1.20 Styrene 0.19	1 B	enzene			
	0.013	TVOC 5.59					\boxtimes
	Ink devi	ces: Dust Styrene Benzene	TVOC				
	Note: co	ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		nable materials for printing products					
P11.1*	A Safet	y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see	P4.3).	\boxtimes		
P11.2*	Paper of EN 122	containing post-consumer recycled fibers can be used, provided that it meets the 81.	ne require	ments of			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			\boxtimes		
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.			X		
P13	Packag	ing and documentation					
P13.1*	Product	packaging material type(s): Corrugated Paper weight (kg): 2.05 packaging material type(s): EPS weight (kg): 0.27 packaging material type(s): PE weight (kg): 0.09					
P13.2*	Product	plastic primary packaging is free from PVC.			X		
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage er recovered fiber content: 80 %	of minim	um post-			
P13.4*		media for user and product documentation (tick box):					
P13.5	(Please User an	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: please specify:					
	•	chlorine-free tal chlorine-free			H		
		sed chlorine-free			H		
P14					<u> </u>		
P14.1		ary programs: duct meets the requirements of the following voluntary program(s):					
			category:				
	Eco-lab		category:				
	Eco-lab	el: Criteria version: Date: Product	category:				
P15		nal information (See NOTE B11)					
P1.1		on this declaration comply with EU RoHS Directive (2001/65/EU).					
		rent EU RoHS Directive restricts the use of following substances.					
		ead ercury					
		eactury admium					
	Hexavalent chromium						
		olybrominated biphenyls(PBB)					
		olybrominated diphenyl ethers(PBDE)					
		is is based on knowledge as of the date of this document.					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1