



## **Product environmental attributes – THE ECO DECLARATION** The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	envirnment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	i-SENSYS MF232w		
Model number *	i-SENSYS MF232w		
Issue date *	2016/08/26		
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information	onal information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$		

Model number *		i-SENSYS MF232w						
Issue dat	e *	2016/08/26	Logo	Cai	10	<b>n</b> –		
Product	Product environmental attributes - Legal requirements				Requirement met			
Item				Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max							
		ee legal reference and Note 1).						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		$\boxtimes$					
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$				
	hydrobro trichloroe	pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no rr ration values.						
P1.4*	Products (PCT) m	s do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorin ax 0.005% by weight (see legal reference).	ated terphenyl	$\boxtimes$				
P1.5*	Products	s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	chain containing					
P1.6*	Textile a	ind leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho	sphate (TRIS).			$\boxtimes$		
	Tris-(azi	ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referencent: Legal reference has no maximum concentration values.						
P1.7*	Textile a	nd leather parts with direct skin contact do not contain Azo colorants that split arom 03% by weight (see legal reference and Note 1).	natic amines			$\boxtimes$		
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as w lorophenol and derivatives (see legal reference).	ell as			$\square$		
P1.9*		nt: Legal reference has no maximum concentration values. th direct and prolonged skin contact do not release nickel in concentrations above 0	) 5					
F 1.9	microgra	am/cm2/week (see legal reference).	1.5					
P2	Batterie	nt: Max limit in legal reference when tested according to EN1811:1998.						
P2.1*		oduct contains a battery or an accumulator, it is labeled with the disposal symbol an	d if it contains	$\square$				
	more that marked	an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper I in user manual. (See legal reference)	ad, it shall be					
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other b ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le		$\boxtimes$				
P2.3*	Batteries	s and accumulators are easily removable by either users or service providers (as de of the product). Exception: Batteries that are permanently installed for safety, perfor	ependent on the	$\boxtimes$				
		ntegrity reasons do not have to be "easily removable". (See legal reference)						
P3		EMC connection to the telephone network and labeling						
P3.1*	The proc	duct complies with legally required safety standards as specified (see legal reference	ce).	$\square$				
P3.2*	The proc	duct complies with legally required standards for electromagnetic compatibility (see	legal reference)	. 🖂				
P3.3*		ct is intended for connection to a public telecom network or contains a radio transmi ally required standards for radio and telecommunication devices (see legal reference		$\square$				
P3.4*		duct is labeled to show conformance with applicable legal requirements (see legal re		$\boxtimes$				
P4		nable materials		<u> </u>				
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and Note 1).	ax 0.01% (see	$\boxtimes$				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see leg						
P4.3*	product/ requirem	//toner formulation/preparation is classified as hazardous according to applicable re packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance to the second second second second second second second second second second						
P5		a packaging						
P5.1*	max 0.0	ng and packaging components do not contain lead, mercury, cadmium and hexaval 1% by weight of these together.						
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).	$\boxtimes$				
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the (see legal reference). nt: Legal reference has no maximum concentration values.	Montreal					
L								

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		i-SENSYS MF232w				_
Issue dat	te *	2016/08/26 Logo		Cat	10	<b>n</b> ]
Product environmental attributes - Market requirements - Environmental conscio		nmental attributes - Market requirements - Environmental conscious design		Require	emen	t met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatme	nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design Disasse	mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\overline{\times}$		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available	tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	g can be done using commonly available tools		$\square$		
P7.9.	Spare pa	arts are available after end of production for: years				
P7.10	Service i	s available after end of production for: years				
	Material	and substance requirements				
P7.11*		cover/housing material type: type: PC+ABS Material type: ABS Material type:				
P7.12		type:         PC+ABS         Material type:         ABS         Material type:           I cable insulation material of power cables are halogen free (including PVC). (See Note 1)         I         <				
P7.12				<u> </u>		
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)					
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)					
	All printed circuit boards (without components) >25g are halogen free. (See Note 2)					
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g accord- 3-4:	ording			
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: it: No legal limits exist, this is a market requirement.				
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	Alt. 2 Chemica	l specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		lastic parts' weight >25g, recycled material content is %.				
P7.20	Of total p	lastic parts' weight >25g, biobased material content is %.		_	_	
P7.21		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batterie					
P8.1*		hemical composition: Lithium				
P8.2	Batteries	meet the requirements of the following voluntary program/s:				

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS MF232w		
Issue date *	2016/08/26	Logo	Canon

	t environmental a	attributes - Market	requirements (co	ontinued)	Requireme			
Item	<b>F</b>	•			Yes	lo n.a		
<b>P9</b> 9.1	Energy consumpt	following power levels		ations have been	mossured			
-								
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	s		
MAX		W	W	1120 W	Canon's Own Standard			
Printing	(Average)	W	W	399.3 W	Canon's Own Standard			
Standby	1	W	W	5.7 W	Canon's Own Standard			
		W	W	W				
Sleep		W	W	1.9 W	Canon's Own Standard			
		W	W	W				
charger	I power supply / plugged in the wall it disconnected from	W	W	W				
PTEC * Typical E	Energy Consumption	W	W	W				
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	0.695 kWh/w	eek TEC			
••		ave mode: 1 minute	s					
P9.2*		he energy save function		ne product		- 8		
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requireme version 2.0 Tier:1	nts of the following	voluntary prograr	n/s:			
P10	Emissions							
		Declared according to	ISO 9296					
P10.1	Mode N	lode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{ m Am}}$ (dB)			
				level $L_{WAd}$ (B)	Operator position Bystander positions Desktop or Desk side operator attender	not		
	Idle *	Standby		* 2.04	5.3/4.9			
	Operation *	Print		* 6.57	55.6/51.3			
	Other mode							
	Measured accordin	ig to: 🔀 ISO7779 🗌		by ECMA-74 wit	h L <sub>pAm</sub> measurement distance m)			
P10.2	•		•	lowing voluntary	program/s: RAL-UZ171			
	Chemical emissions from printing products							
<b>D</b> ( 0, 5)	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:					<u> </u>		
P10.3*			.4 Typical emission rate (print phase) is (mg/h):					
P10.3* P10.4	Typical emission ra							
P10.4	Typical emission ra Dust 0.77 Ozor	ne 0.17 Styrene	0.171 Benzene 0.					
	Typical emission ra Dust 0.77 Ozor	requirements of the fo	0.171 Benzene 0. Dilowing voluntary pr Dust 🛛	ogram/s <b>RAL-U</b> Ozon	Z171 are met for :			
P10.4	Typical emission ra Dust 0.77 Ozor	ne 0.17 Styrene of requirements of the for	0.171 Benzene 0. Dilowing voluntary pi	ogram/s <b>RAL-U</b>	Z171 are met for :			

Model n	umber *	i-SENSYS MF232w	_		
Issue da	ate *	2016/08/26 Logo	Can	DN	
Dusida			Demine		
-	t enviroi	nmental attributes - Market requirements (continued)	Require		
Item			Yes	No	n.a.
P11		able materials for printing products			
P11.1*	•	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\square$		
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.	$\square$		
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.		$\boxtimes$	
P12	Ergonor	nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\mathbb{X}$
P12.2*					
P13	Packagi	ng and documentation			
P13.1*					
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)				
P13.3*	3*       Specify media for user and product documentation (tick box):         Electronic       Paper				
P13.4*	3.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%				
P14	Additior	nal information			
1					

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1