



Product environmental attributes – THE ECO DECLARATION The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	envirnoment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFD			
Commercial name *	i-SENSYS MF237w			
Model number *	i-SENSYS MF237w			
Issue date *	2016/08/26			
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 📄 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square		

Model nu		i-SENSYS MF237w			
Issue date *		2016/08/26 Logo	Cat	101	n _
Product environmental attributes - Legal requirements		Require			
Item P1	Hazardo	ous substances and preparations	Yes	No	n.a.
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max				
P1.2*	······································				
P1.3*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
г 1.3	hydrobro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
-	concentr	ration values.			
P1.4*	(PCT) m	s do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl ax 0.005% by weight (see legal reference).			
P1.5*	at least 4	s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Tris-(azi	Ind leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Int: Legal reference has no maximum concentration values.			\square
P1.7*		nd leather parts with direct skin contact do not contain Azo colorants that split aromatic amines 03% by weight (see legal reference and Note 1).			\boxtimes
P1.8*	* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).				\boxtimes
P1.9*		nt: Legal reference has no maximum concentration values. th direct and prolonged skin contact do not release nickel in concentrations above 0.5			\boxtimes
1 1.0	microgra	am/cm2/week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batterie				
P2.1*	more that marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is I in user manual. (See legal reference)			
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, I	EMC connection to the telephone network and labeling			
P3.1*	The proc	duct complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	-	duct complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	with lega	ct is intended for connection to a public telecom network or contains a radio transmitter, it complies ally required standards for radio and telecommunication devices (see legal reference).	\square		
P3.4*	The proc	duct is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4		nable materials			
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note 1).			
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	product/ requirem	/toner formulation/preparation is classified as hazardous according to applicable regulations, the packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these nents (see legal reference).			
P5		packaging		_	
P5.1*	max 0.0	ng and packaging components do not contain lead, mercury, cadmium and hexavalent chromium 1% by weight of these together.			
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
L	0011110				

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		i-SENSYS MF237w				_	
Issue date *		2016/08/26	Logo	Cat	101	n _	
Product environmental attributes - Market requirements - Environme		nmental attributes - Market requirements - Environmental conscious	design	Require	ement	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.					n.a.	
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			Ē		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			Ē		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			Π	H	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ē		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ		
	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			H	H	
P7.9.		arts are available after end of production for: years				-	
P7.10		s available after end of production for: years					
17.10		and substance requirements					
P7.11*		cover/housing material type:					
1 7.11		type: PC+ABS Material type: ABS Material	l type:				
P7.12		I cable insulation material of power cables are halogen free (including PVC). (See N			\square		
P7.13		I cable insulation material of signal cables are halogen free (including PVC). (See N				H	
P7.14		/housing plastic parts >25g are halogen free. (See Note 1)	,				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)				+		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
	Marking:	tarded plastic parts >2.5g in covers / nodsings are marked according 150 1045-4.					
P7.17	Alt. 1	I specifications of flame retardants in printed circuit beards > 25g (without company	ntc).				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):						
			070 #.				
	Alt. 2						
		I specifications of flame retardants in printed circuit boards (without components) >	25g according	J 🗌			
	ISO 1043	3-4:					
P7.18	Alt. 1	tordad plastic parts . 25 a contain the following flows retardant substances (prepare	iono in	_			
		tarded plastic parts >25g contain the following flame retardant substances/preparat ations above 0.1%:	lions in				
		it: No legal limits exist, this is a market requirement.					
		cal name: , CAS #:					
		cal name: , CAS #:					
	3. Chem	cal name: , CAS #:					
	Alt. 2						
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Of total plastic parts' weight >25g, recycled material content is %.						
P7.20		lastic parts' weight >25g, biobased material content is %.					
P7.21		Irces are free from mercury	ma				
P8	Batteries	y is used specify: Number of lamps: and max. mercury content per lamp:	mg				
P8.1*		hemical composition: <i>Lithium</i>					
P8.2	Batteries meet the requirements of the following voluntary program/s:						
	Dattenes meet the requirements of the following voluntary program/s.						

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS MF237w		
Issue date *	2016/08/26	Logo	Canon

	ct environmental	attributes - Market	requirements (co	ontinued)		Requirement me
Item	F	(*				Yes No n.:
P9 9.1	Energy consump	tion e following power levels		ntiona hava haar	moonuradu	
Energy I	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard fo and test method *	r energy modes
MAX		W	W	1120 W	Canon's Own Standard	1
Printing	g(Average)	W	W	399.3 W	Canon's Own Standard	1
Standby	у	W	W	5.7 W	Canon's Own Standard	1
		W	W	W		
Sleep		W	W	1.9 W	Canon's Own Standard	1
		W	W	W		
charger	al power supply / plugged in the wall ut disconnected from	W	W	W		
PTEC * Typical I	Energy Consumptior	W	W	W		
TEC *	Energy Consumptior	kWh/week	kWh/week	0.711 kWh/w	eek TEC	
		save mode: 1 minute	 م			L
P9.2*		the energy save function		he product		
P9.3*		the energy requireme				
1 9.5	ENERGY STAR® Others specify:			voluntary program	1/3.	
P10	Emissions					
	Noise emission –	Declared according to	ISO 9296			
P10.1	Mode	Mode description		Declared	Declared A-weig	
				A-weighted sound power	sound pressure level I	_{2pAm} (dB)
				level L_{WAd} (B)		nder positions 🔀
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ly if product is not
					or Desk side 📃 🛛 O	perator attended)
	Idle ,	Standby		* 2.06	5.7/5.2	
	Operation	Print		* 6.45	55.2/50.6	
	Other mode					
	Measured according	ng to: 🔀 ISO7779 🗌		by ECMA-74 wi	th L _{pAm} measurement distance	m)
P10.2						
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:					
P10.4		ate (print phase) is (mg				
D / -	Dust 0.77 Ozo		0.171 Benzene 0.			
P10.5	Chemical emissior	requirements of the fo				
			Dust 🛛	Ozon		
	Electromegnetic		Benzene 🔀	TVO		
P10.6	Electromagnetic		for low frequency e	lectromagnetic fi	elds of the following voluntary	
0.0	program/s:		ion now inequency e			

Model n	umber *	i-SENSYS MF237w						
Issue da	sue date * 2016/08/26 Logo Canon							
Produc	Product environmental attributes - Market requirements (continued) Requirement met							
Item			Yes	No	n.a.			
P11	Consum	able materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes					
P11.2*	Paper co EN1228	ntaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.	\square					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\times				
P12	Ergonor	nics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\mathbf{X}			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\square			
P13	Packagi	ng and documentation						
P13.1*								
P13.2*	* Product plastic packaging is halogen free (including PVC). (See Note 1)							
P13.3*	Electronic							
P13.4*	.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%							
P14	Addition	al information						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1