

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Canon | Logo |
|------------------------|------------------------------|-------|
| Company name * | Canon Europa N.V. | |
| Contact information * | environment@canon-europe.com | Canon |
| e-mail address | | Canon |
| Internet site * | www.canon-europe.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|--|--|--|--|--|
| Type of product * | Printer | | | |
| Commercial name * | i-SENSYS LBP112 | | | |
| Model number * | i-SENSYS LBP112 | | | |
| Issue date * | 2019/10/12 | | | |
| Intended market * | 🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other | | | |
| Additional information | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| Model n | umber * | i-SENSYS LBP112 | Logo | | | |
|--------------|--------------------------------|--|--------------|-------------|-------|-------------|
| Issue date * | | 2019/10/12 | | Ca | 10 | n |
| Product | t environ | mental attributes - Legal requirements | | Requir | ement | met |
| Item | | | | Yes | No | n.a. |
| P1 | | ous substances and preparations | | | | |
| P1.1* | Products | s do comply with the current European RoHS Directive. (See legal reference and N | OTE B1) | \square | | |
| P1.2* | Commer | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | \boxtimes | | |
| P1.3* | hydrobro trichloroe | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetracl ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ration values. | | 1- | | |
| P1.4* | | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference). | nlorinated | \square | | |
| P1.5* | Products | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 can ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | bon atoms | in the | | |
| P1.6* | (see lega | h direct and prolonged skin contact do not release nickel in concentrations above al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5. | 0,5 μg/cm²/י | week | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail | contact): | \square | | |
| P2 | Batterie | S | | | | |
| P2.1* | | oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference) | the disposa | 1 🗌 | | \boxtimes |
| P2.2* | | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr | nium. (See | legal | | \boxtimes |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | | | \square |
| P3 | Conform | nity verification & Eco design (ErP) | | | | |
| P3.1* | The proc The Dec europe. | duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address): http://www. com/ce-documentation/ | | ce). 🔀 | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, al reference). | | \boxtimes | | |
| | Required | d information is; given in item P15 or added to this document, | | \bowtie | | |
| | | available at (add URL): http://canon-europe.com/prin | ters/ | | | |
| P4 | Consum | hable materials | | | | |
| P4.1* | legal refe | o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and NOTE B1). | | | | |
| P4.2* | If ink/ton | er is used in the product, it does not contain cadmium max 0,1% by weight (see le | gal referenc | ;e). 🔀 | | |
| P4.3* | are Com applicab | /toner formulation/preparation is classified as hazardous or contains a substance f munity workplace exposure limits, the product/packaging is adequately labeled ac le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference). | cording to | | | |
| P5 | | packaging | | | | |
| P5.1* | hexavale | ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together. | - | | | |
| P5.2* | | kaging materials are marked with abbreviations and numbers indicating the nature re legal reference). | of the mate | rial(s) 🔀 | | |
| P5.3* | The pro Protocol | duct packaging material is free from ozone depleting substances as specified (see legal reference). t: Legal reference has no maximum concentration values. | in the Mo | ntreal 🔀 | | |
| P6 | | nt information | | | | |
| P6.1* | | on for recyclers/treatment facilities is available (see legal reference). | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model n | umber * | i-SENSYS LBP112 | Logo | | | |
|--------------|------------------------------------|---|----------------------|-------------|-----------|----------------|
| Issue date * | | 2019/10/12 | | Ca | no | n |
| | Environn | mental attributes - Market requirements (See General NOTE GN below) nental conscious design | | Require | ment | met |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | | Yes | No r | n.a. |
| P7 | Design | while reactaling | | | | |
| P7.1* | | nbly, recycling t have to be treated separately are easily separable | | | | |
| P7.2* | | aterials in covers/housing have no surface coating. | | | ╞ | ╶ ╎ |
| P7.3* | | arts > 100 g consist of one material or of easily separable materials. | | | <u> </u> | <u> </u> |
| P7.4* | | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | <u> </u> | <u> </u> |
| | | | -ilable tee | | <u> </u> | <u> </u> |
| P7.5 | | arts are free from metal inlays or have inlays that can be removed with commonly available and the second state of the second | allable too | | <u> </u> | <u> </u> |
| P7.6* | | e easily separable. (This requirement does not apply to safety/regulatory labels). | | | | |
| P7.7* | Product | g can be done e.g. with processor, memory, cards or drives | | | | |
| | | | | | <u> </u> | <u> </u> |
| P7.8* | | g can be done using commonly available tools | | \boxtimes | | <u> </u> |
| P7.9. | | rts are available after end of production for: years | | | | <u> </u> |
| P7.10 | | s available after end of production for: years | | | | |
| D7 44* | | and substance requirements | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: PC Material | tuno: | | | |
| P7.12 | | n materials of external electrical cables are PVC free. | type. | | \square | |
| P7.13 | | naterials of internal electrical cables are PVC free. | | <u> </u> | | ++- |
| P7.14 | External weight (1 polyvinyl | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame i chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content. | retardants | and | | |
| P7.15 | Printed of | sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2) | g 🗌 are | e low | | |
| P7.16 | | tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | | |
| P7.17 | <u>Alt. 1: Ch</u> | emical specifications of flame retardants in printed circuit boards > 25 g (without con additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: | nponents): CAS #: | | | |
| | | emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4: | ts) > 25 g | | | |
| P7.18 | concentra 1. Chemi 2. Chemi | ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: " | preparatio | ns in | | |
| | <u>Alt.</u> 2: Cł | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043- | 4: | | | |
| P7.19 | In plastic assigned | parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements: | ave been | | | |
| | | | OTE B5) | ~ | | |
| P7.20* | lf YES; a a) Of te | umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (sentage of total plastic by weight) is %. | calculated | as a | | |
| | | weight of recycled material is 5.7 g. | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nu | mber * | i-SENSYS | LBP112 | | | Logo | | |
|---|--|-------------------------------|--|---------------------------------|--|--|---|-------------|
| Issue date * 2019/10/1 | | 2 | | | | Cano | n | |
| Product | environr | nental atti | ibutes - Market red | quirements (con | tinued) | | Requiremen | nt met |
| ltem | | | | | | | Yes No | o n.a. |
| D7.04* | | | ance requirements (c | | | | | |
| P7.21* | | • | terial content is used i | | , | | | |
| | a) Of t tota or | otal plastic Il plastic by | weight) is %. | the biobased plastic | wered; c material content (calcu | lated as a perce | entage of | |
| P7.22* | , | 0 | he biobased plastic ma ee from mercury, i.e. le | 9 | n | | | |
| 1 7.22 | | | pecify: Number of lamp | | mum mercury content pe | er lamp: r | ng | |
| P8 | Batterie | | | | | | | |
| P8.1* | | hemical cor | • | | | | | \square |
| P9 | | - | on (See NOTE B8) | | | | | |
| P9.1 | For the p | product the | following power levels | or energy consump | tions are reported: | | | |
| Energy m | ode * | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/St modes and te | | у |
| | de for ENE perational lucts | | W | W | W | | | |
| Standby/o ENERGY | off mode fo STAR Ope I) products | erational | W | W | W | | | |
| TEC value for ENERGY STAR TEC products | | kWh/week | kWh/week | 0.5 kWh/week | | AR (US scheme), iteria Version 2.0 for vigment | , 🗆 | |
| (TEC= Typical Energy Consumption) | | ју | | | <i>0.17</i> kWh/week | ENERGY ST | AR (US scheme), iteria Version 3.0 for | |
| MAX | | | W | W | 900 W | Canon's Ow | n Standard | |
| Printing(/ | Average) | | W | W | 300 W | Canon's Ow | n Standard | |
| Standby | | | W | W | 2.7W | Canon's Ow | n Standard | |
| Low Pow | er | | W | W | W | | | \square |
| Sleep | | | W | W | 0.4 W | Canon's Ow | n Standard | |
| | | | W | W | W | | | |
| External F | Power Supp | oly Efficienc | y Level (International E | Efficiency Marking F | Protocol) * : | | | $\neg \neg$ |
| Print/Scar | | | 22 images per minute | , , | , | | | |
| | • | | e mode: 1 minutes | | | | | |
| P9.2* | | | e energy save function | is provided with th | e product | | | |
| P10 | Emissio | | | | | | | |
| 110 | | | Declared according to I | SO 9296 (See NOT | E B9) | | | |
| P10.1 | Mode | | lode description Stat | | Statistical upper limit A-v L _{WA,c} (B) | veighted sound | power level, | |
| | Idle | * | * Standby * Not Detect | | | | | |
| | Operatio | | | | | | | |
| | Other m | | | | | | | |
| | Measure | d according | | ECMA-74 (only if not covered | by ECMA-74) | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model number * | | i-SENSYS LBP | 112 | | | Logo | | | |
|----------------|--|---|---|------------------------------|-------------------------|------------------------|-----------|----------|-----------|
| Issue date | e * | 2019/10/12 | | | | | Can | 01 | |
| Product | environ | mental attribut | tes - Market requiremen | ts (continued) | | | Require | ment | met |
| Item | | | | | | | Yes | No | n.a. |
| | | | om printing products (See | | | | | | |
| P10.2* | | | g to ECMA-328 Determinatic 60) 🔀, other specify: | n of Chemical Emiss | ion Rates from E | lectronic | | | |
| P10.3 | Typical | emission rate (op | peration phase) is (mg/h): | | | | | | |
| | Electro Ink dev | | ices: Ozone <loq(=0.12)< b=""> [Dust</loq(=0.12)<> | Dust 0.45 Styrene Styrene | 0.37 Benzene Benzene | 0.01 TVOC TVOC | 2.99 | | |
| | Noto: c | ompliance with m | aximum emission rates in ec | o labols to be declar | od in P14 | | | | |
| P11 | | | for printing products | | eu III F 14. | | | | |
| P11.1* | | | S) is available for the ink/ton | er preparation even | if not legally reg | uired (see F | P4.3). | | |
| P11.2* | | | onsumer recycled fibers ca | | | | | | ╞ |
| 1 11.2 | EN 122 | | unsumer recycled libers ta | n be used, provided | | | | | |
| P11.3* | | | copying is an integrated proc | duct function. | | | | | \square |
| P11.4* | | | to end-user with default auto | | | | <u> </u> | <u> </u> | |
| P13 | | jing and docume | | 1 | | | | | |
| P13.1* | Produc Produc Produc | t packaging mater t packaging mater t packaging mater | rial type(s): Corrugated Pap rial type(s): EPS we rial type(s): PE weight (kg): | eight (kg): 0.226 | 1.454 | | | | |
| P13.2* | | | ackaging is free from PVC. | | | | \square | | |
| P13.3* | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 70 % | | | | | | | | |
| P13.4* | | media for user an nic 🔀, Paper 🔀 | nd product documentation (ti , Other | ck box): | | | | | |
| P13.5 | (Please User ar | only complete th | is item if paper documentation on paper media is c | | | | | | |
| | Totally | chlorine-free | | | | | | | |
| | | Elemental chlorine-free | | | | | | | |
| | | sed chlorine-free | | | | | 님 | | |
| P14 | | ary programs: | | | | | | | |
| P14.1 | | | equirements of the following | voluntary program(s) | • | | | | |
| ! | | | | | | ootogor" | | | |
| | Enero Eco-lab | GY STAR® | Criteria version: Criteria version: | Date: Date: | | category: category: | | | |
| | Eco-lat | | Criteria version: | Date: | | category: | | | |
| P15 | | | (See NOTE B11) | | | | | | |
| P1.1 | | | n comply with EU RoHS Direc | tive(2001/65/EU). | | | | | |
| | The cu L | | ective restricts the use of follo | | | | | | |
| | | admium | | | | | | | |
| | | lexavalent chromiu | | | | | | | |
| | 7 | olybrominated biph | nenyls(PBB) | | | | | | |
| | P | | | | | | | | |
| | P | olybrominated diph | nenyl ethers(PBDE) | | | | | | |
| P1.7 | P Note;Ti | olybrominated diph his is based on kno | nenyl ethers(PBDE) wledge as of the date of this d m/about_us/sustainebility/ | | | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |