



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	i-SENSYS MF112		
Model number *	i-SENSYS MF112		
Issue date *	2019/10/12		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS MF112	Logo	0
Issue date *	2019/10/12		Canon

Product	Require	Requirement met		
Item	environmental attributes - Legal requirements	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).	K 🔀		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			$\boxtimes$
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		П	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\square$		
	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL): http://canon-europe.com/printers/	_		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to	_		_
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀		
DE 0*	hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	<u>,                                    </u>		
P5.2*	used (see legal reference).		<u> </u>	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀	Ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS MF112	Logo	0
Issue date *	2019/10/12		Canon

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	ement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<del> </del>	<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.		Щ.	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ц_	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: PC Material type:  Insulation materials of external electrical cables are PVC free.			
		_#		
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	ı		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,		
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	<del></del>		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "Gee NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$	П	
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is  %.			
	b) The weight of recycled material is 10.2 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	Model number * i-SENSYS MF112			Logo			
Issue date	Issue date * 2019/10/12				Canon		
Product	Product environmental attributes - Market requirements (continued)  Requirement						Requirement met
Item							
			ance requirements				
P7.21*	Biobase	d plastic ma	aterial content is used	I in the product (See	e NOTE B7):		
			of the two alternative				
				, the biobased plast	tic material content (calcu	lated as a perce	entage of
	or	Il plastic by	weight) is %.				
		weight of	the biobased plastic r	naterial is g.			
P7.22*			ee from mercury, i.e.				
	If mercu	ry is used s	pecify: Number of lan	nps: and max	ximum mercury content pe	er lamp: r	ng
P8	Batterie						
P8.1*	•	hemical co	•				
P9			ion (See NOTE B8)				
P9.1		product the	following power level		· · ·		
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	t Power level at 230 V AC	Reference/St modes and te	
Sleep mod			W	W	W		
STAR® Op (OM) prod		Mode					
Standby/of		r	W	W	W		
ENERGY							
Mode (OM TEC value			kWh/week	kWh/week	0.5 kWh/week	ENERGY ST	TAR (US scheme),
TEC produ		OI SIAN	KVVII/WEEK	KVVII/WEEK	0.5 KWII/WEEK		riteria Version 2.0 for
(TEC= Typ	oical Energ	11/				Imaging Equ	ıipment
Consumpt		"			0.19 kWh/week		'AR (US scheme),
	. ,						iteria Version 3.0 for
						Imaging Equ	
MAX			W	W	<b>910</b> W or less	Canon's Ow	
Printing(A	(Average		W	W	<b>230</b> W	Canon's Ow	n Standard
Standby			W	W	4.3 W	Canon's Ow	n Standard
Low Powe	er		W	W	W		
Sleep			W	W	0.7 W	Canon's Ow	n Standard
			W	W	W		
External P	ower Supp	oly Efficiend	cy Level (International	l Efficiency Marking	Protocol) *:		
Print/Scan	Speed *	:	22 images per minute	 e			
	<u> </u>	energy say	ve mode: 1 minutes				
P9.2*			ne energy save function	on is provided with t	the product.		
P10							
-	Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1	Mode	N	lode description		Statistical upper limit A-v	veighted sound	power level,
	$L_{WA,c}$ (B)						
	Idle	*	Standby		* Not Detect		
	Operation		Print		* 6.0		
	Other me						
	-		g to: 🔀 ISO 7779 🗌	ECMA-74			
			Other	(only if not covered	d by ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model number *	i-SENSYS MF112	Logo	0
Issue date *	2019/10/12		Canon

Product 6	environmental attributes	<ul> <li>Market requirements</li> </ul>	(continued)	Re	equire	ment	met
Item					Yes	No	n.a.
	Chemical emissions from	printing products (See N	OTE B10)				
P10.2*	Test performed according to			on Rates from Electronic	$\square$	П	П
	Equipment (ISO/IEC 28360)						
P10.3	Typical emission rate (opera						
1 10.0							
	Electrophotographic devices: Ozone <loq(=0.13) 0.00="" 0.10="" 0.56="" 2.21<="" benzene="" dust="" styrene="" td="" tvoc=""><td></td></loq(=0.13)>						
	Ink devices: Dust Styrene Benzene TVOC				$\boxtimes$		
	Note: compliance with mavin	mum emiesien retes in ees	labala ta ba daalara	d in D44			
D14	Note: compliance with maxis		labels to be declared	J III P 14.			
P11	Consumable materials for			frationally required (see D4.2)		_	_
P11.1*				f not legally required (see P4.3).		<u>Ц</u>	<u>Ц</u>
P11.2*	Paper containing post-cons EN 12281.	sumer recycled fibers can	be used, provided	that it meets the requirements of		Ш	Ш
P11.3*	2-sided (duplex) printing/cop	oying is an integrated produ	ıct function.				$\boxtimes$
P11.4*	The product is delivered to e	end-user with default auto-o	duplex enabled.				X
P13	Packaging and documenta	ation					
P13.1*	Product packaging material	type(s): Corrugated Pape	weight (kg): 2	.185			
	Product packaging material	type(s): <b>EPS</b> weight	ght (kg): 0.307				
	Product packaging material		.0908				
P13.2*	Product plastic primary pack	caging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrug	ated fiberboard packaging	, specify the contai	ned percentage of minimum post-			
	consumer recovered fiber co	ontent: 90 %					_
P13.4*	Specify media for user and u	product documentation (tick	r hov):				
1 10.4	Specify media for user and product documentation (tick box):						
P13.5			, upped)				
F 13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:						
	If Yes, please specify:	ation on paper media is chi	onne-nee.		Ш	Ш	
	Totally chlorine-free						
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs:						
P14.1	The product meets the requ	irements of the following vo	oluntary program(s):				
	ENERGY STAR®	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Se	e NOTE B11)					
P1.1	Product on this declaration co	omply with EU RoHS Directive	ve(2001/65/EU).				
	The current EU RoHS Direct						
	Lead		_				
	Mercury						
	Cadmium						
	Hexavalent chromium						
	Polybrominated biphenyls(PBB)						
	Polybrominated dipheny						
	Note; This is based on knowledge as of the date of this document.						
P1.7	http://canon-europe.com/a			tomer statement/			

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1