



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	i-SENSYS MF267dw		
Model number *	i-SENSYS MF267dw		
Issue date *	2019/10/12		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS MF267dw	Logo	0
Issue date *	2019/10/12		Canon

Maintain	Product	Require	Requirement met		
P1.1* Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)   P1.2* Products do not contain Asbestos (see legal reference).		on the difference and the differ			
P1.2* Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HFCC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  P1.5* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  P1.6* Pars with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  P2.1* Batteries  If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal P2.2*)  Batteries and accumulators are readily removable. (See legal reference)  P3. Conformity verification & Eco design (ErP)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The beclaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/pe-documentation/  P4.1* If product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/  P4. Consumable materials  If the ink/toner is used		Hazardous substances and preparations			
Comment: Legal reference has no maximum concentration value.  P1.3' Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorochane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4' Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  P1.5' Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7' REACH Article 33 information about substances in articles is available at (add URL or mail contact):  P2.8 Batteries  P2.1' If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2' Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3' Batteries and accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P3. Conformity verification & Eco design (EFP)  P3.1' The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentarion/  P4.2' If inktoner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.1' If a photo conductor (drum, belt etc.) is used in the product, it does not contain a substance for which there are Community workplace ex	P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
PF.3 Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochrorofluorocarbons (HBFC), Halons, carbontetrachloride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  Pf.4* Products do not contain more than; 0,05% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations; (see legal reference).  Pf.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 46% per mass of chlorine in the SCCP. (see legal reference).  Pf.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>7</sup> /week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811.2011-5.  Pf.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  P2* Batteries  P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.3* Batteries and accumulators do not contain more than 0,005% of mercury or 0,002% of cadmium. (See legal reference)  P3* Conformity verification & Eco design (ErP)  The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  P3.2* The product or Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P6* Product packaging  P6* Product packaging  P6* Product packaging  P7* The	P1.2*				
hydrobromofluorocarbons (HBFC), hydrochlorofluoraarbons (HCFC), Halons, carbonitetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than: 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  P2.8* Batteries  P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P3.3* Conformity verification & Eco design (ErP)  P3.1* The product complies with the Eco design (ErP)  P3.1* The product complies with the Eco design requirements (see legal reference).  The product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is:   given in item P15 or added to this document,   product complies with the Eco design requirements for energy-related products, (see legal reference).  P4.2* If inknorer is used in the product, it does not contain cadmium max 0,01% (see legal reference).  P4.2* If inknorer is used in the product, it does not contain cadmium max 0,01% (see legal reference).  P4.2* If the inklorner formulation/preparation is classified as hazardous or contains a substance for which there are Community workp	P1.3*		$\square$		
concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm³/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):    P2					
terphenyl (PCT) in preparations (see legal reference).  Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  Price Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  Price REACH Article 33 information about substances in articles is available at (add URL or mail contact):  Price Batteries  Price Batteries  Price Batteries  Price Batteries  Price Batteries  Price Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  Price Batteries and accumulators are readily removable. (See legal reference)  Price Batteries and accumulators are readily removable. (See legal reference)  Price Batteries and accumulators are readily removable. (See legal requirements (see legal reference).  Price Price Batteries and communications are readily removable. (See legal requirements (see legal reference).  The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  Price Price Batteries and See Batteries (see legal reference).  Required information is: given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/  Price Batteries and NOTE B1).  Price Batteries and NOTE B1).  Price Batteries and NOTE B1).  Price Product complies with the Ecc design ference and NOTE B1).  Price Product packaging  Price Product packaging material is free from ozone depleting substances as specified in the Montreal Product (see legal reference).  Product packaging material i					
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  P2 Batteries  P3 Hi ft he product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P3 Conformity verification & Eco design (ErP)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,01% (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating	P1.4*				
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P2.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):    P2.1*	P1.5*		e 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):    P2	P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			
P2   Batteries     P2.1"					
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3. Conformity verification & Eco design (ErP)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is;	P1.7*				
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3. Conformity verification & Eco design (ErP)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is;	P2	Batteries			
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.canoneurope.com/ce-documentation/">http://www.canoneurope.com/ce-documentation/</a> P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, savialable at (add URL): <a href="http://canon-europe.com/printers/">http://canon-europe.com/printers/</a> P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P2.1*				
P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/ P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/ P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P6.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	D2 2*			$\overline{}$	
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canoneurope.com/ce-documentation/  P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information		, , , ,			
The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.canoneurope.com/ce-documentation/">http://www.canoneurope.com/ce-documentation/</a> P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is; given in item P15 or added to this document, available at (add URL): <a href="http://canon-europe.com/printers/">http://canon-europe.com/printers/</a> P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.				$\overline{}$	
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).  Required information is; given in item P15 or added to this document,  available at (add URL): http://canon-europe.com/printers/  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.2* The packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.3* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	F3.1	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-		Ш	
Required information is; given in item P15 or added to this document, available at (add URL): <a href="http://canon-europe.com/printers/">http://canon-europe.com/printers/</a> P4.	P3.2*	The product complies with the Eco design requirements for energy-related products,			
P4 Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			$\square$		
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5. Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.				_	
legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	P4				
P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P4.1*				
are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P4.2*		$\boxtimes$		
applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		$\overline{\Box}$	$\overline{\Box}$
Ps   Product packaging					
P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.  P6 Treatment information					
hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5				
used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5.1*		d 🔀		
Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5.2*	used (see legal reference).			
Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5.3*		al 🔀		
P6 Treatment information		,			
	P6				
	P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS MF267dw	Logo	0
Issue date *	2019/10/12		Canon

-	Environmental conscious design				
			Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.		H		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\overline{X}$	∺		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\overline{X}$	H	_	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\Box}$		
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools				
P7.9.	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC+ABS Material type: Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$		
P7.13	Insulation materials of internal electrical cables are PVC free.		•		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	5 🗍	$\overline{\Box}$		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	ı			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	<i>I</i>			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		П		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)				
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$			
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of recycled material is 19.0 g.	1			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	Model number * i-SENSYS MF267dw			Logo				
Issue date	Issue date * 2019/10/12				Canon			
Product environmental attributes - Market requirements (continued)						Requirement met		
Item								
			ance requirements (d					
P7.21*	Biobased	d plastic ma	aterial content is used i	in the product (See	NOTE B7):			
			of the two alternatives					
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.</li> </ul>							
	or	ii piastic by	weight) is %.					
	b) The	weight of	the biobased plastic m	aterial is g.				
P7.22*			ee from mercury, i.e. le					
	If mercur	y is used s	pecify: Number of lam	ps: and max	imum mercury content pe	er lamp: r	ng	
P8	Batteries							
P8.1*			mposition: Lithium					
<b>P9</b>			ion (See NOTE B8) following power levels		ations are reported.			
_		noduct the	• .		· · · · · · · · · · · · · · · · · · ·	To ( (0)		
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		
Sleep mod	e for ENE	RGY	W	W	W			
STAR® Op (OM) produ		Mode						
Standby/of	f mode for		W	W	W			
ENERGY S							_	
Mode (OM)			kWh/week	kWh/week	0.8 kWh/week	FNFRGY ST	AR (US scheme),	
TEC produ		01 017 11 (	KVIII, WOOK	KVVII, WOOK	olo kwi wook		iteria Version 2.0 for	
(TEC= Typ	ical Energ	IV				Imaging Equ	ıipment	
Consumpti		,,			0.31 kWh/week		'AR (US scheme),	
							iteria Version 3.0 for	
						Imaging Equ	•	
MAX			W	W	1180 W	Canon's Ow		
Printing(A	verage)		W	W	<b>340</b> W	Canon's Ow	n Standard	
Standby			W	W	5.7 W	Canon's Ow	n Standard	
Low Powe	er		W	W	W			
Sleep			W	W	0.8 W	Canon's Ow		
			W	W	W			
External Po	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking	Protocol) * :			
Print/Scan			28 images per minute	, ,	,			
			0 1					
	Default time to enter energy save mode: 1 minutes							
P9.2* Information about the energy save function is provided with the product.								
P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1						power level,		
	$L_{WA,c}$ (B)							
	Idle	*	Standby		* Not Dated			
	Operatio		Standby Print		* Not Detect * 6.5			
	Other mode 6.5							
			g to: X ISO 7779	ECMA-74				
	545410	_ 000010111	_	(only if not covered	by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model number *	i-SENSYS MF267dw	Logo	0
Issue date *	2019/10/12		Canon

Product environmental attributes - Market requirements (continued)					Requirement met		
Item	,				Yes	No	n.a.
	Chemical emissions from	printing products (See NOTE I	310)				
P10.2*	Test performed according to Equipment (ISO/IEC 28360)	ECMA-328 Determination of Ch		ates from Electronic			
P10.3	Typical emission rate (opera	ition phase) is (mg/h):					
	Electrophotographic devices Ink devices:	: Ozone <b><loq(=0.13)< b=""> Dust <b>0.6</b> Dust</loq(=0.13)<></b>	•	Benzene 0.00 TVOC 2.33			
		num emission rates in eco labels	•				
P11	Consumable materials for						
P11.1*		is available for the ink/toner prep	aration, even if not	legally required (see P4.3).	$\square$	$\overline{\Box}$	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.						
P11.3*		ying is an integrated product fur	ction.		$\square$		
P11.4*		end-user with default auto-duplex			X	Ħ	Ħ
P13	Packaging and documenta	ation					
P13.1*	Product packaging material Product packaging material Product packaging material	type(s): Corrugated Paper type(s): EPS weight (kg type(s): PE weight (kg): 0.0668	weight (kg): <b>3.653</b> g): <b>0.419</b>				
P13.2*	Product plastic primary pack	aging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrugationsumer recovered fiber co	ated fiberboard packaging, spe ontent: <b>80</b> %	cify the contained	percentage of minimum post-			
P13.4*	Specify media for user and p Electronic , Paper , O	product documentation (tick box)	:				
P13.5		em if paper documentation used ation on paper media is chlorine-					
	Totally chlorine-free  Elemental chlorine-free  Processed chlorine-free						
P14	Voluntary programs:						
P14.1	<u> </u>	rements of the following volunta	ry program(s):				
	ENERGY STAR® Eco-label:	Criteria version: Criteria version:	Date: Date:	Product category: Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Se		A (OF (PIL)				
P1.1		omply with EU RoHS Directive(200					
		ive restricts the use of following su	bstances.				
	Lead						
	Mercury Cadmium						
	Cadmium Hexavalent chromium						
	Hexavaient chromium Polybrominated biphenyls(PBB)						
	Polybrominated diphenyl ethers(PBDE)						
	Note; This is based on knowledge as of the date of this document.						
P1.7		bout_us/sustainebility/busine		er statement/			
	, , , , , , , , , , , , , , , , , , , ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1