



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Printer				
Commercial name *	i-SENSYS LBP212dw				
Model number *	i-SENSYS LBP212dw				
Issue date *	2018/1/31				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS LBP212dw	Logo	0
Issue date *	2018/1/31		Canon

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).				
	Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/				
P4	available at (add URL): http://canon-europe.com/printers/ Consumable materials	•	•		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\square			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		H	$\overline{}$	
1 1.0	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	;)			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference). Comment: Legal reference has no maximum concentration values.	اد 🔀			
P6	Treatment information	_			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS LBP212dw	Logo	0
Issue date *	2018/1/31		Canon

	t environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	ement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	•		
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	ı		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is or b) The weight of recycled material is 6.6 g.	ı		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	i-SENSYS	S LBP212dw			Logo			
Issue date	e *	2018/1/31					Can	OTI	
Product	environm	ental att	ributes - Market re	quirements (contin	ued)		Require	ment m	net
Item							Yes	No r	ı.a.
D7 04*			ance requirements (TE D7).				
P7.21*		•		n the product (See NC	•				\boxtimes
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 								
	b) The weight of the biobased plastic material is g.								
P7.22*			ee from mercury, i.e. le pecify: Number of lam		ım mercury content per	lamp: m	ng		
P8	Batteries						•		
P8.1*	Battery ch	nemical co	mposition: Lithium						
P9			on (See NOTE B8)						
P9.1		roduct the	following power levels	or energy consumptio	ns are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and tes		nergy	
	de for ENEF perational N ucts		W	W	W				
	ff mode for STAR Oper I) products		W	W	W				\boxtimes
TEC produ	for ENERGucts pical Energy		kWh/week	kWh/week	1.1 kWh/week				
MAX	Jiodi Eriorg	y	W	W	1300 or less W	Canon's Own	Standard		
Printing(A	Average)		W	W	Approx. 540 W	Canon's Own	Standard		
Standby			W	W	Approx. 10 W	Canon's Own	Standard		
Low Powe	er		W	W	W				X
Sleep W W Approx. 0.9 W Canon's Own Standard		Standard							
	W W W							X	
External P	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:							\boxtimes	
Print/Scan	Print/Scan Speed * : 38 images per minute								
Default tim	Default time to enter energy save mode: 1 minutes								
P9.2*	29.2* Information about the energy save function is provided with the product.								
P10	Emission						·		
	Noice on	iccion [Colored according to	ISO 0206 (See NOTE	P0)				

NOTE B7	The following is to be	excluded from	the calcul	ation of	percentage:	printed	circuit boards,	labels,	cables
connectors and	electronic components ar	d postconsum	er recycled	plastic.					

(only if not covered by ECMA-74)

 $L_{WA,c}$ (B)

* 6.8 B

* Not Detect

Statistical upper limit A-weighted sound power level,

Mode description

Measured according to: ISO 7779 ECMA-74
Other (only if not

* Standby

* Print

P10.1

Mode

Idle

Operation

Other mode

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	i-SENSYS LBP212dw	Logo	0
Issue date *	2018/1/31		Canon

Product	environmental attrib	utes - Market requirements	s (continued)	R	equire	ment	met
Item		•			Yes	No	n.a.
	Chemical emissions f	rom printing products (See N	OTE B10)				
P10.2*	Test performed accordi	ng to ECMA-328 Determination		sion Rates from Electronic	\boxtimes		
		3360) 🔀, other specify:					
P10.3	Typical emission rate (operation phase) is (mg/h):					
	Electrophotographic de	vices: Ozone <loq(=0.13) di<="" td=""><td>ust 1.83 Styrene</td><td>0.27 Benzene 0.00 TVOC 4.91</td><td></td><td></td><td></td></loq(=0.13)>	ust 1.83 Styrene	0.27 Benzene 0.00 TVOC 4.91			
	Ink devices:	Dust	Styrene	Benzene TVOC			
	<u>'</u>	maximum emission rates in eco	labels to be declar	ed in P14.	-		
P11		s for printing products		if not becally required (see D4.2)			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements						Щ
P11.2*	EN 12281.	<u> </u>		that it meets the requirements of			
P11.3*	2-sided (duplex) printin	g/copying is an integrated produ	uct function.		\boxtimes		
P11.4*	The product is delivered	d to end-user with default auto-	duplex enabled.		\boxtimes		
P13	Packaging and docun						
P13.1*		erial type(s): Corrugated Pape		0.725			
	Product packaging mat	3. ()	ght (kg): 0.242				
P13.2*		erial type(s): PE weight (kg): 0 packaging is free from PVC.	.109		\square	$\overline{}$	$\overline{}$
P13.3*	' ' '	1 0 0	a chacify the contr	ained percentage of minimum post-			
F 13.3	consumer recovered fit		j, specify the conta	allied percentage of millimum post-			
5.0.4							
P13.4*		and product documentation (tic	k box):				
P13.5	Electronic , Paper						
P13.5		this item if paper documentation mentation on paper media is ch					
	If Yes, please specify:	mentation on paper media is ch	iioiiie-iiee.		ш	ш	
	Totally chlorine-free						
	Elemental chlorine-free				H		
	Processed chlorine-free				H		
P14	Voluntary programs:						
P14.1		requirements of the following vo	oluntary program(s)				
	·	,	,, ,				
	ENERGY STAR® Eco-label:	Criteria version: Criteria version:	Date: Date:	Product category: Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information	n (See NOTE B11)	•	, , , , , , , , , , , , , , , , , , , ,			
P1.1		ion comply with EU RoHS Directi	ive(2001/65/EU).				
		irective restricts the use of follow	ving substances.				
	Lead						
	Mercury						
	Cadmium						
	Hexavalent chrom						
	Polybrominated big	-					
	•	phenyl ethers(PBDE) nowledge as of the date of this do	aumont				
P1.7	•	om/about_us/sustainebility/b		stomer statement/			
1 1.7	map.//oanon-europe.c	, นองนะ_นอ, วนรเลเท องเทเ เy/ม	uomeoomeach_cu	otomor_statement			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1