



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	i-SENSYS MF643Cdw		
Model number *	i-SENSYS MF643Cdw		
Issue date *	2019/10/12		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS MF643Cdw	Logo	0
Issue date *	2019/10/12		Canon

Product	Require	Requirement met		
Item	environmental attributes - Legal requirements	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://canon-europe.com/printers/	_		_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\overline{\boxtimes}$		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to	_		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀		
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀	П	
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	ai 🔀	Ш	Ш
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS MF643Cdw	Logo	0
Issue date *	2019/10/12		Canon

	environmental attributes - Market requirements (See General NOTE GN below)	_			
	Environmental conscious design	Require Yes	Yes No n.a.		
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Design			n.a.	
P/	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable		$\overline{\Box}$		
P7.2*	Plastic materials in covers/housing have no surface coating.		\dashv		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		+	-H	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		∺	-#-	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		\exists		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	$\overline{\Box}$		
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools				
P7.9.	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: ABS Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.	$\overline{}$	\boxtimes		
P7.13	Insulation materials of internal electrical cables are PVC free.	$\overline{}$		\dashv	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%				
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	<i>I</i>			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1			
	concentrations above 0,1%:				
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "				
	3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is 16.4 g.	l			
1	b) The weight of recycled material is 16.4 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	I number * i-SENSYS MF643Cdw			Logo	•			
Issue date	*	2019/10/1	10/12				Canon	
Product	Product environmental attributes - Market requirements (continued) Requirement me						Requirement met	
Item							Yes No n.a.	
			ance requirements (c					
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):							
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
		otal plastic I plastic by		the biobased plastic	material content (calcul	ated as a perce	entage of	
	or	piaotio by	Woighty io 70.					
	b) The	weight of t	the biobased plastic ma	aterial is g.				
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p. mum mercury content pe	er lamp: r	mg 🔲 🔲	
P8	Batteries							
P8.1*	Battery cl	nemical co	mposition: <i>Lithium</i>					
P9			on (See NOTE B8)					
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,	
Sleep mod			W	W	W			
STAR® Op (OM) produ		Mode						
Standby/of			W	W	W			
ENERGY S	STAR Ope							
Mode (OM		01/07/0	1340 /		0.01100			
TEC value TEC produ		GY STAR	kWh/week	kWh/week	0.6 kWh/week		AR (US scheme), []	
	(TEC= Typical Energy Consumption)				0.22 kWh/week	ENERGY ST	AR (US scheme),	
						Imaging Equ	iteria Version 3.0 for iipment	
MAX			W	W	850 W	Canon's Ow	n Standard	
Printing(A	(verage		W	W	370 W	Canon's Ow	n Standard	
Standby			W	W	11.0 W	Canon's Ow	n Standard	
Low Powe	er		W	W	W	Canon's Ow	n Standard	
Sleep			W	W	0.8 W	Canon's Ow		
			W	W	W			
External P	ower Supp	ly Efficienc	L cy Level (International E	Efficiency Marking F	Protocol) * :			
Print/Scan	Speed *	:	21 images per minute					
Default tim	e to enter	energy sav	ve mode: 1 minutes					
P9.2* Information about the energy save function is provided with the product.								
P10	P10 Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)			power level,				
	Idle * Standby * Not Detect							
	Operation		Print		6.5			
	Other mode							
	Measure	d according	g to: X ISO 7779	ECMA-74				
	Other (only if not covered by FCMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	i-SENSYS MF643Cdw	Logo	0
Issue date *	2019/10/12		Canon

Product	environmental attribu	ites - Market requirements	(continued)	R	equire	ment	met
Item			-		Yes	No	n.a.
	Chemical emissions fr	om printing products (See No	OTE B10)				
P10.2*	Test performed according Equipment (ISO/IEC 28)	ng to ECMA-328 Determination 360) X, other specify:	of Chemical Emissi	on Rates from Electronic			
P10.3	Typical emission rate (o	peration phase) is (mg/h):					
	Electrophotographic dev	vices: Ozone <loq(=0.12) du<="" td=""><td>ıst 0.66 Styrene 0</td><td>0.11 Benzene 0.00 TVOC 5.90</td><td></td><td></td><td>$\overline{\Box}$</td></loq(=0.12)>	ıst 0.66 Styrene 0	0.11 Benzene 0.00 TVOC 5.90			$\overline{\Box}$
	Ink devices:	Dust	Styrene	Benzene TVOC			
	Note: compliance with n	naximum emission rates in eco	labels to be declare	d in P14.			
P11	Consumable materials	for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post- EN 12281.	consumer recycled fibers can	be used, provided	that it meets the requirements of			
P11.3*		g/copying is an integrated produ	ct function.		\boxtimes		
P11.4*	The product is delivered	to end-user with default auto-c	duplex enabled.		\boxtimes		
P13	Packaging and docum	entation					
P13.1*	Product packaging mate Product packaging mate	erial type(s): PE weight (kg): 0	ght (kg): 0.57	1.5			
P13.2*	Product plastic primary	packaging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 %						
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other						
P13.5		his item if paper documentation nentation on paper media is chl					
	Totally chlorine-free						
	Elemental chlorine-free				Ħ		
	Processed chlorine-free				Ħ		
P14	Voluntary programs:						
P14.1	The product meets the i	requirements of the following vo	oluntary program(s):				
	ENERGY STAR®	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information						
P1.1		on comply with EU RoHS Directive					
		irective restricts the use of follow	ing substances.				
	Lead						
	Mercury Containing						
	Cadmium						
	Hexavalent chromium						
	Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE)						
	Note; This is based on knowledge as of the date of this document.						
P1.7		om/about_us/sustainebility/bi		tomer statement/			
	pii/ carron car operor						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1