

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFD			
Commercial name *	i-SENSYS MF746Cx			
Model number *	i-SENSYS MF746Cx			
Issue date *	2019/10/12			
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	i-SENSYS MF746Cx	Logo			
Issue date *		2019/10/12		Ca	no	n
Product	t environ	mental attributes - Legal requirements		Requir	ement	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.		1-		
P1.4*	terpheny	e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).		\boxtimes		
P1.5*	chain co	e do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week		\square
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr e)	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec europe.	duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address): http://www. com/ce-documentation/		ce). 🔀		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document,		\bowtie		
		available at (add URL): http://canon-europe.com/prim	ters/			
P4	Consum	hable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium materiate and NOTE B1).	ax 0,01% (s	see 🔀		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	;e). 🔀		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	-			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). t: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀		
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	i-SENSYS MF746Cx	Logo			
Issue da	ate *	2019/10/12		Ca	10	11
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.
P7	Design	while reactaling				
P7.1*		nbly, recycling t have to be treated separately are easily separable			_	
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
		÷ .			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available of the second seco	allable too		<u> </u>	_Ц_
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		g can be done using commonly available tools		\square		<u> </u>
P7.9.		rts are available after end of production for: years				
P7.10		s available after end of production for: years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: Material	type:			
P7.12		materials of external electrical cables are PVC free.	iype.		\square	
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		-#-
P7.14	External weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame i chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants	and		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	e low		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without con additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): CAS #:			
	according	emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	, ,			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparatio	ns in		
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been			
			OTE B5)	~		
P7.20*	If YES; a a) Of to perc or	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is %.	calculated	as a		
	b) The	weight of recycled material is 6.6 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	i-SENSYS	SMF746Cx			Logo		_
Issue date * 2019/10/1			2				Canor	1
Product	environr	nental att	ributes - Market red	quirements (cont	inued)		Requirement	t met
ltem							Yes No	n.a.
DT a <i>t</i> b			ance requirements (c					
P7.21*		•	terial content is used in		,			\boxtimes
	a) Of t tota	total plastic Il plastic by		the biobased plastic	vered; material content (calcu	lated as a perce	entage of	
P7.22*	Light sou	urces are fre	ee from mercury, i.e. le pecify: Number of lamp	ess than 0,1 mg/lam	o. num mercury content pe	er lamp: r	ng	
P8	Batterie		occiry. Number of lamp				ing	
P8.1*			mposition: <i>Litium</i>					
P9	-		on (See NOTE B8)					
P9.1		-	following power levels	or energy consump	tions are reported:			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		
	de for ENE perational		W	W	W			
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	W			
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	1.0 kWh/week		AR (US scheme), iteria Version 2.0 for ipment	
(TEC= Typical Energy Consumption)		ју			0.31 kWh/week	ENERGY ST	AR (US scheme), iteria Version 3.0 for	
MAX			W	W	1370 W	Canon's Ow	n Standard	
Printing(/	Average)		W	W	530 W	Canon's Ow	n Standard	
Standby			W	W	18.0 W	Canon's Ow	n Standard	
Low Pow	er		W	W	W	Canon's Ow	n Standard	
Sleep			W	W	0.7W	Canon's Ow	n Standard	Ē
			W	W	W			$\overline{\neg}$
External P	ower Supr	oly Efficienc	y Level (International E					\dashv
Print/Scar		-	27 images per minute	· · · · · · · · · · · · · · · · · · ·	/			
	•		e mode: 1 minutes					<u> </u>
P9.2*			e energy save function	is provided with the	a product			<u> </u>
			s onergy save runction					
P10	Emissio Noise e		Declared according to I	SO 9296 (See NOT	E B9)			
P10.1	Mode		ode description $L_{WA,c}$ (B)		veighted sound p	oower level,		
	Idle	*	Standby	*	Not Detect			
	Operatio		Print	*	6.2			Η
	Other m							
	Measure	ed according		ECMA-74 (only if not covered l	ov FCMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	i-SENSYS MF74	46Cx			Logo			
Issue dat	9 *	2019/10/12					Can	011	1
Product	environ	mental attribut	es - Market requiremen	ts (continued)			Require	ement n	met
Item							Yes	No	n.a.
			m printing products (See						
P10.2*			g to ECMA-328 Determination 60) 🔀, other specify:	on of Chemical Emiss	ion Rates from E	lectronic	\square		
P10.3	Typical	emission rate (op	eration phase) is (mg/h):						
	Electro Ink dev		ces: Ozone <loq(=0.12)< b=""> [Dust</loq(=0.12)<>	Dust 0.87 Styrene Styrene	0.20 Benzene Benzene	0.00 TVOC TVOC	7.05		
	Note: c	ompliance with m	aximum emission rates in ec	o labels to be declare	nd in P14				
P11			for printing products		50 III F 14.				
P11.1*			S) is available for the ink/tor	er preparation, even	if not legally reg	uired (see F	94.3).		
P11.2*			onsumer recycled fibers ca			-			Η
=	EN 122								
P11.3*	2-sided	(duplex) printing/	copying is an integrated pro-	duct function.			\boxtimes		
P11.4*	The pro	duct is delivered	to end-user with default auto	-duplex enabled.			\square		
P13	Packag	ing and docume	ntation						
P13.1*	Produc Produc	packaging mater	ial type(s): PE weight (kg):	eight (kg): 0.58	5.0				
P13.2*			ackaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 25 %								
P13.4*		media for user ar nic 🔀, Paper 🔀	nd product documentation (ti , Other	ck box):					
P13.5	Úser ar		is item if paper documentation entation on paper media is c						
	Totally	chlorine-free							
		tal chlorine-free					H		
		sed chlorine-free					H		
P14		ary programs:							
P14.1			quirements of the following	voluntary program(s)	:				
		Y STAR®	Criteria version:	Date:		category:			
	Eco-lab		Criteria version:	Date:		category:			
	Eco-lab		Criteria version:	Date:		category:			
P15	Additic	nal information	(See NOTE B11)						
P1.1	Product	on this declaration	n comply with EU RoHS Direc	tive(2001/65/EU).					
	L	ead	ective restricts the use of follo	owing substances.					
	C	lercury admium							
		exavalent chromiu							
		olybrominated biph							
	Polybrominated diphenyl ethers(PBDE)								
P1.7			wledge as of the date of this d						
	http://o	anon-ourone co	m/about_us/sustainebility/	business/reach_cus	stomer stateme	nt/			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1