

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Caron
Internet site *	www.canon-europe.com	
Additional information		

 The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

 Type of product *
 Printer

 Commercial name *
 i-SENSYS X 1238Pr

 Model number *
 i-SENSYS X 1238Pr

 Issue date *
 2020/7/8

 Intended market *
 Global Image Asia, Pacific & Japan Americas Other

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	i-SENSYS X 1238Pr	Logo	
Issue date *	2020/7/8		Canon

Product	Product environmental attributes - Legal requirements					
Item	÷ :	Yes	No n.a.			
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes				
P2	Batteries	÷	•			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\square				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <i>http://www.canon-europe.com/ce-documentation/</i>					
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes				
	Required information is; given in item P15 or added to this document, available at (add URL): http://canon-europe.com/printers/					
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\boxtimes				
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS X 1238Pr	Logo	
Issue date *	2020/7/8		Canon

	Environmental conscious design	Requ			net
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable			-	
P7.2*	Plastic materials in covers/housing have no surface coating.			-	⊢
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.				늼
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				늼
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				늼
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				⊢
7.0	Product lifetime			<u> </u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			-	
P7.8*	Upgrading can be done using commonly available tools			-	늼
P7.9	Spare parts are available after end of production for: years				늼
P7.10	Service is available after end of production for: years				늼
1 7.10	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS Material type: PC+ABS				
P7.12	Insulation materials of external electrical cables are PVC free.		\geq		
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq	3	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:]	
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:]	
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: "]	
	 3. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:]	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:				

NOTE B3 and B4 A Guidance document on Chemical substances is available;

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	i-SENSYS	5 X 1238Pr			Logo			
Issue dat	e *	2020/7/8					Can	01	1
							D		
Item	environn	nental attr	ibutes - Market ree	quirements (contil	nued)		Require Yes	Ment No	n.a.
licini	Material	and substa	ince requirements (c	ontinued)			103	110	
P7.20*					roduct (See NOTE B6)	:	\square		
					,				
			of the two alternatives parts' weight > 25 g. th		ered; /cled plastic material co	ontent (calculate	d as a		
			otal plastic by weight)						
	or b) The	weight of r	ecycled material is 7.1						
P7.21*			terial content is used i		OTE B7):				\boxtimes
If YES; at least one of the two alternatives below shall be answered;									
					erea; naterial content (calcul	ated as a perce	ntage of		
	tota	l plastic by v			Υ.		0		
	or b) The	weight of th	ne biobased plastic ma	aterial is g.					
P7.22*	Light sou	rces are fre	e from mercury, i.e. le	ess than 0,1 mg/lamp.			\boxtimes		
50			ecify: Number of lamp	os: and maxim	um mercury content pe	er lamp: m	ig		
P8.1*	Batteries		nposition: <i>Litium</i>						
P9			on (See NOTE B8)					• •	
P9.1			ollowing power levels	or energy consumption	ons are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and tes		nergy	
	de for ENE		W	W	W				
Standby/c ENERGY	off mode for STAR Ope (1) products	rational	W	W	W				
	e for ENER		kWh/week	kWh/week	1.0 kWh/week	ENERGY STA	AR (US scheme)		
	ucts (TEC= onsumption						teria Version 2.		
					0.32 kWh/week		AR (US scheme) teria Version 3.0 ipment.		
MAX			W	W	1330 W	Canon's Own	Standard		
Printing()	Average)		W	W	480 W	Canon's Own	Standard		$\overline{\Box}$
Standby			W	W	9.0 W	Canon's Own	Standard		
Low Pow	er		W	W	W	Canon's Own	Standard		
Sleep			W	W	0.9 W	Canon's Own	Standard		
			W	W	W				
External F	Power Supp	ly Efficiency	y Level (International I	Efficiency Marking Pro	otocol) * :				
Print/Scar	n Speed *	::	38 images per minute						$\overline{\Box}$
	•	energy save	e mode: 1 minutes						Ē
P9.2*		-	e energy save function		n roduot	1			븜

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS X 1238Pr	Logo	
Issue date *	2020/7/8		Canon

Produc	t environmental	attributes - Market require	ments (continu	ed)	Require	ement	met		
Item					Yes	No	n.a.		
P10	Emissions								
		 Declared according to ISO 9 		,					
P10.1	Mode	Mode description	Statis L _{WA,c}	tical upper limit A-weighted so (B)	und power level,				
	Idle	* Standby	* Not	Detect					
	Operation	* Print	* 7.2	2					
	Other mode								
	Measured accor	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							
		sions from printing products							
P10.2*	Test performed	according to ECMA-328 Determ	ination of Chemica	I Emission Rates from Electron	nic 🔀				
		/IEC 28360), other specify:							
P10.3	Typical emissior	n rate (operation phase) is (mg/h	ו):						
	Electrophotogra Ink devices:	phic devices: Ozone <i><loq(=0.< i=""> Du</loq(=0.<></i>	12) Dust 1.40 S ist Styren		VOC <u>3.38</u> /OC				
	NOTE: compliar	nce with maximum emission rate	es in eco labels to b	e declared in P14.					
P11		aterials for printing products							
P11.1*		heet (SDS) is available for the in							
P11.2*	EN 12281.	g post-consumer recycled fibers		ided that it meets the requirem	ients of				
P11.3*	2-sided (duplex)	printing/copying is an integrate	d product function.		\square				
P11.4*	The product is d	elivered to end-user with defaul	t auto-duplex enab	led.	\square				
P13		documentation							
P13.1*	Product packagi	ing material type(s): Corrugated ing material type(s): EPS ing material type(s): PE weight	weight (kg): 0.2	nt (kg): 1.6 4					
P13.2*	Product plastic p	primary packaging is free from P	VC.		\square				
P13.3*		nary corrugated fiberboard pack ered fiber content: 25 %	aging, specify the o	contained percentage of minim	um post-				
P13.4*		or user and product documentat Paper 🔀, Other 🗌	ion (tick box):						
P13.5		nplete this item if paper docume ct documentation on paper med becify:							
	Totally chlorine-	free							
	•	Elemental chlorine-free							
	Processed chlor				H				
P14	Voluntary prog								
P14.1		ets the requirements of the follo	wing voluntary pro	gram(s):					
	·								
	ENERGY STAR		Date	3					
	Eco-label: Eco-label:	Criteria version: Criteria version:	Date Date						
L			Dale		Jiy.				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS X 1238Pr	Logo	
Issue date *	2020/7/8		Canon

Produc	t environmental attributes - Market requirements (concl	uded)	Requirement met
P15	Additional information (See NOTE B11)		
P1.1	Product on this declaration comply with EU RoHS Directive(2001/6	5/EU).	
	The current EU RoHS Directive restricts the use of following substa	nces.	
	Lead		
	Mercury		
	Cadmium		
	Polybrominated biphenyls(PBB)		
	Polybrominated diphenyl ethers(PBDE)		
	Note; This is based on knowledge as of the date of this document.		
P1.7	http://canon-europe.com/about_us/sustainebility/business/	each_customer_statement/	,
P10.1	Sound Pressure (LpAm)		
	Bystander's position		
	Active(BW) (1-sided/2-sided)	: 54 / 54 dB	
	Standby	: Inaudible	
	Operator position		
	Active(BW) (1-sided/2-sided)	: 60 / 59 dB	
	Standby	: Inaudible	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Deferences Lurope Annex Di	Declaration item
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	