

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	i-SENSYS LBP228x			
Model number *	i-SENSYS LBP228x			
Issue date *	2019/10/12			
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	i-SENSYS LBP228x	Logo			
Issue date *		2019/10/12		Ca	10	n
Product	t environ	mental attributes - Legal requirements		Require	ement	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$		
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.		1-		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\square$		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/	week		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	$\square$		
P2	Batterie	S				
P2.1*		but contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🖂		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): http://www. daration of Conformity can be requested at (add link or e-mail address): http://www. com/ce-documentation/		ce). 🔀		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\square$		
		d information is; given in item P15 or added to this document,		$\square$		
		available at (add URL): http://canon-europe.com/print	ters/			
P4	Consum	nable materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	ce). 🔀		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmiur	n and  🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the mate	erial(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). (see legal reference). t: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀		
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	i-SENSYS LBP228x	Logo			_
Issue da	ite *	2019/10/12		Ca	10	n
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ment r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n	.a.
P7	Design	nbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u>+</u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available in the second seco	ailable too		<u> </u>	<u> </u>
P7.6*	-	e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			<u> </u>	╞
P7.9.						<u> </u>
P7.10						<u> </u>
F7.10						
P7.11*		and substance requirements over/housing material type (e.g. plastics, metal, aluminum):				
17.11		ype: ABS Material type (0.9. plastice, metal, administry). Material type: PC+ABS Material	type:			
P7.12	Insulation	materials of external electrical cables are PVC free.	71 -		$\boxtimes$	
P7.13	Insulatior	materials of internal electrical cables are PVC free.		— <u> </u>		Ē
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame i chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants	, and 📃		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25	g 🗌 are	e low		
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2)   Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:   Marking:					
P7.17	<u>Alt. 1: Ch</u>	emical specifications of flame retardants in printed circuit boards > 25 g (without con additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: ,	nponents): CAS #:			
		emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	ts) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparatio	ns in		
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:				
			OTE B5)			
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		$\square$	$\square$	
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ( entage of total plastic by weight) is %.	calculated	as a		
	or b) The	weight of recycled material is 7.1 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	i-SENSYS	LBP228x			Logo			
Issue date * 2019/10/1		2				Can	011		
Product	environr	nental atti	ibutes - Market rec	quirements (con	tinued)		Require	ment m	net
Item							Yes	No r	n.a.
D7 04*			ance requirements (c						
P7.21* Biobased plastic ma					,				$\boxtimes$
	a) Of t tota	total plastic al plastic by		the biobased plastic	wered; c material content (calcu	lated as a perce	entage of		
P7.22*	Light sou	urces are fre	e from mercury, i.e. le becify: Number of lamp	ess than 0,1 mg/lam	p. mum mercury content pe	er lamp: r	ng		
P8	Batterie					i lump.			
P8.1*			mposition: <i>Lithium</i>						
P9			on (See NOTE B8)					L	
P9.1		-	following power levels	or energy consump	tions are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		nergy	
	de for ENE perational lucts		W	W	W			[	
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	W			[	
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	1.0 kWh/week		AR (US scheme) iteria Version 2.0 upment			
(TEC= Typical Energy Consumption)				0.33 kWh/week	ENERGY ST	AR (US scheme) iteria Version 3.0			
MAX			W	W	1330 W	Canon's Ow	n Standard		
Printing()	Average)		W	W	<b>480</b> W	Canon's Ow	n Standard		Ē
Standby			W	W	9.0 W	Canon's Ow	n Standard	[	$\overline{\Box}$
Low Pow	er		W	W	W	Canon's Ow	n Standard		$\boxtimes$
Sleep			W	W	0.9 W	Canon's Ow	n Standard	[	Ť
			W	W	W			۔ ا	≓
External F	ower Supr	olv Efficienc	y Level (International E					ן ר	╞
Print/Scar			38 images per minute					L r	
	•		<b>3</b> 1					L r	
			e mode: 1 minutes	ta mandala di 2017 di	a				님
P9.2*			e energy save functior	i is provided with th	e product.				
P10	Emissio	-	eclared according to l	SO 0206 (See NOT	E BO)				
P10.1	Mode		Declared according to ISO 9296 (See NOTE B9)     Iode description   Statistica     LWA,c (B)   LWA,c (B)		Statistical upper limit A-v	veighted sound	power level,		
	Idle	*	* Standby * Not Detect				]		
	Operatio		* Print * 7.22				[	┢	
	Other me								
	Measure	ed according		ECMA-74 (only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	Imber *	i-SENSYS LBP228x	Logo				
Issue date *		2019/10/12		C	an	01	1
Product	environ	mental attributes - Market requirements (continued)		Re	quire	nent	met
Item					Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)					
P10.2*	•	rformed according to ECMA-328 Determination of Chemical Emission Rates from E	lectronic		$\boxtimes$		
		ent (ISO/IEC 28360) , other specify:					
P10.3	Typical	emission rate (operation phase) is (mg/h):					
	Electro Ink dev	bhotographic devices: Ozone <i><loq(=0.12)< i=""> Dust <i>1.40</i> Styrene <i>0.14</i> Benzene Dust Styrene Benzene</loq(=0.12)<></i>	0.00 TVOC TVOC	3.38			$\square$
	Note: c	ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		mable materials for printing products					
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see F	P4.3).	$\square$		
P11.2*		containing post-consumer recycled fibers can be used, provided that it meets t	-	-			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			$\boxtimes$		
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.				Ē	Ē
P13		ing and documentation			لاصع		
P13.1*	Produc Produc	t packaging material type(s): Corrugated Paper weight (kg): 1.609 t packaging material type(s): PE weight (kg): 0.109 t packaging material type(s): EPS weight (kg): 0.242					
P13.2*		t plastic primary packaging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 25% %						
P13.4*		media for user and product documentation (tick box): nic 🔀, Paper 🔀, Other 📃					
P13.5	(Please User ar	e only complete this item if paper documentation used) ad product documentation on paper media is chlorine-free: please specify:					
	Totally chlorine-free						
	Elemen	tal chlorine-free			Н		
	Proces	sed chlorine-free			Н		
P14	Volunt	ary programs:					
P14.1		duct meets the requirements of the following voluntary program(s):					
	ENERG	GY STAR® Criteria version: Date: Product	category:				
	Eco-lab		category:				
	Eco-lab		category:				
P15		nal information (See NOTE B11)					
P1.1	The cur L M C H P P	on this declaration comply with EU RoHS Directive(2001/65/EU). rent EU RoHS Directive restricts the use of following substances. ead fercury admium fexavalent chromium olybrominated biphenyls(PBB) olybrominated diphenyl ethers(PBDE)					
D4 7		his is based on knowledge as of the date of this document.					
P1.7 10.1		anon-europe.com/about_us/sustainebility/business/reach_customer_stateme Pressure (LpAm)	ent/				
10.1	Sound	Bystander's position Active(BW) (1-sided/2-sided) : 54 / 54 dB Standby : Inaudible Operator position					
		Active(BW) (1-sided/2-sided) : 60 / 59 dB Standby : Inaudible					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1