

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
conforms to the statement	nts given in this declaration.			
Type of product *	MFD			
Commercial name *	imageRUNNER ADVANCE DX 4725i			
Model number *	imageRUNNER ADVANCE DX 4725i			
Issue date *	2019/11/25			
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	imageRUNNER ADVANCE DX 4725i	Logo			
lssue da	te *	2019/11/25		Ca	101	
Product	t environ	mental attributes - Legal requirements		Require	ement me	et
Item				Yes	No n.	.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	\square		
P1.2*		o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values.		1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	\square		
P1.5*	Products	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week		\triangleleft
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):]
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadres)	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		7
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec europe.	luct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address): http://www.com/ce-documentation/		ce). 🔀]
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	I information is; given in item P15 or added to this document,		\square		
		available at (add URL): http://canon-europe.com/print	ers/			
P4	Consum	able materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (s	see 🔀		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference	ce). 🔀]
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			5
P5	Product	packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				ב
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). it: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	-	Logo				
Issue date *		2019/11/25		Ca	Canon		
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n.a	a	
P7	Design	mbly recycling					
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u>H</u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u>⊢</u>	
P7.4*					<u> </u>	<u>⊢</u>	
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	9-1-1- (I-		<u> </u>	<u>Ц</u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	liable tools		<u> </u>	<u>Ц</u>	
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product				<u> </u>		
		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u>Ц</u>	
P7.8*		g can be done using commonly available tools		\boxtimes		<u>Ц</u>	
P7.9.		rts are available after end of production for: years				<u>Ц</u>	
P7.10		s available after end of production for: years					
D7 44*		and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS Material type: PC+ABS Material type: PS						
P7.12	Material type: ABS Material type: PC+ABS Material type: PS Insulation materials of external electrical cables are PVC free. Image: Comparison of the provided material type: Image: Comparison of the provided mater						
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	External weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bror 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants,	and			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: ,	ponents): CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/g ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	s in			
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4	4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:					
			OTE B5)				
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes			
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is %.	calculated	as a			
	or b) The	weight of recycled material is 13.5 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	imageRU	NNER ADVANCE DX	4725i		Logo			
Issue date * 2019/11/2			25				Canon		
Product	environr	nental atti	ributes - Market rec	uirements (con	tinued)		Requireme	nt met	
Item				•			Yes N	o n.a.	
			ance requirements (c						
P7.21* Biobased plastic ma					,				
	a) Of tota	total plastic al plastic by		he biobased plastic	wered; c material content (calcu	lated as a perce	entage of		
P7.22*			ee from mercury, i.e. le becify: Number of lamp		p. mum mercury content pe	er lamp: r	ng		
P8	Batterie	S	· ·		· ·	•	-		
P8.1*	Battery of	chemical cor	nposition: <i>Litium</i>						
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the	product the	following power levels	or energy consump	otions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		ау 🗌	
Sleep moo STAR® O (OM) prod	perational		W	W	W				
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	W				
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	1.1 kWh/week		AR (US scheme), iteria Version 2.0 fo ipment	r		
(TEC= Typical Energy Consumption)		ЭУ			<i>0.35</i> kWh/week	ENERGY ST	AR (US scheme), iteria Version 3.0 fo	r	
MAX			W	W	1500 W	Canon's Ow	n Standard		
Printing(/	Average)		W	W	653 W	Canon's Ow	n Standard		
Standby			W	W	38 W	Canon's Ow	n Standard		
Low Pow	or		W	W	W	Canon's Ow			
Sleep	C1		W	W	0.9 W	Canon's Own			
Sleep						Canon's Own	n Stanuaru	<u> </u>	
			W	W	W				
External P	ower Sup	oly Efficienc	y Level (International E	Efficiency Marking F	Protocol) * :				
Print/Scar	Speed *	:.	25 images per minute						
Default tim	ne to enter	energy sav	e mode: 1 minutes						
P9.2*			e energy save function	is provided with th	e product.			ᅟᄃ	
P10	Emissic			-					
			Declared according to I	SO 9296 (See NO	TE B9)				
P10.1	Mode		ode description $L_{WA,c}$ (B)		veighted sound p	power level,			
	Idle	*	Standby		* Not Detect				
	Operatio		Print		* 7.02			H	
	Other m								
	Measure	ed according		ECMA-74 only if not covered					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	imageRUNNER ADVANCE DX 4725i Logo				
Issue date *		2019/11/25	C	an	01	1
Product	environ	mental attributes - Market requirements (continued)	Re	quire	nent	met
Item				Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)				
P10.2*	•	rformed according to ECMA-328 Determination of Chemical Emission Rates from Electron	nic	\boxtimes		
		ent (ISO/IEC 28360), other specify:				
P10.3	Typical	emission rate (operation phase) is (mg/h):				
	Electro	photographic devices: Ozone <loq(=0.35) 0.01="" 0.04="" 0.78="" benzene="" dust="" styrene="" t<="" td=""><td>VOC 1.67</td><td></td><td></td><td></td></loq(=0.35)>	VOC 1.67			
	Ink dev		/OC			$\overline{\boxtimes}$
		ompliance with maximum emission rates in eco labels to be declared in P14.				
P11 P11.1*		mable materials for printing products	D (0)			
		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (-		<u> </u>	<u> </u>
P11.2*	Paper EN 122	containing post-consumer recycled fibers can be used, provided that it meets the rec	quirements of	\boxtimes		
P11.3*		(duplex) printing/copying is an integrated product function.		\boxtimes		
P11.4*		duct is delivered to end-user with default auto-duplex enabled.			╞	⊢⊢
P11.4	· ·					
P13.1*		t packaging material type(s): <i>Wood</i> weight (kg): <i>8.00</i>				
F13.1		t packaging material type(s): Corrugated Paper weight (kg): 7.86				
		t packaging material type(s): EPS weight (kg): 0.59				
P13.2*	Produc	t plastic primary packaging is free from PVC.		\square		
P13.3*	For pro	duct primary corrugated fiberboard packaging, specify the contained percentage of m	inimum post-			Ē
		her recovered fiber content: 25 %	·			
P13.4*	Specify	media for user and product documentation (tick box):				
F 13.4		nic \square , Paper \square , Other \square				
P13.5		e only complete this item if paper documentation used)				
1 10.0		Ind product documentation on paper media is chlorine-free:				
		blease specify:				
	Totally	chlorine-free				
		tal chlorine-free		H		
		sed chlorine-free		H		
P14						
P14.1		ary programs: iduct meets the requirements of the following voluntary program(s):				
			- #1 /r			
	ENERG Eco-lab	GY STAR® Criteria version: Date: Product categories el: Criteria version: Date: Product categories				
	Eco-lab	•				
P15		nal information (See NOTE B11)	·			
P1.1	Product	on this declaration comply with EU RoHS Directive(2001/65/EU).				
	The cur	rent EU RoHS Directive restricts the use of following substances.				
	L	ead				
		fercury				
		admium				
		lexavalent chromium				
		olybrominated biphenyls(PBB)				
		olybrominated diphenyl ethers(PBDE) vis is based on knowledge as of the date of this document				
P1.7		his is based on knowledge as of the date of this document. anon-europe.com/about_us/sustainebility/business/reach_customer_statement/				
P1.7 P10.1		anon-europe.com/about_us/sustainebility/business/reacn_customer_statement/ Pressure (LpAm)				
	Cound	Bystander's position				
		Active(BW) (1-sided/2-sided) : 50 / 52 dB				
		Standby : 20 dB				
		Operator position				
		Active(BW) (1-sided/2-sided) : 52 / 54 dB Standby : 21 dB				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1