



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	imageRUNNER ADVANCE DX 4735i		
Model number *	imageRUNNER ADVANCE DX 4735i		
Issue date *	2019/11/25		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	imageRUNNER ADVANCE DX 4735i	Logo	0
Issue date *	2019/11/25		Canon

Product	Require	ment	met	
Item	environmental attributes - Legal requirements	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)	\square	$\overline{}$	
	, , , ,			
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	igwidth		
1 0.1	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/		ш	Ш
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://canon-europe.com/printers/			_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		$\overline{\Box}$	
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			_
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).			
P6	Comment: Legal reference has no maximum concentration values. Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
-	(300 10901 10101 100)			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	imageRUNNER ADVANCE DX 4735i	Logo	0
Issue date *	2019/11/25		Canon

Item	Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Require	ment r	not
ltem	*-mandatory to fill in Additional information regarding each item may be found under D14			
		Yes	No n	.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\dashv	\vdash
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		\dashv	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square	\vdash	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	H
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: years			П
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: <i>PC+ABS</i> Material type: <i>PS</i> Insulation materials of external electrical cables are PVC free. Material type: <i>PS</i>			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	ı		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	<i>I</i>		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)	n		
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
D= 0-:	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is 13.5 g. 	a		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nui	number * ImageRUNNER ADVANCE DX 4/35/			Logo			
Issue date	ssue date * 2019/11/25				Canon		
Product	Product environmental attributes - Market requirements (continued) Requirement me						
Item					,		Yes No n.a
	Material	and subst	ance requirements (c	continued)			
P7.21* Biobased plastic material content is used in the product (See NOTE B7):							
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g.						
P7.22*			ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lam	o. mum mercury content pe	er lamp: r	mg 🔲 🗀
P8	Batteries	3					
P8.1*	Battery c	hemical co	mposition: Litium				
P9	Energy of	consumpti	on (See NOTE B8)				
P9.1			following power levels	or energy consump	tions are reported:		
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,
Sleep mod STAR® O _I (OM) prod	perational		W	W	W		
Standby/or ENERGY Mode (OM	ff mode for STAR Ope	rational	W	W	W		
TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption)		kWh/week	kWh/week	1.8 kWh/week 0.53 kWh/week	Eligibility Cr Imaging Equ ENERGY ST	AR (US scheme), iteria Version 3.0 for	
MAX			W	W	1500 W	Canon's Ow	n Standard
Printing(A	Average)		W	W	875 W	Canon's Ow	n Standard
Standby			W	W	38 W	Canon's Ow	n Standard
Low Powe	er		W	W	W	Canon's Ow	n Standard
Sleep			W	W	0.9 W	Canon's Ow	n Standard
			W	W	W		
External P	ower Supp	ly Efficienc	y Level (International	Efficiency Marking P	rotocol) *:		
Print/Scan	Speed *	:	35 images per minute				
Default tim	ne to enter	energy sav	ve mode: 1 minutes				
P9.2*	Informati	on about th	ne energy save function	n is provided with the	e product.	•	
P10	Emissio						
P10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, LWA,c (B)						
	Idle	*	Standby	*	Not Detect		
	Operatio		Print	*	7.18		
	Other mo						
			g to: X ISO 7779	ECMA-74			
	Wicasule	a according		(only if not covered	oy ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	imageRUNNER ADVANCE DX 4735i	Logo	0
Issue date *	2019/11/25		Canon

Product	duct environmental attributes - Market requirements (continued)				
Item	(**************************************	Require Yes	No	n.a.	
	Chemical emissions from printing products (See NOTE B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify:				
P10.3	Typical emission rate (operation phase) is (mg/h):				
	Electrophotographic devices: Ozone <loq(=0.36) 0.02="" 0.08="" 0.91="" 4.09="" benzene="" devices:="" dust="" ink="" styrene="" td="" tvoc="" tvoc<=""><td></td><td></td><td></td></loq(=0.36)>				
	Note: compliance with maximum emission rates in eco labels to be declared in P14.				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square	П	$\overline{\Box}$	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes			
P11.4*	The product is delivered to end-user with default auto-duplex enabled.	$\overline{\boxtimes}$		$\overline{\Box}$	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Wood weight (kg): 8.00 Product packaging material type(s): Corrugated Paper weight (kg): 7.86 Product packaging material type(s): EPS weight (kg): 0.59				
P13.2*	Product plastic primary packaging is free from PVC.	\boxtimes			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 25 %				
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other				
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:				
	Totally chlorine-free				
	Elemental chlorine-free	一同			
	Processed chlorine-free	一同			
P14	Voluntary programs:				
P14.1	The product meets the requirements of the following voluntary program(s):				
	ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:				
P15	Additional information (See NOTE B11)				
P1.1	Product on this declaration comply with EU RoHS Directive(2001/65/EU). The current EU RoHS Directive restricts the use of following substances. Lead Mercury Cadmium Hexavalent chromium Polybrominated biphenyls(PBB) Polybrominated diphenyl ethers(PBDE) Note; This is based on knowledge as of the date of this document.				
P1.7	http://canon-europe.com/about_us/sustainebility/business/reach_customer_statement/				
P10.1	Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) : 51 / 54 dB Standby : 20 dB Operator position Active(BW) (1-sided/2-sided) : 53 / 56 dB				
	Standby : 23 dB			l	

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1