

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFD			
Commercial name *	imageRUNNER ADVANCE DX 4751i			
Model number *	imageRUNNER ADVANCE DX 4751i			
Issue date *	2019/11/25			
Intended market *	🔄 Global 🔀 Europe 🔄 Asia, Pacific & Japan 🔛 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	imageRUNNER ADVANCE DX 4751i	Logo			
lssue da	te *	2019/11/25		Cai	non	
Product	t environ	mental attributes - Legal requirements		Require	ement me	et
ltem				Yes	No n.a	a.
P1		ous substances and preparations				
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	\square		
P1.2*		o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values.		1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	\square		
P1.5*	Products	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week		3
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):]
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🖂]
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadres)	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		T
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec europe.	luct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address): http://www.com/ce-documentation/		ce). 🔀]
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	I information is; given in item P15 or added to this document,		\square		
		available at (add URL): http://canon-europe.com/print	ers/			
P4	Consum	hable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (s	see 🔀]
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference	ce). 🔀		ſ
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			5
P5	Product	packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				ב
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Mo	ntreal 🔀]
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		1

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	-	Logo			_
Issue date *		2019/11/25		Canon		
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n	.a.
P7	Design					
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.1		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
					<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ilable tools			
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradin	g can be done using commonly available tools		\square		
P7.9.	Spare pa	rts are available after end of production for: years				
P7.10	Service is	s available after end of production for: years				
	Material	and substance requirements				
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum): ype: ABS Material type: PC+ABS Material t	VDA. PS			
P7.12	Insulation	n materials of external electrical cables are PVC free.	ype. r 5		\boxtimes	
P7.13		naterials of internal electrical cables are PVC free.		<u> </u>		╞
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bror 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants,	and		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25	g 🗌 are	low		
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: ,	ponents): CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/g ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	s in		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4	4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which he following Risk phrases; and Hazard statements:	ave been			
			OTE B5)			
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes		
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (rentage of total plastic by weight) is %.	calculated a	as a		
	or b) The	weight of recycled material is 13.5 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	ımber *	imageRU	NNER ADVANCE DX	4751i		Logo		
Issue date * 2019/11/2			!5				Canon	
Product	environr	nental att	ributes - Market red	quirements (cont	inued)		Requirement m	et
ltem							Yes No r	n.a.
D7 04*			ance requirements (c					
P7.21*		•	aterial content is used i		,			\ge
	a) Of tota or	total plastic al plastic by		the biobased plastic	vered; material content (calcu	llated as a perce	entage of	
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		o. num mercury content p	er lamp: r	ng	
P8	Batterie	s						
P8.1*	Battery of	chemical co	mposition: <i>Litium</i>					
P9		-	on (See NOTE B8)					
P9.1	For the p	product the	following power levels	or energy consumpt	tions are reported:			_
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,	
	de for ENE)perational ducts		W	W	W			
Standby/c ENERGY	off mode fo STAR Ope (I) products	erational	W	W	W			
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	2.6 kWh/week		AR (US scheme), iteria Version 2.0 for iipment		
(TEC= Typical Energy Consumption)				0.72 kWh/week		AR (US scheme), iteria Version 3.0 for iipment		
MAX			W	W	1500 W	Canon's Ow	n Standard	٦
Printing(Average)		W	W	990 W	Canon's Ow	n Standard	ᆕ
Standby			W	W	38 W	Canon's Ow	n Standard	ᆕ
Low Pow	<i>ier</i>		W	W	W	Canon's Ow	n Standard	
Sleep			W	W	0.9 W	Canon's Ow		4
			W	W	W			╡
Evtore al F	Dowor Curr	oby Efficient				-		늭
			cy Level (International B	Emclency Marking P				
Print/Scar	n Speed *	:	51 images per minute					
Default tir	ne to enter	energy sav	e mode: 1 minutes					
P9.2*	Informat	ion about th	e energy save functior	n is provided with the	e product.			
P10	Emissio							
P10.1	Noise en Mode		Declared according to ISO 9296 (See NOTE B9) Mode description Statistical upper li L _{WA,c} (B) K		Statistical upper limit A-v	weighted sound	oower level,	
	Idle	*	Standby	*	Not Detect			_
	Operatio		Print		7.38			┥
	Other m							
				ECMA-74				
	Measure	ed according		ECMA-74 (only if not covered b	by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	imageRUNNER ADVANCE DX 4751i Logo				
Issue date *		2019/11/25	2 a 11	01	1	
Product	environ	mental attributes - Market requirements (continued)	Require	ment	met	
Item			Yes	No	n.a.	
		cal emissions from printing products (See NOTE B10)				
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from Electronic	\square			
		ent (ISO/IEC 28360), other specify:				
P10.3	Typical	emission rate (operation phase) is (mg/h):				
	Electrop	photographic devices: Ozone <loq(=0.36) 0.02="" 0.08="" 0.91="" 4.09<="" benzene="" dust="" styrene="" td="" tvoc=""><td></td><td></td><td></td></loq(=0.36)>				
	Ink devi				$\overline{\boxtimes}$	
	Neter	en alle en alle en alle de la contra la contra la contra la contra de la contra de la DAA				
D 44		ompliance with maximum emission rates in eco labels to be declared in P14.				
P11 P11.1*		mable materials for printing products y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).				
P11.1 P11.2*					<u> </u>	
P11.2	EN 122	containing post-consumer recycled fibers can be used, provided that it meets the requirements	of 🔀			
P11.3*		(duplex) printing/copying is an integrated product function.	\square			
P11.4*		but tis delivered to end-user with default auto-duplex enabled.		\exists	⊢⊢	
P13	· ·	jing and documentation				
P13.1*		t packaging material type(s): Wood weight (kg): 8.00				
1 10.1		t packaging material type(s): Corrugated Paper weight (kg): 7.86				
	Product	t packaging material type(s): EPS weight (kg): 0.59				
P13.2*		t plastic primary packaging is free from PVC.	\square			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
P13.4*		media for user and product documentation (tick box): nic 🔀, Paper 🔀, Other 📃				
P13.5	(Please User ar	only complete this item if paper documentation used) ad product documentation on paper media is chlorine-free: please specify:				
		chlorine-free				
		tal chlorine-free				
		sed chlorine-free				
D44						
P14 P14.1		ary programs: oduct meets the requirements of the following voluntary program(s):				
	ENERG Eco-lab	GY STAR® Criteria version: Date: Product category: pel: Criteria version: Date: Product category:				
	Eco-lab	3 ,				
P15		nal information (See NOTE B11)				
P1.1	Product	on this declaration comply with EU RoHS Directive(2001/65/EU).				
	The cur	rent EU RoHS Directive restricts the use of following substances.				
	Le	ead				
		lercury				
		admium				
		lexavalent chromium				
		olybrominated biphenyls(PBB) olybrominated diphenyl ethers(PBDE)				
		his is based on knowledge as of the date of this document.				
P1.7		an on-europe.com/about_us/sustainebility/business/reach_customer_statement/				
P10.1		Pressure (LpAm)				
		Bystander's position				
		Active(BW) (1-sided/2-sided) : 54 / 56 dB				
		Standby : 21 dB				
		Operator position				
		Active(BW) (1-sided/2-sided) : 54 / 57 dB				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1