

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Conton
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFD				
Commercial name *	imageRUNNER 2630i				
Model number *	imageRUNNER 2630i				
Issue date *	2020/01/23				
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	imageRUNNER 2630i	Logo			
Issue da	ite *	2020/01/23		Ca	10	n
Produc	t environ	mental attributes - Legal requirements		Requir		met
Item				Yes	No	n.a.
P1		ous substances and preparations	077 D.()			
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and No	OTE B1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro concenti	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	naximum	,1-		
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych yl (PCT) in preparations (see legal reference).		\square		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²	/week		\square
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al 🛛		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See	e legal 🛛 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): http://www. com/ce-documentation/		ice). 🔀		
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL): http://canon-europe.com/print	ers/			
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).				
P4.2*	If ink/ton	ner is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referen	ce). 🛛 🔀		
P4.3*	are Com applicab	munity workplace exposure limits, the product/packaging is adequately labeled acc ole regulations and a Safety Data Sheet (SDS) in accordance with these requiremen al reference).	ording to			
P5		t packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of ee legal reference).				
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the M	ontreal 🔀		
	Commei	ni. Legal reference has no maximum concentration values.				
P6		ent information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	imageRUNNER 2630i	Logo			_
Issue da	ite *	2020/01/23		Ca	no	1
-	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	1.a.
P7	Design	nbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			+	╶┝┤
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tool		<u> </u>	<u> </u>
P7.6*					<u> </u>	<u> </u>
P7.0		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			<u> </u>	╞
P7.9.				\square		<u> </u>
		rts are available after end of production for: years				<u> </u>
P7.10		s available after end of production for: years				
P7.11*		and substance requirements				
P7.11		cover/housing material type (e.g. plastics, metal, aluminum): ype: ABS Material type: PC+ABS Material	type			
P7.12		n materials of external electrical cables are PVC free.	type.		\boxtimes	
P7.13		naterials of internal electrical cables are PVC free.		<u> </u>		╞
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants,	and		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	low		
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	Marking: Alt 1: Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without cor	nnonents):			
			, CAS #:			
		emical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4:	its) > 25 g			
P7.18	<u>Alt. 1:</u> Fla concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparatio	ns in		
	Alt. 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:				
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See N	OTE B5)			
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes		
	a) Of to	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content i entage of total plastic by weight) is %.	calculated		_	_
		weight of recycled material is 13.5 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	imageRU	NNER 2630i			Logo		
Issue date * 2020/01/2			3				Cano	1
Product	environr	nental atti	ributes - Market red	quirements (con	tinued)		Requirement	nt met
Item					•		Yes No	
			ance requirements (c					
P7.21*		•	terial content is used in					
	a) Of tota	total plastic al plastic by	weight) is %.	the biobased plastic	wered; c material content (calcu	lated as a perce	ntage of	
P7.22*	Light so	urces are fre	he biobased plastic ma ee from mercury, i.e. le becify: Number of lamp	ss than 0,1 mg/lam	p. mum mercury content pe		ng	
DO	Batterie	, ,			mum mercury content pe	er lanip. I	ng	
P8.1*		-	nposition: <i>Litium</i>					
P9	-		on (See NOTE B8)				· · · · ·	L
P9.1			following power levels	or energy consump	tions are reported:			
Energy m			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		iy 🗌
	de for ENE perational		W	W	W			
Standby/c ENERGY	off mode fo STAR Ope (1) products	erational	W	W	W			
TEC value for ENERGY STAR TEC products		GY STAR	kWh/week	kWh/week	1.4 kWh/week	ENERGY STAR (US scheme), Eligibility Criteria Version 2.0 for Imaging Equipment		
(TEC= Typical Energy Consumption)		ЭУ			0.45 kWh/week	ENERGY ST	AR (US scheme), iteria Version 3.0 foi	r
MAX			W	W	1500 W	Canon's Owr	n Standard	
Printing(Average)		W	W	622 W	Canon's Owr	n Standard	
Standby	• • •		W	W	20 W	Canon's Owr	n Standard	
Low Pow	or		W	W	W	Canon's Owr		
Sleep	01		W	W	1.0 W	Canon's Owr		
5.000				W	W			<u> </u>
			W					<u> </u>
External F	ower Sup	oly Efficienc	y Level (International E	tticiency Marking F	Protocol) * :			
Print/Scar	n Speed *		30 images per minute					
Default tin	ne to enter	energy sav	e mode: 1 minutes					
P9.2*			e energy save functior	n is provided with th	e product.	1		
P10	Emissio	ns						
			Declared according to I	SO 9296 (See NOT	TE B9)			
P10.1	Mode	M	ode description			veighted sound p	oower level,	
	Idle	*	Standby	andby * Not Detect				
	Operatio		Print	•	* 7.10			
	Other m	ode		F				
	Measure	ed according		ECMA-74 only if not covered	by FCMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		imageRUNNER 2630i			Logo			-		
Issue date *		2020/01/23			C	an	01	1		
Product	environ	mental attribut	es - Market requirement	s (continued)			Re	quire	nent	met
Item								Yes	No	n.a.
			m printing products (See I							
P10.2*	•	-	to ECMA-328 Determinatio	n of Chemical En	nission Rates from E	lectronic		\boxtimes		
			50), other specify:							
P10.3	Typical	emission rate (op	eration phase) is (mg/h):							
	Electrop	hotographic devi	ces: Ozone <loq(=0.36) d<="" td=""><td>oust 1.77 Styre</td><td>ne 0.09 Benzene</td><td>0.03 TVOC</td><td>5.56</td><td></td><td></td><td></td></loq(=0.36)>	oust 1.77 Styre	ne 0.09 Benzene	0.03 TVOC	5.56			
	Ink devi		Dust	Styrene	Benzene	TVOC				$\overline{\boxtimes}$
	Nete				land in D44					
D 44			aximum emission rates in eco	b labels to be dec	clared in P14.					
P11 P11.1*			or printing products S) is available for the ink/ton		on if not logally rag	uired (eee E	(4.2)			
									<u> </u>	<u> </u>
P11.2*	EN 122		onsumer recycled fibers car	n be usea, provi	ded that it meets t	ne requiren	nents of	\boxtimes		
P11.3*			copying is an integrated proc	luct function				\square		
P11.4*			o end-user with default auto						+	⊢⊢
P13		ing and docume		daplox chabled.						. L
P13.1*			ntation al type(s): Corrugated Pap	er weight (kg	n): 9.18					
1 10.1	Product	packaging mater		eight (kg): 8.00	<i>y</i>). 3 , 10					
		packaging mater		ight (kg): 0.619						
P13.2*	Product	plastic primary pa	ackaging is free from PVC.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
P13.4*		media for user an nic 🔀, Paper 🔀	d product documentation (tid	ck box):						
P13.5			s item if paper documentation					_	_	
		d product docume please specify:	entation on paper media is c	hlorine-free:						
	Totally	chlorine-free								
	Elemen	tal chlorine-free						П		
	Process	sed chlorine-free						П		
P14	Volunta	ary programs:								
P14.1			quirements of the following v	oluntary program	n(s):					
		Y STAR®	Criteria version:	Date:		category:				
	Eco-lab		Criteria version:	Date:		category:				
	Eco-lab		Criteria version:	Date:		category:				
P15		nal information (1							
P1.1			comply with EU RoHS Direct							
			ective restricts the use of follo	wing substances.						
		ead								
		ercury								
		admium Tanavalant ahnamiur	_							
	Hexavalent chromium Polybrominated biphenyls(PBB)									
	Polybrominated diphenyls(PBB) Polybrominated diphenyl ethers(PBDE)									
			vledge as of the date of this de	ocument.						
P1.7			n/about_us/sustainebility/l		customer stateme	ent/				
P10.1		Pressure (LpAm								
			ander's position							
			Active(BW) (1-sided/2 Standby	e-sided) : Inaudib	: 50 / 53 dB le					
		Oper	ator position							
			Active(BW) (1-sided/2	(cided)	: 54 / 56 dB					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1