

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Conton
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *				
Commercial name *	imageRUNNER ADVANCE DX C3720i			
Model number *	imageRUNNER ADVANCE DX C3720i			
Issue date *	2019/11/25			
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	imageRUNNER ADVANCE DX C3720i	Logo				
Issue da	te *	2019/11/25		Ca	<b>no</b>	1	
Product	environ	mental attributes - Legal requirements		Requir	ement	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	$\square$			
P1.2*		o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$			
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values.		1-			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	nlorinated	$\square$			
P1.5*	Products	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/	week		$\square$	
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):				
P2	Batterie	S					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr e)	mium. (See	legal 🔀			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$			
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The Dec europe.	duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address): <a href="http://www.com/ce-documentation/">http://www.com/ce-documentation/</a>		ce). 🔀			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$			
		d information is; given in item P15 or added to this document,		$\boxtimes$			
		available at (add URL): http://canon-europe.com/prin	ters/				
P4		able materials					
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium me erence and NOTE B1).					
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referend	ce). 🔀			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	-				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s) 🔀			
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). t: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀			
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	imageRUNNER ADVANCE DX C3720i	Logo				
Issue da	ate *	2019/11/25		Ca	101		
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ment me	et	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n.a.		
P7	Design						
P7.1*		nbly, recycling t have to be treated separately are easily separable			<u> </u>	_	
P7.2*		aterials in covers/housing have no surface coating.				╡	
						╡	
P7.3*		arts > 100 g consist of one material or of easily separable materials.					
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable too	ls.			
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$			
	Product						
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		$\square$			
P7.8*	Upgradin	g can be done using commonly available tools		$\boxtimes$			
P7.9.	Spare pa	rts are available after end of production for: years				7	
P7.10	Service is	s available after end of production for: years			Ē	1	
		and substance requirements					
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum):	h	CAN			
P7.12	Insulation	ype:    ABS    Material type:    PC+ABS    Material      n materials of external electrical cables are PVC free.    VC    Free.    VC    VC<	type: PC+				
				<u> </u>		╡	
P7.13		n materials of internal electrical cables are PVC free.					
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants	, and 📃			
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	e low			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without cor	nponents);				
			, CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
P7.18							
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	.4.				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:					
	-	•	OTE B5)				
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):	(			7	
	a) Of to	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content entage of total plastic by weight) is %.	(calculated			_	
		weight of recycled material is 5.2 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	imageRU	NNER ADVANCE DX	C3720i		Logo		
Issue date * 2019/11/2			5				Cano	<b>M</b>
Product	environr	nental atti	ributes - Market rec	uirements (con	tinued)		Requirem	ent me
Item							Yes	No n.a
<b>D</b> 7 04			ance requirements (c					
P7.21*			terial content is used in		,			
	a) Of tota	total plastic al plastic by		he biobased plasti	wered; c material content (calcu	lated as a perce	entage of	
P7.22*			e from mercury, i.e. le becify: Number of lamp	ss than 0,1 mg/lam	ip. mum mercury content pe	er lamp: n	ng	
P8	Batterie		, ,		· · ·	•	0	
P8.1*	Battery of	chemical cor	nposition: <i>Litium</i>					
P9			on (See NOTE B8)					
P9.1	For the	product the	ollowing power levels	or energy consump	otions are reported:			
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at <b>230</b> V AC	Reference/Sta modes and te		rgy
	de for ENE perational		W	W	W			
Standby/o ENERGY	off mode fo STAR Ope 1) products	erational	W	W	W			
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	0.7 kWh/week		R (US scheme), iteria Version 2.0 f ipment.	or	
(TEC= Ty Consumpt	pical Energ tion)	ЭУ			0.25 kWh/week	NERGY STA	r R (US scheme), iteria Version 3.0 f	ör
MAX			W	W	1500 W	Canon's Ow	n Standard	
Printing(/	Average)		W	W	546,43 W	Canon's Ow	n Standard	
Standby			W	W	45.08 W	Canon's Ow		
Low Pow	or		W	W	W	Canon's Ow		
Sleep	CI		W	W	0.8 W	Canon's Own		
Sieep			W	W	W	canon's own	il Standard	
External F	ower Sup	ply Efficienc	y Level (International E	Efficiency Marking F	Protocol) * :			
Print/Scar	n Speed *	:.	20 images per minute					
Default tin	ne to enter	energy sav	e mode: 1 minutes					
P9.2*	Informat	ion about th	e energy save functior	is provided with th	e product.		$\square$	
P10	Emissic	ons						
		mission – [	Declared according to I					
P10.1	Mode	M	ode description	ption Statistical upper limit A-weig L <sub>WA,c</sub> (B)		veighted sound p	oower level,	
	Idle	*	Standby	* Not Detect				
	Operatio	n *	Print		* 6.92			
	Other m	ode		ľ				
	Measure	ed according		ECMA-74 only if not covered	by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	imageRUNNER	ADVANCE DX C3720i			Logo				
Issue date * 2019/11/2		2019/11/25					Ca	M	01	
Product	environ	mental attribut	es - Market requirement	s (continued)	l.		Rec	juire	ment	met
Item								Yes	No	n.a.
P10.2*	Test pe	rformed according	om printing products (See N g to ECMA-328 Determination 60) , other specify:		mission Rates from E	electronic				
P10.3			peration phase) is (mg/h):							
	Electrop Ink dev	0 1	ces: Ozone 0.35 Dust 1.02 Dust	Styrene 0.26 Styrene	Benzene <b>0.01</b> TVC Benzene	DC <mark>8.40</mark> TVOC				$\square$
			aximum emission rates in eco	o labels to be de	clared in P14.					
P11 P11.1*			for printing products		une if each le selle sear	vine d (e e e F	14.0			
			S) is available for the ink/ton				-		<u> </u>	<u> </u>
P11.2*	EN 122	81.	onsumer recycled fibers car		rided that it meets t	he requiren	nents of			
P11.3*			copying is an integrated prod					$\boxtimes$		
P11.4*	The pro	oduct is delivered	to end-user with default auto-	duplex enabled	·			$\boxtimes$		
P13		jing and docume								
P13.1*	Product	t packaging mater t packaging mater t packaging mater	rial type(s): Corrugated Pape	ight (kg): <b>8.37</b> er weight (ł ight (kg): <b>0.65</b>	(g): <b>8.26</b>					
P13.2*			ackaging is free from PVC.	• . •/				$\boxtimes$		
P13.3*	For pro	duct primary cor ner recovered fibe	rugated fiberboard packagin r content: <b>25</b> %	g, specify the c	ontained percentage	e of minimu	ım post-			
P13.4*		media for user an ince $\mathbf{X}$ , Paper $\mathbf{X}$	nd product documentation (tio	ck box):						
P13.5	(Please User ar	only complete th	is item if paper documentatio entation on paper media is cl							
		chlorine-free Ital chlorine-free								
	Process	sed chlorine-free						H		
P14	Volunta	ary programs:						<u> </u>		
P14.1			equirements of the following v	oluntary program	m(s):					
	ENERO Eco-lab Eco-lab		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:				
P15			(See NOTE B11)							
P1.1	The cur La M C H Pa	rent EU RoHS Dir ead lercury admium lexavalent chromiu olybrominated biph			2					
	Note;Th	his is based on kno	wledge as of the date of this do							
P1.7	<b>_</b>		m/about_us/sustainebility/l	business/reach	_customer_stateme	ent/				
P10.1	ound P		tander's position Active(BW) (1-sided/2 Active(CL) (1-sided/2 Standby		: 47 / 49 dB : 47 / 49 dB : 10 db					
		Ope	rator position Active(BW) (1-sided/2 Active(CL) (1-sided/2 Standby		: 47 / 50 dB : 47 / 50 dB : 6 dB					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1