

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product * MFD			
Commercial name *	imageRUNNER ADVANCE DX 717iZ		
Model number *	imageRUNNER ADVANCE DX 717iZ		
Issue date *	2020/05/21		
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant fo

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5			
Model number *	imageRUNNER ADVANCE DX 717iZ	Logo	
Issue date *	2020/05/21		Canon

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\square		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon- europe.com/ce-documentation/			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\square		
	Required information is; given in item P15 or added to this document, available at (add URL): <u>http://canon-europe.com/printers/</u>	\square		
P4	Consumable materials			÷
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	imageRUNNER ADVANCE DX 717iZ	Logo	
Issue date *	2020/05/21		Canon

Item	Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Requ Yes		n.a.	
27	Design	163	NU	n.a.	
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\square			
P7.2*	Plastic materials in covers/housing have no surface coating.		Ē		Π
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.				Π
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ē	1	Π
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	Π	Ē	1	Π
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			1	Π
	Product lifetime	· · · ·		-	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\geq	\langle	
P7.13	Insulation materials of internal electrical cables are PVC free.		\triangleright	\triangleleft	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		C		
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "				
	3. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	imber *	imageRU	INNER ADVANCE DX	(717iZ		Logo			_
Issue dat	te *	2020/05/2	21				Can	01	1
									-
	environm	ental attr	ibutes - Market ree	quirements (conti	nued)		Require		
Item	Motorial		nee requiremente (e	entinued)			Yes	No	n.a.
P7.20*			ance requirements (c		roduct (See NOTE B6)	1-			
0	FUSICONS			intent is used in the pi					
	a) Of to	otal plastic		ne postconsumer recy	ered; vcled plastic material c	ontent (calculate	d as a		
	perc or	entage of t	otal plastic by weight)	is %.					
		weight of r	ecycled material is 38	. 7 g.					
P7.21*			terial content is used i		OTE B7):				\square
	a) Of to total or	otal plastic plastic by	weight) is %.	he biobased plastic n	ered; naterial content (calcu	lated as a perce	ntage of		
P7.22*			ne biobased plastic ma e from mercury, i.e. le						
F1.22			pecify: Number of lamp		um mercury content pe	er lamp: m	lg		
P8	Batteries								
P8.1*	Battery ch	nemical cor	nposition: <i>Litium</i>						
P9			on (See NOTE B8)						
P9.1	For the p	oduct the f	ollowing power levels	or energy consumption	ons are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and tes		nergy	
	de for ENEF Operational M ducts		W	W	W				
ENERGY	off mode for STAR Ope M) products	rational	W	W	W				
TEC value TEC prod	e for ENER(lucts (TEC= onsumption)	Typical	kWh/week	kWh/week	2.9 kWh/week		NR (US scheme) teria Version 2.0 pment		
					0.78 kWh/week		NR (US scheme) teria Version 3.0 pment		
MAX			W	W	1500 W	Canon's Own	Standard		
Printing(Average)		W	W	828.3 W	Canon's Own	Standard		$\overline{}$
Standby			W	W	28.92 W	Canon's Own	Standard		
Low Pow	/er		W	W	W	Canon's Own	Standard		$\overline{\boxtimes}$
Sleep		W	W	1.0 W	Canon's Own	Standard		Π	
			W	W	W				$\overline{\neg}$
External F	Power Supp	ly Efficienc	y Level (International I	Efficiency Marking Pro	otocol) * :				Ť
Print/Scar		-	71 images per minute	-					$\overline{\neg}$
			e mode: 1 minutes						\dashv
P9.2*			e energy save function	a in provided with the	product				⊢⊢
5.2	monnatio		o onergy save function				\square		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Mode	lel number *	imageRUNNER ADVANCE DX 717iZ	Logo	
Issue	e date *	2020/05/21		Canon

Produc	t environmental	attributes - Market requirement	nts (continued)		Require	ment	met
Item					Yes	No	n.a.
P10	Emissions						
		 Declared according to ISO 9296 					
P10.1	Mode	Mode description	Statistical u L _{WA,c} (B)	upper limit A-weighted sound power I	evel,		
	Idle	* Standby	* Not Dete	ct			
	Operation	* Print	* 7.56				Π
	Other mode						
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						
	Chemical emiss	Chemical emissions from printing products (See NOTE B10)					•
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify:				\boxtimes		
P10.3		n rate (operation phase) is (mg/h):					
	Electrophotogra	phic devices: Ozone <loq(=0.36) Dust</loq(=0.36) 	Dust 1.95 Styrene	e 0.10 Benzene 0.01 TVOC 4.75 Benzene TVOC			
		ce with maximum emission rates in	eco labels to be dec	clared in P14.			
P11		aterials for printing products					
P11.1*		A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	EN 12281.	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of					
P11.3*	2-sided (duplex)	printing/copying is an integrated pro-	oduct function.		\boxtimes		
P11.4*	The product is d	elivered to end-user with default aut	o-duplex enabled.		\boxtimes		
P13		documentation			·		
P13.1*	Product packagi		per weight (kg) veight (kg): 5.5 veight (kg): 0.7	: 5.6			
P13.2*	Product plastic p	primary packaging is free from PVC.			\square		
P13.3*		ered fiber content: 25 %	g, specify the contain	ned percentage of minimum post-			
P13.4*	Electronic 🔀, F	or user and product documentation (Paper $$, Other $$					
P13.5		nplete this item if paper documentat t documentation on paper media is becify:					
	Totally chlorine-	free					
	Elemental chlori				H		
	Processed chlor				H		
P14	Voluntary prog						
P14.1		ets the requirements of the following	voluntary program(s):			
	ENERGY STAR	® Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	imageRUNNER ADVANCE DX 717iZ	Logo	
Issue date *	2020/05/21		Canon

Produc	t environmental attributes - Market requirements (cond	cluded)	Requirement met
P15	Additional information (See NOTE B11)		
P1.1	Product on this declaration comply with EU RoHS Directive(2001,	/65/EU).	
	The current EU RoHS Directive restricts the use of following subs	stances.	
	Lead		
	Mercury		
	Cadmium		
	Hexavalent chromium		
	Polybrominated biphenyls(PBB)		
	Polybrominated diphenyl ethers(PBDE)		
	Note; This is based on knowledge as of the date of this document.		
P1.7	http://canon-europe.com/about_us/sustainebility/business	s/reach_customer_statement/	
P10.1	Sound Pressure (LpAm)		
	Bystander's position		
	Active(BW) (1-sided/2-sided)	: 56 / 56 dB	
	Standby	: 25 dB	
	Operator position		
	Active(BW) (1-sided/2-sided)	: 59/59 dB	
	Standby	: 29 dB	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Deferences Lurope Annex Br	Declaration item
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	