



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N. V	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFD				
Commercial name *	imageRUNNER ADVANCE DX 8905				
Model number *	imageRUNNER ADVANCE DX 8905				
Issue date *	2023/02/22				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	imageRUNNER ADVANCE DX 8905	Logo	
Issue date *	2023/02/22		Canon

Product	environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			\square
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.canon-europe.com/about_us/sustainability/business/reach_customer_statement/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			
	reference)		_	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-			
P3.2*	europe.com/ce-documentation/ The product complies with the applicable Eco design Requirements for Energy-Related Products.			
F3.2	(see legal reference).	\boxtimes	Ш	Ш
	Required information is: given in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://canon-europe.com/printers/			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square	$\overline{}$	
1 7.1	than 0,01% (see legal reference and NOTE B1).		Ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	X		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to	_	_	_
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	\ \ \ \		$\overline{}$
	used (see legal reference).) 🛚	Ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
Do	Comment: Legal reference has no maximum concentration values.			
P6 4*	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	imageRUNNER ADVANCE DX 8905	Logo	
Issue date *	2023/02/22		Canon

Product environmental attributes - Market requirements (See General Note GN below)						
-	Environmental conscious design	Requir	rement	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a.			
P7	Design					
··	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9	Spare parts are available after end of production for: years					
P7.10	Service is available after end of production for: years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC+ABS Material type: PC+ABS					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
D7.47	Marking:					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "					
1						
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	imageRUNNER ADVANCE DX 8905	Logo	
Issue date *	2023/02/22		Canon

Product	Product environmental attributes - Market requirements (continued) Requirement met						met	
Item						es	No	n.a.
	Material and substa	ance requirements (c	continued)					
P7.20*	If YES; at least one	of the two alternatives	below shall be answer	red;				
	percentage of to	parts weignt > 25 g, to otal plastic by weight) ecycled material is	he postconsumer recyclis %.	cied piastic material co	ontent (calculated as a			
P7 21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):					\square		
	If YES; at least one a) Of total plastic total plastic by or b) The weight of t	of the two alternatives parts' weight > 25 g, tweight) is %. he biobased plastic market	below shall be answer the biobased plastic m aterial is g.	red;	ated as a percentage of			
P7.22*	If mercury is used sp	ee from mercury, i.e. le becify: Number of lam		m mercury content pe	er lamp: mg	<u> </u>		
P8	Batteries							
P8.1*	Battery chemical cor	<u>'</u>						Ш
P9	Energy consumption		or energy consumption	ns are reported:				
	· · · · · · · · · · · · · · · · · · ·				I D. f			
Energy mo	ode "	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *	ene	ergy	
	le for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				
TEC produ								
MAX		W	W	2400 W	Canon's Own Standard			
Printing(A	verage)	W	W	1589 W	Canon's Own Standard			
Standby		W	W	219 W	Canon's Own Standard			
Low Powe	er	W	W	W	Canon's Own Standard			\boxtimes
Sleep		W	W	0.9 W	Canon's Own Standard			
		W	W	W				
External P	ower Supply Efficienc	y Level (International	Efficiency Marking Pro	tocol) * :				
Print/Scan	Speed * :	105 images per minute	е					
Default tim	e to enter energy sav	e mode: 120 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.							

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	imageRUNNER ADVANCE DX 8905	Logo	
Issue date *	2023/02/22		Canon

Product	roduct environmental attributes - Market requirements (continued)					Require	ment	met	
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	ISO 9296 (See N	OTE B9)					
P10.1	Mode	Mode description		Statistical up	oper limit A-weig	ghted sound power	r level,		
	Idle	* Standby		* Not Detec	t				
	Operation	* Print		*					X
	Other mode								
	Measured accord	ding to: 🛛 ISO 7779 🗌	ECMA-74 Other	(only if not co	vered by ECMA	74)			
Chemical emissions from printing products (See NOTE B10)									
P10.2*	Test performed a	according to ECMA-328 D	Determination of C	Chemical Emis	sion Rates from	Electronic		П	П
		/IEC 28360), other sp						_	
P10.3	Typical emission	rate (operation phase) is	(mg/h):						
	Electrophotograp	phic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: complian		: !!		i D44				
P11		ce with maximum emissicaterials for printing process.		pels to be deci	ared in P14.				
P11.1*		heet (SDS) is available fo		naration ever	if not legally re	equired (see P4 3)			$\overline{}$
P11.2*		, ,		•		. , ,		₩	₩
	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.					<u> </u>	<u> </u>		
P11.3*		printing/copying is an inte						<u> </u>	Ш
P11.4*	The product is de	elivered to end-user with	default auto-duple	ex enabled.			\boxtimes		
P13	Packaging and								
P13.1*	Product packagir	ng material type(s): <i>Plyw</i> ng material type(s): <i>Corro</i> ng material type(s): <i>EPS</i>		kg): 19.5 weight (kg): kg): 1.8	13.6				
P13.2*		orimary packaging is free	from PVC.				\square		
P13.3*		ary corrugated fiberboard ered fiber content:	l packaging, spec %	ify the contain	ed percentage o	of minimum post-			
P13.4*	Specify media fo	or user and product docun		():					
D40.5	Electronic , P			٠					
P13.5		nplete this item if paper do t documentation on pape pecify:							
	Totally chlorine-f	free							
	Elemental chloring	ne-free							
	Processed chlori	ine-free							
P14	Voluntary progr	rams:							
P14.1	The product mee	ets the requirements of th	e following volunt	ary program(s)):				
	ENERGY STARGECO-label:	® Criteria vers Criteria vers Criteria vers	sion:	Date: Date: Date:	Produc	ct category: ct category: ct category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	imageRUNNER ADVANCE DX 8905	Logo	
Issue date *	2023/02/22		Canon

Produc	t environmental attributes - Market requirer	ments (concluded)	Requirement met
P15	Additional information (See NOTE B11)	,	·
P1.1	Product on this declaration comply with EU F		
	The current EU RoHS Directive restricts the u	use of following substances.	
	Lead		
	Mercury		
	Cadmium		
	Hexavalent chromium		
	Polybrominated biphenyls(PBB)		
	Polybrominated diphenyl ethers(PBDE)		
P1.7	Note; This is based on knowledge as of the da https://www.canon-europe.com/about_us/sus		<i>t</i> /
P1.7 P10.1		stainability/business/reach_customer_statemen	t/
	https://www.canon-europe.com/about_us/sus		t/
	https://www.canon-europe.com/about_us/sus	stainability/business/reach_customer_statemen	t/
	https://www.canon-europe.com/about_us/sus ENERGY STAR Ver.3.2 ☐ Production Efficiency	stainability/business/reach_customer_statemen	<i>t</i> /
	https://www.canon-europe.com/about_us/sus ENERGY STAR Ver.3.2 Production Efficiency Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided)	stainability/business/reach_customer_statemen ☐ 0.279 Wh/image : 59 / 59 dB	<i>t</i> /
	https://www.canon-europe.com/about_us/sus ENERGY STAR Ver.3.2 Production Efficiency Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) Standby	stainability/business/reach_customer_statemen ☐ 0.279 Wh/image	t/
	https://www.canon-europe.com/about_us/sus ENERGY STAR Ver.3.2 Production Efficiency Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) Standby Operator position	stainability/business/reach_customer_statemen □ 0.279 Wh/image : 59 / 59 dB : 31 dB	t/
	https://www.canon-europe.com/about_us/sus ENERGY STAR Ver.3.2 Production Efficiency Sound Pressure (LpAm) Bystander's position Active(BW) (1-sided/2-sided) Standby	stainability/business/reach_customer_statemen □ 0.279 Wh/image : 59 / 59 dB : 31 dB	t/

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

l	Directive 2012/19/EU (WEEE directive)	P6.1
	Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
	Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	