



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo	
Company name *	Canon Europa N.V.		C 244 044
Contact information *	environment@canon-europe.com		Canon
e-mail address			
Internet site *	www.canon-europe.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFD			
Commercial name *	i-SENSYS MF651Cw			
Model number *	i-SENSYS MF651Cw			
Issue date *	2022/01/13			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	i-SENSYS MF651Cw	Logo	O a man
Issue date *	2022/01/13		- Canon

Product	environmental attributes - Legal requirements	Require	emen	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$	
F 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
1 1.0	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			\square
	(see legal reference).	ш		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.canon-europe.com/about_us/sustainability/business/reach_customer_statement/	_		
P2	Batteries		•	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
D0.0*	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			
P3	Conformity verification & Eco design (ErP)		_	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-native-mail	\boxtimes		
	europe.com/ce-documentation/			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	\square		
	(see legal reference).		ш	ш
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://canon-europe.com/printers/	_		_
P4	Consumable materials		•	
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square	П	
	than 0,01% (see legal reference and NOTE B1).		ш	ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
P5	(see legal reference). Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
1 0.1	hexavalent chromium by weight of these together.		ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)) 🔀		
	used (see legal reference).		ш	ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).	<u></u>		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS MF651Cw	Logo	O a se a se
Issue date *	2022/01/13		Canon

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requi	rement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No n.a	
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: years	,		
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Mat			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	i-SENSYS MF651Cw	Logo	Canan
Issue date *	2022/01/13		Canon

Product	environmental atti	ributes - Market re	quirements (contin	ued)	F	Require	ement	met
Item					_	Yes	No	n.a.
		ance requirements (c			·		<u> </u>	
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pro	oduct (See NOTE B6):				
			below shall be answe					
		parts' weight > 25 g, tl otal plastic by weight)		cled plastic material co	ntent (calculated as a			
	or	otal plastic by weight)	15 /0.					
	b) The weight of recycled material is 16.86 g.							
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):							
	If YES: at least one	of the two alternatives	below shall be answe	red:				
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
total plastic by weight) is %.								
	or b) The weight of the biobased plastic material is g.							
P7.22*		ee from mercury, i.e. le				\boxtimes		
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8.1*	P8 Batteries P8.1* Battery chemical composition: <i>Lithium</i>							
P9	Energy consumption							
P9.1			or energy consumption	ns are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard	for e	energy	
Lifeigy inc	ode	100 V AC	115 V AC	230 V AC	modes and test metho		nergy	
	de for ENERGY	W	W	W				
(OM) prod	perational Mode							
Standby/or	ff mode for	W	W	W				
	STAR Operational							
Mode (OM	for ENERGY STAR	kWh/week	kWh/week	0.19 kWh/week	ENERGY STAR (US	scheme)	
	ucts (TEC= Typical	KVVIII WOOK	KWII/WOOK	O. TO KWIII/WOOK	Eligibility Criteria Ve			Ш
Energy Co	onsumption)				Imaging Equipment			
MAX		W	W	850 W	Canon's Own Standa	ard		
Printing(A	Average)	W	W	370 W	Canon's Own Standa	ard		
Standby		W	W	11.0 W	Canon's Own Standa	ard		
Low Powe	er	W	W	W	Canon's Own Standa	ard		\boxtimes
Sleep		W	W	0.8 W	Canon's Own Standa	ard		
		W	W	W				
External P	ower Supply Efficienc	y Level (International	Efficiency Marking Pro	tocol) *				
Print/Scan	Speed * :	18 images per minute						
Default tim	ne to enter energy sav	e mode: 1 minutes						
P9.2*	Information about th	e energy save function	n is provided with the p	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS MF651Cw	Logo	Camon
Issue date *	2022/01/13		Canon

Product	environmental :	attributes - Market requirements (continued)		Require	ment	met
Item					Yes	No	n.a.
P10	Emissions						
	Noise emission	- Declared according to ISO 9296 (See	NOTE B9)				
P10.1	Mode	Mode description	Statistical upper li $L_{WA,c}$ (B)	imit A-weighted sound power	level,		
	Idle	* Standby	* Not Detect				\Box
	Operation	* Print	* 6.87				Ħ
	Other mode						
	Measured accord	ding to: ISO 7779 ECMA-74	(only if not covered	by ECMA-74)			
	Chemical emiss	sions from printing products (See NOT	E B10)				
P10.2*	Test performed a	according to ECMA-328 Determination of	Chemical Emission F	Rates from Electronic	\boxtimes		
		/IEC 28360), other specify:					
P10.3	Typical emission	rate (operation phase) is (mg/h):					
	Electrophotograp	phic devices: Ozone <loq(=0.12) dust="" dust<="" td=""><td></td><td>Benzene 0.00 TVOC 5.90 Benzene TVOC</td><td></td><td></td><td></td></loq(=0.12)>		Benzene 0.00 TVOC 5.90 Benzene TVOC			
	NOTE: complian	nce with maximum emission rates in eco I	abels to be declared i	n P14.			
P11		aterials for printing products					
P11.1*	•	heet (SDS) is available for the ink/toner p		• • • • • • •	\boxtimes		
P11.2*	EN 12281.	g post-consumer recycled fibers can be u	•	neets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrated product	function.		\boxtimes		
P11.4*	The product is de	elivered to end-user with default auto-du	plex enabled.		\boxtimes		
P13	Packaging and						
P13.1*	Product packagir Product packagir	ng material type(s): PE weight (kg): 0.22	weight (kg): 4.22 t (kg): 0.534 26				
P13.2*	Product plastic p	primary packaging is free from PVC.			\boxtimes		
P13.3*	consumer recove	nary corrugated fiberboard packaging, speered fiber content: 25 %		rcentage of minimum post-	-		
P13.4*	Specify media fo	or user and product documentation (tick b	ox):				
P13.5	(Please only com	mplete this item if paper documentation used to documentation on paper media is chlor					
	Totally chlorine-f						
	Elemental chloring						
	Processed chlori	ine-free					
P14	Voluntary progr						
P14.1	The product mee	ets the requirements of the following volu	ntary program(s):				
	ENERGY STARGECO-label:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS MF651Cw	Logo	
Issue date *	2022/01/13		Canon

Produc	t environmental attributes - Market requiremen	ts (concluded)	Requirement met
P15	Additional information (See NOTE B11)	<u> </u>	
P1.1	Product on this declaration comply with EU RoHS	S Directive(2011/65/EU).	
	The current EU RoHS Directive restricts the use of	of following substances.	
	Lead		
	Mercury		
	Cadmium		
	Hexavalent chromium		
	Polybrominated biphenyls(PBB)		
	Polybrominated diphenyl ethers(PBDE)	Editor do como out	
	Note; This is based on knowledge as of the date of	or this document.	
P1.7	https://www.canon-europe.com/about_us/sustain	ability/business/reach_customer_stateme	nt/
P10.1	Sound Pressure (LpAm)		
	Bystander's position		
	Active(BW) (1-sided/2-sided)	: 49 / dB	
	Active(CL) (1-sided/2-sided)	: 49 / dB	
	Standby	: Noiseless	
	Operator position		
	Active(BW) (1-sided/2-sided)	: 53 / dB	
	Active(CL) (1-sided/2-sided)	: 54 / dB	
	Standby	: Noiseless	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	