



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	product * FAX		
Commercial name *	i-SENSYS FAX-L150		
Model number *	i-SENSYS FAX-L150		
Issue date *	2012/02/23		
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	i-SENSYS FAX-L150	
Issue date *	2012/02/23	Logo

Product	Require	emen	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium	\boxtimes		
	max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).			
P1.2*	Products do not contain Asbestos (see legal reference).			
F1.2	Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl	\boxtimes		
D4 5	(PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	\square		
P1.6*	at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),		_	
F 1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines			\square
	max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
D4.0*	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference).			\boxtimes
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
D0 0*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical	\boxtimes		
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling	,		
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	H
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		H	- -
1 0.0	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	\square		
	legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			
	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these			
	requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	\boxtimes		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference).	<u>K</u>	<u> </u>	
	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n		i-SENSYS FAX-L150 2012/02/23 Logo			
issue da	ssue date * 2012/02/23 Logo				
Produ	ct enviro	nmental attributes - Market requirements - Environmental conscious design	Require	emen	t met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disasse	mbly, recycling			
P7.1*	Parts that	t have to be treated separately are easily separable	\square		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	\square		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		Ē	Ē
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		H	H
-	Product				
P7.7*		ig can be done e.g. with processor, memory, cards or drives			
P7.8*		g can be done using commonly available tools		H	늼
P7.9.		arts are available after end of production for: years			╞
P7.10		s available after end of production for: years			╞
F7.10					
P7.11*		and substance requirements cover/housing material type:			
17.11		type: ABS Material type: Material type:			
P7.12		I cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\square	
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)				⊢⊢
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 1)				╞
P7.16	All printed circuit boards (without components) >25g are nalogen free. (See Note 2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				┝┝
	Marking:				
P7.17		l specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:			
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: it: No legal limits exist, this is a market requirement.			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	Alt. 2 Chemica	l specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Of total p	lastic parts' weight >25g, recycled material content is %.			
P7.20		elastic parts' weight >25g, biobased material content is %.			
P7.21	If mercu	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*		hemical composition: Lithium			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS FAX-L150		
Issue date *	2012/02/23	Logo	

	ct environmental	attributes - Market	requirements (c	ontinued)		Requirement	met
ltem	-					Yes No	n.a.
P9	Energy consump						
9.1	For the product the	e following power level	s or energy consum	<u>ptions have been</u>	measured:		
Energy r	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard fo and test method *	or energy modes	
Max		W	W	785.5 W	Canon's Own Standar	ď	
Printing	(Average)	W	W	133.37 W	Canon's Own Standar	ď	
StandBy	у	W	W	4.06 W	Canon's Own Standar	ď	
		W	W	W			
Sleep		W	W	1.43 W	Canon's Own Standar	ď	
		W	W	W			
charger outlet bu the prod	al power supply / plugged in the wall ut disconnected from	W	W	W			
PTEC * Typical B	Energy Consumptior	W	W	W			\square
TEC *	Energy Consumptior	kWh/week	kWh/week	0.6 kWh/wee	k TEC		
		' save mode: 2 minute					
P9.2*				hanraduat			<u> </u>
P9.2 P9.3*		the energy save function	•	•	1-		
P9.3"	ENERGY STAR® Others specify:	the energy requireme version 1.1 Tier:2	ints of the following	voluntary program	n/s:		
P10	Emissions						
	Noise emission –	Declared according to	ISO 9296				
P10.1	Mode	Mode description		Declared	Declared A-weig		
				A-weighted sound power	sound pressure level	$L_{p Am}$ (dB)	
				level L_{WAd} (B)	Operator position Dysta	ander positions	
						nly if product is not	
					or Desk side	operator attended)	
	Idle	[*] StandBy		* Not detect			
	Operation	* Print		* 6.2			
	Other mode						-
	Measured according	ng to: 🔀 ISO7779 📃	ECMA-74 (only if not covered	l by ECMA-74 wit	th L _{pAm} measurement distance	m)	
P10.2	The product meets	the acoustic noise rec					
_	Chemical emissions from printing products						
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:						
P10.4	Typical emission ra	ate (print phase) is (mo	g/h):				
	Dust 0.7 Ozon		ene 0.2 Benzen		,		
P10.5	Chemical emissior	n requirements of the fo					
			Dust 🔀	Ozon			
			Benzene 🔀	TVO			
P10.6	Electromagnetic emissions 6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary Image: Computer display meets and the following voluntary						
1 10.0	program/s:		ioniow nequency e	iceu o magneti c III	and or the following voluntary		\boxtimes

Model number *	i-SENSYS FAX-L150		
Issue date *	2012/02/23	Logo	

Product environmental attributes - Market requirements (continued)				met
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3)			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\times		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\square
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 1.7 Product packaging material type(s): EPS weight (kg): 0.2 Product packaging material type(s): PE weight (kg): 0.1 0.2			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%			
P14	Additional information	•		

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1