

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information * e-mail address	environment@canon-europe.com	Canon
Internet site *	www.canon.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Printer				
Commercial name *	i-SENSYS LBP611Cn				
Model number *	i-SENSYS LBP611Cn				
Issue date *	2017/4/14				
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	i-SENSYS LBP611Cn	Logo				
Issue da	ite *	2017/4/14					
Produc	t environ	mental attributes - Legal requirements		Real	lire	nent	met
Item					es	No	n.a.
P1	Hazardo	ous substances and preparations					
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		3		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			3		
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	nloride, 1,1 naximum	,1-	3		
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated		\triangleleft		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	\triangleleft		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week			\square
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):		\triangleleft		
P2	Batterie						
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al [\triangleleft		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				\triangleleft		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			2		
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address): http://www com/ce-documentation/		ce).	3		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			\triangleleft		
	Required	d information is; given in item P15 or added to this document,			\triangleleft		
	available at (add URL): http://canon-europe.com/printers/						
P4		hable materials					
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium me erence and NOTE B1).		L.			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referend	ce).	$\overline{\mathbf{A}}$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	Packagii	ing and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmiur	m and [
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).	of the mate	erial(s)	\triangleleft		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal I Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			\triangleleft		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	i-SENSYS LBP611Cn	Logo			
Issue da	ate *	2017/4/14				
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	nbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			+	-#-
P7.3*		arts > 100 g consist of one material or of easily separable materials.			+	-
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable toole		<u> </u>	<u> </u>
P7.6*	-	e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0						
P7.7*	Product Upgradin	g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			╞	-
P7.9.		rts are available after end of production for: years				-
P7.10		s available after end of production for: years				<u> </u>
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		ype: PC+ABS Material type: Material	type:			
P7.12	Insulation materials of external electrical cables are PVC free.					
P7.13	Insulation materials of internal electrical cables are PVC free.					
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants,	and		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without cor additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparation	s in		
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:				
			IOTE B5)			
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes		
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is %.	(calculated a	as a		
	or b) The	weight of recycled material is 6.85 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	i-SENSYS	LBP611Cn			Logo			
Issue date	9 *	2017/4/14							
Product	environr	nental attr	ibutes - Market ree	quirements (cont	inued)		Requi	rement	t met
Item							Ye	s No	n.a.
			ance requirements (o						
P7.21*		•	terial content is used i		,		\geq		
	a) Of tota or	total plastic al plastic by	weight) is %.	the biobased plastic	vered; material content (calcu	lated as a perce	entage of		
D7 00*	,	0	ne biobased plastic ma	8				, <u> </u>	
P7.22*	If mercu	ry is used sp	e from mercury, i.e. le becify: Number of lamp		o. num mercury content pe	er lamp: ı	mg		
P8	Batterie	-							
P8.1*	•		nposition: <i>Lithium</i>						
P9			on (See NOTE B8)		lana an an stad				
P9.1		product the f	ollowing power levels	or energy consumption	ions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® O (OM) prod	perational		W	W	W				
Standby/o ENERGY Mode (ON	ff mode fo STAR Ope	erational	W	W	W				
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	0.5 kWh/week				
(TEC= Type MAX	pical Energ	ду	W	W	850 W				
									<u> </u>
Printing(A	Average)		W	W	100.1 W				
Standby			W	W	10.3 W				
Low Powe	er		W	W	W				\boxtimes
Sleep			W	W	0.86 W				
			W	W	W				\square
External P	ower Sup	oly Efficienc	y Level (International I	Efficiency Marking P	rotocol) * :				
Print/Scan	Speed *		18 images per minute						
	•		3 .						
		0,	e mode: 5 minutes		product		N		⊢⊢
P9.2*			e energy save function	n is provided with the					
P10	Emissio Noise e		eclared according to		E B9)				
P10.1	Mode		•		Statistical upper limit A-w _{WA,c} (B)	eighted sound	power level,		
	Idle	* 5	Standby	*	Not Detect				
	Operatio		Print		6.3				
	Other m	ode							
	Measure	ed according		ECMA-74 (only if not covered I					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	nber *	i-SENSYS LBP611Cn Logo				
Issue date	; *	2017/4/14				
Product	environ	mental attributes - Market requirements (continued)	Re	quire	ment	met
Item				Yes	No	n.a.
D40.0t		cal emissions from printing products (See NOTE B10)				
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from Electron	C	\boxtimes		
P10.3	Equipment (ISO/IEC 28360) , other specify: Typical emission rate (operation phase) is (mg/h):					
1 10.5						
	Electrop TVOC	photographic devices: Ozone <loq(=0.12) 0.08="" 0.61="" benzene="" dust="" loq(="0</td" styrene=""><td>.002)</td><td></td><td></td><td></td></loq(=0.12)>	.002)			
	Ink devi		00			X
	ink dev		<i>,</i> 0			
		ompliance with maximum emission rates in eco labels to be declared in P14.				
P11		mable materials for printing products	D4 2)			
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (s	,		<u> </u>	<u> </u>
P11.2*	EN 122	containing post-consumer recycled fibers can be used, provided that it meets the requ	mements of	\boxtimes		
P11.3*		(duplex) printing/copying is an integrated product function.			\square	
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.		Ħ	Ħ	
P13	Packag	jing and documentation				
P13.1*	Product	t packaging material type(s): Corrugated Paper weight (kg): 1.45				
		t packaging material type(s): EPS weight (kg): 0.51				
P13.2*		t packaging material type(s): <i>PE</i> weight (kg): <i>0.049</i> t plastic primary packaging is free from PVC.				
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage of mir	imum post-			\exists
		her recovered fiber content: 80 %				
P13.4*	Specify	media for user and product documentation (tick box):				
		nic 🔀, Paper 🔀, Other 🗌				
P13.5	(Please	e only complete this item if paper documentation used)				
		nd product documentation on paper media is chlorine-free:				
	If Yes,	please specify:				
		chlorine-free				
		tal chlorine-free				
		sed chlorine-free				
P14 P14.1		ary programs: oduct meets the requirements of the following voluntary program(s):				
1 14.1			. <i></i> .			
	ENERG Eco-lab	GY STAR® Criteria version: Date: Product categor pel: Criteria version: Date: Product categor				
	Eco-lab		,			
P15		onal information (See NOTE B11)				
P1.1		t on this declaration comply with EU RoHS Directive (2001/65/EU).				
	The current EU RoHS Directive restricts the use of following substances.					
		ead ercury				
		admi um				
	Hexavalent chromium Polybrominated biphenyls(PBB)					
		olybrominated diphenyl ethers(PBDE)				
		his is based on knowledge as of the date of this document.				
P1.7	http://c	anon-europe.com/about_us/sustainebility/business/reach_customer_statement/				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1