



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europe Limited	
Contact information *	environment@canon-europe.com	//amon
e-mail address		
Internet site *	www.canon.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	nts given in this declaration.			
Type of product *	Printer			
Commercial name *	i-SENSYS LBP654Cx			
Model number *	i-SENSYS LBP654Cx			
Issue date *	2017/4/14			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date * 2017/4/14		2017/4/14					
Product	Product environmental attributes - Legal requirements		Require	Requirement met			
Item			Yes	No	n.a.		
P1	Hazardous substances and preparations						
P1.1*	1.1* Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*	P1.2* Products do not contain Asbestos (see legal reference).						
		nt: Legal reference has no maximum concentration value.					
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	the 🔀				
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/w al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	eek				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	\square				
P3	Conformity verification & Eco design (ErP)						
P3.1*							
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).					
	Required information is; given in item P15 or added to this document,						
P4	Consum	available at (add URL): http://canon-europe.com/printers/					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (se	ee 🔀				
		erence and NOTE B1).		ш	Ш		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).		;).				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury, cadmiument chromium by weight of these together.	and 🔀				
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the materi se legal reference).	ial(s)				
P5.3*							
P6		nt information					
P6.1*	16.1* Information for recyclers/treatment facilities is available (see legal reference).		\boxtimes				

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * i-SENSYS LBP654Cx

Model number *	i-SENSYS LBP654Cx	Logo	
Issue date *	2017/4/14		

	Product environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.			
P7	Design						
D7.4*	Disassembly, recycling		_				
P7.1*	Parts that have to be treated separately are easily separable		Щ.				
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: years						
P7.10	Service is available after end of production for: years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: PC Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	_	_				
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
P7.15	containing more than 25% post-consumer recycled content.						
1 7.13	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low						
D7.40	halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:		Ш				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	· · · · · · · · · · · · · · · · · · ·						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:						
	1. Chemical name: , CAS #: (See NOTE B4)	_		_			
	2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	_ <u>Ļ</u>	<u> </u>	_			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\square	П				
	If YES; at least one of the two alternatives below shall be answered;		ш				
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a						
	percentage of total plastic by weight) is %.						
	or						
	b) The weight of recycled material is 6.57 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	odel number * i-SENSYS LBP654Cx Logo								
Issue date	e date * 2017/4/14								
Product 6	Product environmental attributes - Market requirements (continued) Requirement me							met	
Item							Ye	s No	n.a.
D= 0.11	Material and substance requirements (continued)								
P7.21*		•	aterial content is used i	•	ŕ			i	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.								
	or b) The	weight of t	the biobased plastic ma	aterial is 0.47 g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		num mercury content per	r lamp: r	mg		
P8	Batteries	_							
P8.1*			mposition: <i>Lithium</i>						
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consumpti	ons are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® Op (OM) produ	perational		W	W	W				
Standby/of ENERGY S	f mode for STAR Ope	erational	W	W	W				
Mode (OM) products TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	1.0 kWh/week				
(TEC= Typ	ical Energ	ју							
MAX			W	W	1400 W			•	
Printing(A	verage)		W	W	460.5 W				
Standby			W	W	16.8 W				
Low Powe	er		W	W	W				\boxtimes
Sleep			W	W	0.70 W				
			W	W	W				\boxtimes
External Po	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking Pr	rotocol) *:				\boxtimes
Print/Scan	Print/Scan Speed * : 27 images per minute								
Default tim	Default time to enter energy save mode: 5 minutes								
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio								
D40.4			Declared according to			alada da a a a a a da			
P10.1	Mode	IV	lode description		tatistical upper limit A-wo wa,c (B)	eigntea souna	power level,		
	Idle		Standby		Not Detect				
	Operation * Print * 6.2								
	Other mo								
	Measure	d according		ECMA-74 (only if not covered b	y ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * i-		i-SENSYS LBP654Cx	Logo				
Issue date * 2017/4/14							
Product 6	environ	mental attributes - Market requirements (continued)		Re	quire		met
Item					Yes	No	n.a.
D40 0*		cal emissions from printing products (See NOTE B10)	Floatronia		_	_	_
P10.2*	Equipm	rformed according to ECMA-328 Determination of Chemical Emission Rates from ent (ISO/IEC 28360), other specify:	Electronic		Ш	Ш	Ш
P10.3	Typical	emission rate (operation phase) is (mg/h):					
	Electrophotographic devices: Ozone <loq(=0.13) 0.004="" 0.24="" 1.24="" 9.88<="" benzene="" dust="" styrene="" td="" tvoc=""><td></td></loq(=0.13)>						
	Ink devi	ces: Dust Styrene Benzene	TVOC				\boxtimes
	Note: co	ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		mable materials for printing products					
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally rec	quired (see F	P4.3).	X	П	П
P11.2*	Paper of	containing post-consumer recycled fibers can be used, provided that it meets 81.	the requirer	ments of			
P11.3*		(duplex) printing/copying is an integrated product function.			\boxtimes		
P11.4*		duct is delivered to end-user with default auto-duplex enabled.				Ħ	Ħ
P13	Packag	ing and documentation					
P13.1*		packaging material type(s): Corrugated Paper weight (kg): 1.72					
		: packaging material type(s): <i>EPS</i> weight (kg): <i>0.47</i> : packaging material type(s): <i>PE</i> weight (kg): <i>0.11</i>					
P13.2*		plastic primary packaging is free from PVC.			\square		\Box
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage	e of minimu	um post-			Ħ
		ner recovered fiber content: 80 %	•	·			
P13.4*		media for user and product documentation (tick box): nic , Paper , Other .					
P13.5		only complete this item if paper documentation used)					
	Ùser an	Individual to the first in paper decementation accepted and product documentation on paper media is chlorine-free: Delease specify:					
		chlorine-free					
	•	tal chlorine-free			H		
		sed chlorine-free			H		
P14		ary programs:					
P14.1		duct meets the requirements of the following voluntary program(s):					
	ENERG	SY STAR® Criteria version: Date: Produc	t category:				
	Eco-lab		t category:				
P15	Eco-lab	el: Criteria version: Date: Productional information (See NOTE B11)	t category:				
P1.1		t on this declaration comply with EU RoHS Directive (2001/65/EU).					
		rrent EU RoHS Directive restricts the use of following substances.					
	Le	ead .					
		ercury					
	Cadmium Hovere lant, abronium						
	Hexavalent chromium Polybrominated biphenyls (PBB)						
	Polybrominated Diphenyl's (PBDE)						
	Note: This is based on knowledge as of the date of this document.						
P1.7		anon-europe.com/about_us/sustainebility/business/reach_customer_statem	ent/				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1