



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N. V	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemer	conforms to the statements given in this declaration.			
Type of product *	MFD			
Commercial name *	i-SENSYS X C1538iF II			
Model number *	i-SENSYS X C1538iF II			
Issue date *	2023/10/23			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	i-SENSYS X C1538iF II	Logo	0
Issue date *	2023/10/23		Canon

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square	$\overline{}$	
1 1.5	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			\boxtimes
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.canon-			
	europe.com/about_us/sustainability/business/reach_customer_statement/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square		\neg
	reference)		<u> </u>	<u> </u>
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)		<u> </u>	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-			
P3.2*	europe.com/ce-documentation/ The product complies with the applicable Eco design Requirements for Energy-Related Products,		_	
F3.2	(see legal reference).		Ш	Ш
	Required information is; given in item P15 or added to this document,			
	available at (add URL): http://canon-europe.com/printers/			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
D4.0*	legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		_	
P4.3*	are Community workplace exposure limits, the product/packaging is adequately labeled according to	\boxtimes	Ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		П	
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).) 🛛		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference).		ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	i-SENSYS X C1538iF II	Logo	
Issue date *	2023/10/23		Canon

Product	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regu	iremer	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PS-HI Material type: PS-HI			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	一片		$\overline{}$
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

Model number *	i-SENSYS X C1538iF II	Logo	•
Issue date *	2023/10/23		Canon

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Product e	environmental atti	ributes - Market re	quirements (continu	ued)		uireme	
Item						es No	n.a.
D7.00*		ance requirements (•	,			
P7.20*	,	•	ontent is used in the pro	,		X L	J L
	a) Of total plastic		he postconsumer recyc	,	ntent (calculated as a		
	or b) The weight of r	ecycled material is 34	5.5 g.				
P7.21*			n the product (See NO	TE B7):			
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or							
		he biobased plastic m	aterial is g.				
P7.22*	Light sources are fre	ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lamp.	m mercury content per	· lamp: mg		
P8	Batteries						
P8.1*	Battery chemical cor	mposition: <i>Lithium</i>					
P9	Energy consumption	on (See NOTE B8)					
P9.1	For the product the f	following power levels	or energy consumption	ns are reported:			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *	energ	у
STAR® Op (OM) produ		W	W	W			
Standby/off ENERGY S Mode (OM)	STAR Operational	W	W	W			
	for ENERGY STAR cts (TEC= Typical nsumption)	kWh/week	kWh/week	0.37 kWh/week	ENERGY STAR (US schu Eligibility Criteria Versio Imaging Equipment		
MAX		W	W	1500 W	Canon's Own Standard		
Printing(A	verage)	W	W	701 W	Canon's Own Standard		
Standby		W	W	40.6 W	Canon's Own Standard		
Low Powe	r	W	W	W	Canon's Own Standard		\boxtimes
Sleep		W	W	0.9 W	Canon's Own Standard		
		W	W	W			
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Prot	ocol) * :			
Print/Scan	Speed * :	38 images per minute					
	e to enter energy sav						
P9.2*	Information about th	e energy save function	n is provided with the p	roduct.			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS X C1538iF II	Logo	0
Issue date *	2023/10/23		Canon

Product	environmental	attributes - Market requirer	ments (conti	nued)		Require	ment	met
Item		-	_	-		Yes	No	n.a.
P10	Emissions							
	Noise emission	- Declared according to ISO 92	296 (See NOTE	B9)				
P10.1	Mode	Mode description		atistical upper lim _{/A,c} (B)	nit A-weighted sound power	level,		
	Idle	* Standby	* /	Vot Detect				
	Operation	* Print	* 7	7.07				
	Other mode							
	Measured accord	ding to: ISO 7779 ECMA		y if not covered b	v ECMA-74)			
	Chemical emiss	sions from printing products ('	, ,			
P10.2*	Test performed a	according to ECMA-328 Determi	ination of Chem	nical Emission Ra	ites from Electronic	\square		\Box
	Equipment (ISO/	TEC 28360) , other specify:						
P10.3	Typical emission	rate (operation phase) is (mg/h):					
	Electrophotograp	ohic devices: Ozone <i><loq(=0.< i="">1 Dus</loq(=0.<></i>			Benzene 0.03 TVOC 8.63 nzene TVOC			
		ce with maximum emission rates	s in eco labels	to be declared in	P14.			
P11		aterials for printing products						
P11.1*	<u> </u>	neet (SDS) is available for the in			• • • •			
P11.2*	Paper containing EN 12281.	post-consumer recycled fibers	can be used, p	rovided that it me	eets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrated	d product function	on.		\boxtimes		
P11.4*	The product is de	elivered to end-user with default	auto-duplex er	nabled.		\boxtimes		
P13	Packaging and							
P13.1*	Product packagir Product packagir	ng material type(s): Plywood ng material type(s): Corrugated ng material type(s): EPS	weight (kg):	eight (kg): 4.5				
P13.2*	Product plastic p	rimary packaging is free from P\	VC.			\boxtimes		
P13.3*	For product prim consumer recover	ary corrugated fiberboard packa ered fiber content: 25 %	iging, specify th	ne contained perc	entage of minimum post-			
P13.4*	Specify media fo	r user and product documentation	on (tick box):					
P13.5		nplete this item if paper document t documentation on paper media ecify:		e:				
	Totally chlorine-f	ree						
	Elemental chlorin					H		
	Processed chlori	ne-free				Ħ		
P14	Voluntary progr	rams:						
P14.1		ets the requirements of the follow	ving voluntary p	orogram(s):				
	ENERGY STAR			oate:	Product category:			
	Eco-label: Eco-label:	Criteria version: Criteria version:)ate:)ate:	Product category: Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	i-SENSYS X C1538iF II	Logo	
Issue date *	2023/10/23		Canon

Produc	t environmental attributes - Market require	ments (concluded)	Requirement met
P15	Additional information (See NOTE B11)		
P1.1	Product on this declaration comply with EU	RoHS Directive(2011/65/EU).	
	The current EU RoHS Directive restricts the	use of following substances.	
	Lead		
	Mercury		
	Cadmium		
	Hexavalent chromium		
	Polybrominated biphenyls(PBB)		
	Polybrominated diphenyl ethers(PBDE)		
	Note; This is based on knowledge as of the d	ate of this document.	
P1.7	https://www.canon-europe.com/about_us/su	stainability/business/reach_customer_stateme	nt/
P10.1	Sound Pressure (LpAm)		
	Bystander's position		
	Active(BW) (1-sided/2-sided)	: 50 / 52 dB	
	Active(CL) (1-sided/2-sided)	: 51 / 53 dB	
	Standby	: 32 dB	
	Operator position		
	Active(BW) (1-sided/2-sided)		
		: 54 / 56 dB : 55 / 56 dB : 33 dB	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	