



Product environmental attributes – THE ECO DECLARATION The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Canon	Logo		
Company name *	anon Europe Limted			
Contact information *				
	environment@canon-europe.com			
Internet site *	www.canon.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	MFD		
Commercial name *	i-SENSYS MF231		
Model number *	i-SENSYS MF231		
Issue date *	2016/08/26		
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square		

Model number *	i-SENSYS MF231		
Issue date *	2016/08/26	Logo	
		·	
Product onviron	Product environmental attributes - Legal requirements		

Item P1	Hazardous substances and preparations	Yes	No n.a.
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\boxtimes	
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	\boxtimes	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		
P3	Safety, EMC connection to the telephone network and labeling		
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	
P4	Consumable materials		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	\square	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		i-SENSYS MF231				
Issue date *		2016/08/26 Logo				
					t met	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6.1*	Treatment information Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design					
• *	Disasse	mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable	\square			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	\square			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square			
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Ē		
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradin	g can be done using commonly available tools	$\overline{\boxtimes}$			
P7.9.	Spare pa	arts are available after end of production for: years				
P7.10	Service i	s available after end of production for: years			Ē	
	Material	and substance requirements				
P7.11*	Product	cover/housing material type:				
		type: PC+ABS Material type: ABS Material type:				
P7.12		cable insulation material of power cables are halogen free (including PVC). (See Note 1)				
P7.13		cable insulation material of signal cables are halogen free (including PVC). (See Note 1)				
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)					
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
P7.17	Alt. 1 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):					
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2		_	_	_	
	Chemica ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g according				
P7.18	Alt. 1	, .				
17.10		tarded plastic parts >25g contain the following flame retardant substances/preparations in				
		ations above 0.1%:				
	Commer	t: No legal limits exist, this is a market requirement.				
	1 Chemi	cal name: , CAS #:				
		cal name: , CAS #:				
	3. Chemi	cal name: , CAS #:				
	AUL 0		_	_	_	
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	Onemica					
P7.19		lastic parts' weight >25g, recycled material content is %.				
P7.20		lastic parts' weight >25g, biobased material content is %.				
P7.21		Irces are free from mercury				
P8	Batteries	y is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8.1*		hemical composition:			\square	
P8.2		meet the requirements of the following voluntary program/s:				

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	i-SENSYS MF231	
Issue date *	2016/08/26	Logo

Produc	Product environmental attributes - Market requirements (continued) Requirement met						
Item			• •			Yes No	n.a.
P9	Energy consumpt	ion					
9.1	For the product the	following power levels	s or energy consum	ptions have been	measured:		
Energy n	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for and test method *	energy modes	
MAX		W	W	1120 W	Canon's Own Standard		
Printing	(Average)	W	W	399.3 W	Canon's Own Standard		
Standby	/	W	W	5.7 W	Canon's Own Standard		
		W	W	W			
Sleep		W	W	1.9 W	Canon's Own Standard		
		W	W	W			
charger	I power supply / plugged in the wall it disconnected from	W	W	W			
PTEC * Typical E	Energy Consumption	W	W	W			
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	0.637 kWh/w	eek TEC		
••	•••	save mode: 1 minute	5				
P9.2*	6,	he energy save function		he product			- H
P9.3*		the energy requireme		•			
F 9.5	ENERGY STAR® Others specify:			voluntary program	1/5.		
P10	Emissions						
	Noise emission –	Declared according to	ISO 9296				
P10.1	Mode N	Node description		Declared A-weighted sound power	Declared A-weigh sound pressure level L		
				level L_{WAd} (B)	Desktop (only	der positions X if product is not erator attended)	
	Idle *	Standoby		* 2.04	5.3/4.9		
	Operation *	Print		* 6.57	55.6/51.3		
	Other mode						1
	Measured accordin	ng to: 🔀 ISO7779 🗌	ECMA-74 (only if not covered	l by ECMA-74 wit	th L _{pAm} measurement distance	m)	-
P10.2	The product meets	the acoustic noise rec	uirements of the fol	lowing voluntary	program/s: RAL-UZ171		
D (0 0 t	Chemical emissions from printing products						
P10.3*		cording to ECMA-328		andard 🔀, other	specify:		
P10.4		ate (print phase) is (mg	· ·				\Box
P10.5	Dust 0.77 Ozor		0.171 Benzene 0.	.004 TVOC 5.			
P10.5	Chemical emission	Chemical emission requirements of the following voluntary program/s <i>RAL-UZ171</i> are met for :					
	Benzene TVOC						
P10.6	Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary Image: Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
P10.6	program/s:						

Model number *	i-SENSYS MF231		
Issue date *	2016/08/26	Logo	

Product environmental attributes - Market requirements (continued)				met
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\square	
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\square
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paperweight (kg): 3.553Product packaging material type(s): EPSweight (kg): 0.254Product packaging material type(s): PE weight (kg): 0.3240.254			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\square		
P13.3*	Specify media for user and product documentation (tick box): Electronic			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%			
P14	Additional information			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1