

imagePRESS V900

Speciality Media Handling Guide

Version 1.0

The guide is a list of media that meets Canon's verification procedures for image quality and performance. Paper properties may be changed due to differences in manufacturing lot or due to the circumstances of the paper manufacturer, and the same results may not be obtained even with verified media. When purchasing a particular media for the first time, it is recommended to purchase small quantities to insure customer requirements are met.

Contents

Avery Clear Mini Label- Laser: 65 labels per sheet 38.1 x 21.2 mm[ID No. 1214]	6
Avery Glossy Presentation/Photo Labels - Colour Laser: 8 labels per sheet [ID No. 1230]	7
Avery Silver Heavy Duty Labels - Laser: 189 labels per sheet 25.4 x 10 mm[ID No. 1226]	8
Avery White Heavy Duty Labels - Laser: 21 labels per sheet 63.5 x 38.1 mm[ID No. 1221]	9
Burgo Experia Digi Gloss 130[ID No. 1510]	10
Burgo Experia Digi Gloss 150[ID No. 1511]	11
Burgo Experia Digi Gloss 170[ID No. 1512]	12
Burgo Experia Digi Gloss 200[ID No. 1513]	13
Burgo Experia Digi Gloss 250[ID No. 1514]	14
Burgo Experia Digi Gloss 300[ID No. 1515]	15
Burgo Experia Digi Satin 115[ID No. 1341]	16
Burgo Experia Digi Satin 130[ID No. 1342]	17
Burgo Experia Digi Satin 150[ID No. 1343]	18
Burgo Experia Digi Satin 200[ID No. 1345]	19
Burgo Experia Digi Satin 250[ID No. 1346]	20
Canon SAT013 Top Colour Zero FSC 90[ID No. 1545]	21
Canon SAT023 Top Colour Zero FSC 100[ID No. 1546]	22
Canon SAT033 Top Colour Zero FSC 120[ID No. 1547]	23
Canon SAT053 Top Colour Zero FSC 160[ID No. 1548]	24
Canon SAT053 Top Colour Zero FSC 160 (487.8-762mm)[ID No. 4103]	25
Canon SAT063 Top Colour Zero FSC 200[ID No. 1549]	26
Canon SAT073 Top Colour Zero FSC 250[ID No. 1550]	27
Canon SAT083 Top Colour Zero FSC 300[ID No. 1551]	28
Favini Astralux 170[ID No. 924]	29
Favini Astralux 215[ID No. 926]	30
Favini Astralux 250[ID No. 927]	31
Favini Astralux C2S 250[ID No. 1008]	32
Fedrigoni Acquerello Bianco 240[ID No. 1764]	33

Fedrigoni Constellation Snow 170[ID No. 1264].....	34
Fedrigoni Marina Conchiglia 175[ID No. 1438].....	35
Fedrigoni Marina Conchiglia 90[ID No. 1437].....	36
Fedrigoni Materica 250[ID No. 1765].....	37
Fedrigoni Symbol Pearl Ice 200[ID No. 1436]	38
Fedrigoni Tintoretto 250[ID No. 1763]	39
Folex BG72 White Opaque Film 180[ID No. 1745].....	40
Folex CLP Adhesive Clear 110[ID No. 1451].....	41
International Paper PRO Design Paper 100[ID No. 786]	42
International Paper PRO Design Paper 120[ID No. 787]	43
International Paper PRO Design Paper 250[ID No. 790]	44
International Paper PRO Design Paper 90[ID No. 785]	45
LAB241 Labels Matte 24up[ID No. 1727]	46
MAC531 Top Coated Graphic Gloss FSC 115[ID No. 1572]	47
MAC551 Top Coated Graphic Gloss FSC 150[ID No. 1574].....	48
MAC551 Top Coated Graphic Gloss FSC 170[ID No. 1575].....	49
MAC561 Top Coated Graphic Gloss FSC 200[ID No. 1576].....	50
MAC571 Top Coated Graphic Gloss FSC 250[ID No. 1577].....	51
MAC631 Top Coated Graphic Silk FSC 115[ID No. 1579].....	52
MAC641 Top Coated Graphic Silk FSC 130[ID No. 1580]	53
MAC651 Top Coated Graphic Silk FSC 150[ID No. 1581]	54
MAC651 Top Coated Graphic Silk FSC 170[ID No. 1582]	55
MAC661 Top Coated Graphic Silk FSC 200[ID No. 1583]	56
MAC671 Top Coated Graphic Silk FSC 250[ID No. 1584]	57
MAC681 Top Coated Graphic Silk FSC 300[ID No. 1585]	58
Mondi Color Copy 280[ID No. 782].....	59
Mondi Color Copy 300[ID No. 783].....	60
Mondi Color Copy 300 (487.8-762mm)[ID No. 1789]	61
Mondi Color Copy 350[ID No. 4106].....	62
Mondi Color Copy coated gloss 135[ID No. 979]	63
Mondi Color Copy coated gloss 170[ID No. 980]	64
Mondi Color Copy coated gloss 200[ID No. 981]	65
Mondi Color Copy coated gloss 250[ID No. 982]	66
Mondi Color Copy coated SILK 135[ID No. 1073].....	67
Mondi Color Copy coated SILK 170[ID No. 1074].....	68
Mondi Color Copy coated SILK 200[ID No. 1075].....	69
Mondi Color Copy coated SILK 250[ID No. 1076].....	70
PPG Teslin SPID 1000 10mil[ID No. 1751].....	71
PPG Teslin SPID 1400 14mil[ID No. 1752].....	72
Sappi Fine Paper Europe Magno Satin 115[ID No. 1040]	73
Sappi Fine Paper Europe Magno Satin 130[ID No. 1042].....	74
Sappi Fine Paper Europe Magno Satin 135[ID No. 1043].....	75
Sappi Fine Paper Europe Magno Satin 150[ID No. 1044].....	76
Sappi Fine Paper Europe Magno Satin 170[ID No. 1045].....	77
Sappi Fine Paper Europe Magno Satin 200[ID No. 1046].....	78
Sappi Fine Paper Europe Magno Satin 250[ID No. 1048].....	79
Sappi Fine Paper Europe Magno Satin 300[ID No. 1050].....	80

SAT053 Top Colour Zero FSC 160 (487.8-762mm)[ID No. 1790]	81
Sihl Enduro Classic Plus 100L 93[ID No. 1748]	82
Sihl Enduro Ice 170[ID No. 1747]	83
Soporcel Soporset Premium Offset 60[ID No. 1485]	84
SPE761 Digisulfate Paper 250[ID No. 1725]	85
Steinbeis Recycled Classic 80[ID No. 1732]	86
Stora Enso 4CC 100[ID No. 792]	87
Stora Enso 4CC 160[ID No. 794]	88
Stora Enso 4CC 90[ID No. 791]	89
Stora Enso MultiCopy Presentation 100[ID No. 1287]	90
Stora Enso MultiCopy Presentation 120[ID No. 1288]	91
Stora Enso MultiCopy Presentation 160[ID No. 1289]	92
Stora Enso MultiCopy Presentation 80[ID No. 1285]	93
Stora Enso MultiCopy Presentation 90[ID No. 1286]	94
Torraspapel Creator Silk 170[ID No. 1350]	95
Torraspapel Creator Silk 200[ID No. 1351]	96
Torraspapel Creator Silk 250[ID No. 1352]	97
Torraspapel Creator Silk 300[ID No. 1353]	98
Torraspapel Creator Star 115[ID No. 1302]	99
Torraspapel Creator Star 130[ID No. 1303]	100
Torraspapel Creator Star 170[ID No. 1304]	101
Torraspapel Creator Star 200[ID No. 1305]	102
Torraspapel Creator Star 250[ID No. 1306]	103
Torraspapel Creator Star 300[ID No. 1307]	104
UPM-Kymmene Digi Finesse Gloss 130[ID No. 1380]	105
UPM-Kymmene Digi Finesse Gloss 150[ID No. 1473]	106
UPM-Kymmene Digi Finesse Gloss 170[ID No. 1381]	107
UPM-Kymmene Digi Finesse Gloss 200[ID No. 1474]	108
UPM-Kymmene Digi Finesse Gloss 250[ID No. 1382]	109
UPM-Kymmene Digi Finesse Gloss 300[ID No. 1475]	110
UPM-Kymmene Digi Finesse Gloss 300 (487.8-762mm)[ID No. 4104]	111
UPM-Kymmene Digi Finesse Premium Silk 130[ID No. 1426]	112
UPM-Kymmene Digi Finesse Premium Silk 150[ID No. 1476]	113
UPM-Kymmene Digi Finesse Premium Silk 170[ID No. 1427]	114
UPM-Kymmene Digi Finesse Premium Silk 200[ID No. 1477]	115
UPM-Kymmene Digi Finesse Premium Silk 250[ID No. 1428]	116
UPM-Kymmene Digi Finesse Premium Silk 300[ID No. 1478]	117
UPM-Kymmene Novatech Gloss 115[ID No. 1320]	118
UPM-Kymmene Novatech Gloss 130[ID No. 1321]	120
UPM-Kymmene Novatech Gloss 130 (1089mm)[ID No. 4097]	121
UPM-Kymmene Novatech Gloss 170[ID No. 1322]	122
UPM-Kymmene Novatech Gloss 170 (487.8-762mm)[ID No. 4102]	123
UPM-Kymmene Novatech Gloss 200[ID No. 1323]	124
UPM-Kymmene Novatech Gloss 250[ID No. 1324]	125
UPM-Kymmene Novatech Gloss 300[ID No. 1325]	126
UPM-Kymmene Novatech Matte 115[ID No. 1333]	127
UPM-Kymmene Novatech Matte 130[ID No. 1334]	128

UPM-Kymmene Novatech Matte 170[ID No. 1335].....	129
UPM-Kymmene Novatech Matte 170 (487.8-762mm)[ID No. 4101]	130
UPM-Kymmene Novatech Matte 200[ID No. 1336].....	131
UPM-Kymmene Novatech Matte 250[ID No. 1337].....	132
UPM-Kymmene Novatech Matte 300[ID No. 1338].....	133
UPM-Kymmene UPM Fine 100[ID No. 803]	134
UPM-Kymmene UPM Fine 100 (1089mm)[ID No. 4096]	135
UPM-Kymmene UPM Fine 110[ID No. 804]	136
UPM-Kymmene UPM Fine 120[ID No. 805].....	137
UPM-Kymmene UPM Fine 140[ID No. 806]	138
UPM-Kymmene UPM Fine 150[ID No. 807].....	139
UPM-Kymmene UPM Fine 170[ID No. 808]	140
UPM-Kymmene UPM Fine 190[ID No. 809].....	141
UPM-Kymmene UPM Fine 250[ID No. 810]	142
UPM-Kymmene UPM Fine 300[ID No. 811]	143
UPM-Kymmene UPM Fine 70[ID No. 800]	144
UPM-Kymmene UPM Fine 80[ID No. 801]	145
UPM-Kymmene UPM Fine 90[ID No. 802]	146
UPM-Kymmene UPM Finesse Gloss 135[ID No. 938]	147
UPM-Kymmene UPM Finesse Gloss 170[ID No. 940]	148
UPM-Kymmene UPM Finesse Gloss 300[ID No. 945]	149
UPM-Kymmene UPM Finesse Silk 200[ID No. 1024].....	150
UPM-Kymmene UPM Finesse Silk 250[ID No. 1026].....	151
UPM-Kymmene UPM Finesse Silk 300[ID No. 1028].....	152
WOP111 Red Label Superior FSC 2H 80[ID No. 1518]	153
WOP111 Red Label Superior FSC 4H 80[ID No. 1519]	154
WOP111 Red Label Superior FSC 80[ID No. 1517]	155
WOP111 Red Label Superior FSC 90[ID No. 1520]	156
WOP114 Red Label Presentation PEFC 80[ID No. 1522].....	157
WOP201 Black Label Zero FSC 75[ID No. 1523].....	158
WOP211 Black Label Zero FSC 2H 80[ID No. 1526]	159
WOP211 Black Label Zero FSC 4H 80[ID No. 1525]	160
WOP211 Black Label Zero FSC 80[ID No. 1524].....	161
WOP402 Black Label Premium FSC 75[ID No. 1528]	162
WOP412 Black Label Premium FSC 80[ID No. 1531]	163
WOP512 Yellow Label Standard 80[ID No. 1533]	164
WOP611 Yellow Label Copy PEFC 80[ID No. 1538].....	165
WOP713 Recycled Plus Paper 80[ID No. 1542]	166
WOP913 Green Label Style FSC 80[ID No. 1544].....	167
Xerox Business 80[ID No. 1465]	168
Xerox Colotech+ 100[ID No. 889].....	169
Xerox Colotech+ 120[ID No. 890].....	170
Xerox Colotech+ 160[ID No. 891].....	171
Xerox Colotech+ 200[ID No. 892].....	172
Xerox Colotech+ 220[ID No. 893].....	173
Xerox Colotech+ 250[ID No. 894].....	174
Xerox Colotech+ 280[ID No. 895].....	175

Xerox Colotech+ 90[ID No. 888].....	176
Xerox Colotech+ Gloss Coated 120[ID No. 992].....	177
Xerox Colotech+ Gloss Coated 140[ID No. 993].....	178
Xerox Colotech+ Gloss Coated 170[ID No. 994].....	179
Xerox Colotech+ Gloss Coated 210[ID No. 995].....	180
Xerox Colotech+ Gloss Coated 250[ID No. 996].....	181
Xerox Colotech+ Silk Coated 120[ID No. 1077]	182
Xerox Colotech+ Silk Coated 140[ID No. 1078]	183
Xerox Colotech+ Silk Coated 170[ID No. 1079]	184
Xerox Colotech+ Silk Coated 250[ID No. 1081]	185
Xerox Colotech+ Silk Coated 280[ID No. 1082]	186
Xerox Premier 100[ID No. 899].....	187
Xerox Premier 160[ID No. 900].....	188
Xerox Premier 80[ID No. 897].....	189
Xerox Premier 90[ID No. 898].....	190

Avery Clear Mini Label- Laser: 65 labels per sheet 38.1 x 21.2 mm[ID No. 1214]

Basis Weight		165				
Type		Label		Finish	Label	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	No	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. When you print on labels, make sure glue is not bulged out. If glue is bulged out, it may stick to the inside of the machine causing an unexpected image or paper jam. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		165				
Type		Label		Finish	Label	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	No	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. When you print on labels, make sure glue is not bulged out. If glue is bulged out, it may stick to the inside of the machine causing an unexpected image or paper jam. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		165				
Type		Label		Finish	Label	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	No	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. When removing the jammed paper, labels may come off. Make sure that you do not leave any labels inside the machine. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. When you print on labels, make sure glue is not bulged out. If glue is bulged out, it may stick to the inside of the machine causing an unexpected image or paper jam. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		165				
Type		Label		Finish	Label	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	No	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. When you print on labels, make sure glue is not bulged out. If glue is bulged out, it may stick to the inside of the machine causing an unexpected image or paper jam. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>Fan the sheets of paper well before loading them.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p>			

Basis Weight		150			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>Fan the sheets of paper well before loading them.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].</p> <p>If steaks appear around 80 mm from the leading edge of the printed paper, set the setting value in <Adjust Paper Curve> to the [-] side.</p>			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time.				

Basis Weight		200					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		300					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No	
		Hole Punch	No		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them.					
		When enough toner is not applied in high density areas and tiny dense spots appear under the environment with temperature and humidity extremely high, set to a negative value [-] on [Adj. Secondary Transfer Volt.].					
If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.							

Basis Weight		115			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch NO
		Stack Tray	Yes		Crease NO
		Pass through	Yes		Perforation NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.
Caution		Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			
		When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin.			

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].			
		When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].			

Basis Weight		150			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		200			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].</p>			

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.					

Basis Weight		90				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin.				

Basis Weight		100				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the data for printing, the slightly uneven densities may appear on the output paper.					

Basis Weight		120					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.					

Basis Weight		160			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			
		Depending on the data for printing, the slightly uneven densities may appear on the output paper.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		160			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple NO
		Staple (Booklet)	NO		Staple (Booklet) NO
		Hole Punch	NO		Hole Punch NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch NO
		Stack Tray	NO		Crease NO
		Pass through	Yes		Perforation NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time.			

Basis Weight		200				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them.				
Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.						
Depending on the data for printing, the slightly uneven densities may appear on the output paper.						
Depending on the data for printing, the slightly uneven densities may appear on the output paper.						

Basis Weight		250					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.					

Basis Weight		300				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	<p>Fan the sheets of paper well before loading them.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>When the lead edge and tail end of paper are scratched, load the lead edge and tail end reversely. It might reduce the scratch. In addition, when you output the paper from the finisher, you can get better result by using Tray A than Tray B.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p>				

Basis Weight		170				
Type		1-Sided Coated		Finish	1-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		215				
Type		1-Sided Coated		Finish	1-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:4 sheets max. Saddle Fold:Fold:Only 1sheet		Staple (Booklet)	Saddle Stitch:3 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.	
	Caution	<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.</p> <p>If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.</p>				

Basis Weight		250					
Type		1-Sided Coated		Finish	1-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.</p> <p>If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.</p>					

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.					

Basis Weight		240				
Type		Embossed		Finish	Embossed	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		170				
Type		Embossed		Finish	Embossed	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		175				
Type		Embossed		Finish	Embossed	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		90				
Type		Embossed		Finish	Embossed	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If the printed image is misaligned vertically as seen from the paper feeding direction, set to 'Off' for <Auto Adjust Left/Right Edge Alignment> in [Paper Settings] in [Preferences] (Settings/Registration).				

Basis Weight		250				
Type		Embossed		Finish	Embossed	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		200				
Type		Metallic Paper		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	No	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. If high density images are printed, uneven gloss may occur on the leading edge of the images. In this case, press [-] to decrease the gloss for [Gloss] in <Adjust Gloss/Fine Black>. It may solve this problem. If the printed image may become rough, adjust <Adjust Paper Realignment Speed>.				

Basis Weight		250				
Type		Embossed		Finish	Embossed	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		166				
Type		Film		Finish	Film/Transparency	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	No	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple		Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	
		Staple (Booklet)			Staple (Booklet)	
		Hole Punch			Hole Punch	
	High Capacity Stacker-J1	Sample Tray		Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray			Crease	No
		Pass through			Perforation	No
	Perfect Binder-F1			Paper Folding Unit-K1		
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1			Two-Knife Booklet Trimmer-B1		
	Caution					

Basis Weight		110				
Type		Film		Finish	Film/Transparency	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	No	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	No		Sensing Unit-B1	No	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
Caution	<p>Fan the sheets of paper well before loading them.</p> <p>If you load transparency into the Multi-drawer Paper Deck-C1, the traces of roller may appear on the surface. In this case, load transparency into the paper drawers or the Stack Bypass.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>A large amount of paper can not be loaded at a time because this may cause glue to stick to the inside of the machine or incorrect print results. If you use a large amount of paper, contact your local authorized Canon dealer and use a maximum of 1000 labels a week.</p> <p>To use this paper, set the paper type to [Labels (151 g/m2 to 180 g/m2)]. If a paper jam occurs, select [Labels (151 g/m2 to 180 g/m2)] in [Paper Type Management Settings] and duplicate it. Also, change the basis weight to [110 g/m2] in [Details/Edit] in [Basis Weight].</p>					

Basis Weight		100					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		
	Caution	Depending on the data for printing, the slightly uneven densities may appear on the output paper.					

Basis Weight		120			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the data for printing, the slightly uneven densities may appear on the output paper.			

Basis Weight		250					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper.					

Basis Weight		90				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
Caution						

Basis Weight		130				
Type		Label		Finish	Label	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	No	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	No				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. When you print on labels, make sure glue is not bulged out. If glue is bulged out, it may stick to the inside of the machine causing an unexpected image or paper jam.				

Basis Weight		115			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch NO
		Stack Tray	Yes		Crease NO
		Pass through	Yes		Perforation NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.
Caution		Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		When many paper dust adhere to the paper, clean them before printing. If you do not remove the paper dust, it may remain on output result.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		150			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		When many paper dust adhere to the paper, clean them before printing. If you do not remove the paper dust, it may remain on output result.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			
		If steaks appear around 80 mm from the leading edge of the printed paper, set the setting value in <Adjust Paper Curve> to the [-] side.			

Basis Weight		170					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.					
		When many paper dust adhere to the paper, clean them before printing. If you do not remove the paper dust, it may remain on output result.					
If steaks appear around 80 mm from the leading edge of the printed paper, set the setting value in <Adjust Paper Curve> to the [-] side.							

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. When many paper dust adhere to the paper, clean them before printing. If you do not remove the paper dust, it may remain on output result. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		250			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet) YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
Caution		<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>When many paper dust adhere to the paper, clean them before printing. If you do not remove the paper dust, it may remain on output result.</p>			

Basis Weight		115			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch NO
		Stack Tray	Yes		Crease NO
		Pass through	Yes		Perforation NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.
Caution		Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded.			
		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Depending on the data for printing, the slightly uneven densities may appear on the output paper.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Depending on the data for printing, the slightly uneven densities may appear on the output paper.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If steaks appear around 80 mm from the leading edge of the printed paper, set the setting value in <Adjust Paper Curve> to the [-] side.			

Basis Weight		150					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If steaks appear around 80 mm from the leading edge of the printed paper, set the setting value in <Adjust Paper Curve> to the [-] side.					

Basis Weight		170					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If steaks appear around 80 mm from the leading edge of the printed paper, set the setting value in <Adjust Paper Curve> to the [-] side.					

Basis Weight		200			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	No		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		300					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No	
		Hole Punch	No		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.					

Basis Weight		280				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		300				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	<p>Fan the sheets of paper well before loading them.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>When the lead edge and tail end of paper are scratched, load the lead edge and tail end reversely. It might reduce the scratch. In addition, when you output the paper from the finisher, you can get better result by using Tray A than Tray B.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p>				

Basis Weight		300				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	NO		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.				

Basis Weight		350				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	No	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
Caution	If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. If the printed image may become rough, adjust <Adjust Paper Realignment Speed>. If wrinkles appear, setting to a negative value <-> on <Adjust Gloss> may solve the problem.					

Basis Weight		135			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p>			

Basis Weight		170					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.					

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		250			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet) YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		135			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p>			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.				

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		250				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		167						
Type		Synthetic(Polypropylene)		Finish	2-Sided Coated			
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	No			
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes			
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	No			
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))			
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes			
	Automatic 2-Sided	Yes						
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	No	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No		
		Staple (Booklet)	No		Staple (Booklet)	No		
		Hole Punch	No		Hole Punch	No		
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No		
		Stack Tray	No		Crease	No		
		Pass through	Yes		Perforation	No		
	Perfect Binder-F1	No		Paper Folding Unit-K1	No			
	DFD Bridge/Adaptor	Yes						
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No			
	Caution	If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.						

Basis Weight		243				
Type		Synthetic(Polypropylene)		Finish	2-Sided Coated	
Paper Source	Engine Paper deck			Multi Drawer Deck-E1		
	POD Deck Lite-C1			POD Deck Lite-XL-A2		
	Stack Bypass Tray -D1			Document Insertion Unit-R1		
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple		Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	
		Staple (Booklet)			Staple (Booklet)	
		Hole Punch			Hole Punch	
	High Capacity Stacker-J1	Sample Tray		Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray			Crease	No
		Pass through			Perforation	No
	Perfect Binder-F1			Paper Folding Unit-K1		
	DFD Bridge/Adaptor					
	Booklet Trimmer-G1			Two-Knife Booklet Trimmer-B1		
	Caution					

Basis Weight		115			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch NO
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.
Caution		<p>Fan the sheets of paper well before loading them. Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p>			

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			
		If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		135					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the data for printing, the slightly uneven densities may appear on the output paper. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		150			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			
		If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		170					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].				

Basis Weight		250				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	<p>Fan the sheets of paper well before loading them.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.</p> <p>If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.</p>				

Basis Weight		300				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		160				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.					

Basis Weight		93					
Type		Film		Finish	Film/Transparency		
Paper Source	Engine Paper deck			Multi Drawer Deck-E1			
	POD Deck Lite-C1			POD Deck Lite-XL-A2			
	Stack Bypass Tray -D1			Document Insertion Unit-R1			
Automation	Inspection Unit-B1	No		Sensing Unit-B1	No		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple		Staple Finisher-AC1/ Booklet Finisher-AC2	Staple		
		Staple (Booklet)			Staple (Booklet)		
		Hole Punch			Hole Punch		
	High Capacity Stacker-J1	Sample Tray		Multi Function Professional Puncher-C1	Hole Punch	No	
		Stack Tray			Crease	No	
		Pass through			Perforation	No	
	Perfect Binder-F1			Paper Folding Unit-K1			
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1			Two-Knife Booklet Trimmer-B1			
	Caution	Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.					

Basis Weight		170				
Type		Film		Finish	Film/Transparency	
Paper Source	Engine Paper deck			Multi Drawer Deck-E1		
	POD Deck Lite-C1			POD Deck Lite-XL-A2		
	Stack Bypass Tray -D1			Document Insertion Unit-R1		
Automation	Inspection Unit-B1	No		Sensing Unit-B1	No	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple		Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	
		Staple (Booklet)			Staple (Booklet)	
		Hole Punch			Hole Punch	
	High Capacity Stacker-J1	Sample Tray		Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray			Crease	No
		Pass through			Perforation	No
	Perfect Binder-F1			Paper Folding Unit-K1		
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1			Two-Knife Booklet Trimmer-B1		
	Caution					

Basis Weight		60					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 5 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. (Cover: 64 g/m2 or more) Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	No	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. (Cover: 64 g/m2 or more) Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. (Cover: 64 g/m2 or more) Saddle Fold:5 sheets max.		
	Caution	Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded. Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		250				
Type		1-Sided Coated		Finish	1-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	<p>When you register this paper as the custom paper type, set the basis weight in the same value as [Heavy 5 (221 g/m2 to 256 g/m2)] on [Basis Weight] menu.</p> <p>When you do not register as custom paper type, set [Heavy 5] for the paper source you load them on [Preferences] > [Paper Settings] > [Paper Settings].</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p>				

Basis Weight		80					
Type		Recycled Paper		Finish	Recycled		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. You cannot use this paper as a cover sheet for perfect binding job. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. When the paper is creased, load the front side and back side reversely. It might reduce the crease. If the printed image may become rough, adjust <Adjust Paper Realignment Speed>.					

Basis Weight		100				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		160			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		Depending on the data for printing, the slightly uneven densities may appear on the output paper.			
		When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].			

Basis Weight		90				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		100				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending of the ambient environments (temperature or humidity) of the installed location, paper may not be delivered or multiple sheets of paper may be delivered.					

Basis Weight		120				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the data for printing, the slightly uneven densities may appear on the output paper. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending of the ambient environments (temperature or humidity) of the installed location, paper may not be delivered or multiple sheets of paper may be delivered.				

Basis Weight		160				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	YES
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
Caution	Fan the sheets of paper well before loading them. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. Depending of the ambient environments (temperature or humidity) of the installed location, paper may not be delivered or multiple sheets of paper may be delivered.					

Basis Weight		80					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. You cannot use this paper as a cover sheet for perfect binding job. Depending on the data for printing, the slightly uneven densities may appear on the output paper. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. Depending of the ambient environments (temperature or humidity) of the installed location, paper may not be delivered or multiple sheets of paper may be delivered.					

Basis Weight		90					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending of the ambient environments (temperature or humidity) of the installed location, paper may not be delivered or multiple sheets of paper may be delivered.					

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.				

Basis Weight		200					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper.					

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		
	Caution	<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Fan the sheets of paper well before loading them.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.</p> <p>If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.</p>					

Basis Weight		300				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet	
	Caution	<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Fan the sheets of paper well before loading them.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.</p> <p>If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.</p>				

Basis Weight		115				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.	
	Caution	Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. If paper with streaks is used, these streaks may appear clearly on the printed image. Make sure that paper has no streaks before loading.				

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].				

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].					

Basis Weight		300					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	No	
		Hole Punch	No		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		150			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	YES 2 sheets max.
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	YES Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.					
		If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.					
		If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.					
If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.							

Basis Weight		300					
Type		2-Sided Coated		Finish	2-Sided Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No	
		Hole Punch	No		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.					

Basis Weight		300				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time.				

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p>			

Basis Weight		150			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) YES Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		<p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p> <p>If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>.</p> <p>If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.</p>			

Basis Weight		170			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].			

Basis Weight		200			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		250				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		300				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	No	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		115				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.	
	Caution	Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded. Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.				

Basis Weight		130				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	<p>Fan the sheets of paper well before loading them.</p> <p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.</p> <p>If the machine is used in a high temperature and high humidity environment, a paper jam may occur. In this case, select [2-Sided Coated 1] on the paper selection screen. It may solve this problem.</p> <p>If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.</p>				

Basis Weight		130				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	No				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
	Caution	0				

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].				

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].				

Basis Weight		200			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time.			

Basis Weight		250				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		300				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet	
Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.					

Basis Weight		115				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.	
	Caution	Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded. Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin.				

Basis Weight		130			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>Fan the sheets of paper well before loading them.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p> <p>When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p>			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		200				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If low density images are on the tail end of the paper, the tail end of the images are faint or become dense. In this case, press [+] to increase the correction level for <Corr. Tail End Toner Applic>. If the Multi-drawer Paper Deck-C1 is used, select the lower deck. It may solve this problem.					

Basis Weight		300					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Staple (Booklet)	No	
		Hole Punch	No		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	No	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch : cover only Saddle Fold : Only 1sheet		
	Caution	Fan the sheets of paper well before loading them.					
		When you load the paper into the Stack Bypass, feed them one sheet at a time.					
Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.							
Depending on the data for printing, the slightly uneven densities may appear on the output paper.							
If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.							

Basis Weight		100				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them.				

Basis Weight		100				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	NO	
	POD Deck Lite-C1	NO		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	NO	
Automation	Inspection Unit-B1	Yes(対応していないモード有り)		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	NO	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	NO
		Staple (Booklet)	NO		Staple (Booklet)	NO
		Hole Punch	NO		Hole Punch	NO
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	NO		Crease	NO
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	NO		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	No				
	Booklet Trimmer-G1	NO		Two-Knife Booklet Trimmer-B1	NO	
Caution	0					

Basis Weight		110			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		120			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>Fan the sheets of paper well before loading them.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p>			

Basis Weight		140				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		150			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		170				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		190				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		250				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		300				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	YES		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them.				
Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.						
Depending on the data for printing, the slightly uneven densities may appear on the output paper.						
If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.						

Basis Weight		70					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	NO	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		80				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
Caution	Fan the sheets of paper well before loading them. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		90				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
Caution	Fan the sheets of paper well before loading them.					

Basis Weight		135			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			
		If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		300				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		200					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		250					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
		Hole Punch	No		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		300					
Type		2-Sided Coated		Finish	2-Sided Matte Coated		
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No	
		Hole Punch	No		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.					

Basis Weight		80			
Type		Punched		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple No
		Staple (Booklet)	No		Staple (Booklet) No
		Hole Punch	No		Hole Punch No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch No
		Stack Tray	Yes		Crease NO
		Pass through	Yes		Perforation No
	Perfect Binder-F1	No		Paper Folding Unit-K1	No
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No
Caution		Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper.			

Basis Weight		80				
Type		Punched		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	No	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them.				
		Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		80					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		90				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading				

Basis Weight		80				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading You cannot use this paper as a cover sheet for perfect binding job. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		75					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		80				
Type		Punched		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	No	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		80				
Type		Punched		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	No		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	No
		Stack Tray	Yes		Crease	NO
		Pass through	Yes		Perforation	No
	Perfect Binder-F1	No		Paper Folding Unit-K1	No	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	No		Two-Knife Booklet Trimmer-B1	No	
	Caution	Fan the sheets of paper well before loading them. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		80				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].				

Basis Weight		75				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
Caution	You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		80				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
	Caution	Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin.				

Basis Weight		80				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
	Caution	When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin. Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job.				

Basis Weight		80				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
	Caution	Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin.				

Basis Weight		80				
Type		Recycled Paper		Finish	Recycled	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes(Some features not supported))		Sensing Unit-B1	Yes(Some features not supported))	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	No
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.	
Caution	Depending on the data for printing, the slightly uneven densities may appear on the output paper. You cannot use this paper as a cover sheet for perfect binding job.					

Basis Weight		80					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading Depending on the data for printing, the slightly uneven densities may appear on the output paper. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level]. You cannot use this paper as a cover sheet for perfect binding job. When the paper jam, corner folding, or crease occurred, set to a negative value [-] on [Adjust Gloss/Fine Black] or expand the margin.					

Basis Weight		80			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple YES S:50 sheets max. L:30 sheets max.
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	YES
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.
Caution					

Basis Weight		100					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].					

Basis Weight		120			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			

Basis Weight		160			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.			

Basis Weight		200				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.				

Basis Weight		220				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:4 sheets max. Saddle Fold:Fold:Only 1sheet		Staple (Booklet)	Saddle Stitch:3 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.	
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		250				
Type		Uncoated		Finish	Uncoated	
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		280					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No	
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No	
		Hole Punch	YES		Hole Punch	No	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	Yes	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		
	Caution	Fan the sheets of paper well before loading them.					
		Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use.					
If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.							

Basis Weight		90					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].					

Basis Weight		120			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.
Caution		Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded.			
		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			

Basis Weight		140			
Type		2-Sided Coated		Finish	2-Sided Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		210				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:4 sheets max. Saddle Fold:Fold:Only 1sheet		Staple (Booklet)	Saddle Stitch:3 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	NO
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	NO
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:4 sheets max. Saddle Fold:4 sheets max.	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		250				
Type		2-Sided Coated		Finish	2-Sided Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	Fan the sheets of paper well before loading them. When you load the paper into the Stack Bypass, feed them one sheet at a time. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		120			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:10 sheets max. Saddle Fold:5 sheets max.
Caution		Use paper with paper grain parallel to the feeding direction. The corners of the paper may be folded.			
		When you load the paper into the Stack Bypass, feed them one sheet at a time.			
		Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.			
		When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].			

Basis Weight		140			
Type		2-Sided Coated		Finish	2-Sided Matte Coated
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:5 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>When you load the paper into the Stack Bypass, feed them one sheet at a time.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>If paper is severely curled because of the surrounding environment, specify [Curl Correction Level].</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p>			

Basis Weight		170				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:15 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper.				

Basis Weight		250				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet
		Hole Punch	No		Hole Punch	YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. Depending on the data for printing, the slightly uneven densities may appear on the output paper. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		280				
Type		2-Sided Coated		Finish	2-Sided Matte Coated	
Paper Source	Engine Paper deck	No		Multi Drawer Deck-E1	Yes	
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes	
	Stack Bypass Tray -D1	Yes one sheet at a time.		Document Insertion Unit-R1	Yes	
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes	
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes	
	Automatic 2-Sided	Yes				
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES cover only	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	No
		Staple (Booklet)	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Staple (Booklet)	No
		Hole Punch	No		Hole Punch	No
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes
		Stack Tray	Yes		Crease	Yes
		Pass through	Yes		Perforation	Yes
	Perfect Binder-F1	YES cover only		Paper Folding Unit-K1	NO	
	DFD Bridge/Adaptor	Yes				
	Booklet Trimmer-G1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:cover only Saddle Fold:Only 1sheet	
	Caution	When you load the paper into the Stack Bypass, feed them one sheet at a time. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed]. If enough toner is not applied in high density areas, and tiny dense spots appear, adjust the Secondary Transfer Voltage.				

Basis Weight		100					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:50 sheets max. L:30 sheets max. ECO-staple 3 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES Double Parallel Fold: NO		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. Depending on the surrounding environment, the paper may curl and cause paper jams. Paper which has been rolled or curled must be straightened out prior to use. Depending on the data for printing, the slightly uneven densities may appear on the output paper.					

Basis Weight		160			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:20 sheets max. L:10 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple 2 sheets max. ECO-staple No
		Staple (Booklet)	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:4 sheets max. Saddle Fold:Only 1sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease Yes
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES		Paper Folding Unit-K1	NO
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:5 sheets max. Saddle Fold:5 sheets max.
Caution		<p>Fan the sheets of paper well before loading them.</p> <p>Perfect Binder Compatibility - inserts only and up to 10 sheets of this paper can be inserted per one perfect binding job.</p> <p>Depending on the data for printing, the slightly uneven densities may appear on the output paper.</p>			

Basis Weight		80					
Type		Uncoated		Finish	Uncoated		
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes		
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes		
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes		
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes		
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes		
	Automatic 2-Sided	Yes					
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:100 sheets max. L:50 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple	Staple S:65 sheets max. L:40 sheets max. ECO-staple 4 sheets max.	
		Staple (Booklet)	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet)	Saddle Stitch:20 sheets max. Saddle Fold:Only 3sheet	
		Hole Punch	YES		Hole Punch	YES	
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch	Yes	
		Stack Tray	Yes		Crease	No	
		Pass through	Yes		Perforation	Yes	
	Perfect Binder-F1	YES 10 to 200 sheets		Paper Folding Unit-K1	YES		
	DFD Bridge/Adaptor	Yes					
	Booklet Trimmer-G1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:25 sheets max. Saddle Fold:5 sheets max.		
	Caution	Fan the sheets of paper well before loading them. You cannot use this paper as a cover sheet for perfect binding job. Depending on the data for printing, the slightly uneven densities may appear on the output paper. When the printed image may become rough, set to a negative value [-] on [Adj. Paper Realignment Speed].					

Basis Weight		90			
Type		Uncoated		Finish	Uncoated
Paper Source	Engine Paper deck	Yes		Multi Drawer Deck-E1	Yes
	POD Deck Lite-C1	Yes		POD Deck Lite-XL-A2	Yes
	Stack Bypass Tray -D1	Yes		Document Insertion Unit-R1	Yes
Automation	Inspection Unit-B1	Yes		Sensing Unit-B1	Yes
How to Finish	1-Sided (FU)	Yes		1-Sided (FD)	Yes
	Automatic 2-Sided	Yes			
	Staple Finisher-AG1/ Booklet Finisher-AG1	Staple	YES S:60 sheets max. L:30 sheets max.	Staple Finisher-AC1/ Booklet Finisher-AC2	Staple Staple S:65 sheets max. L:40 sheets max. ECO-staple 3 sheets max.
		Staple (Booklet)	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Staple (Booklet) Saddle Stitch:10 sheets max. Saddle Fold:Only 3sheet
		Hole Punch	YES		Hole Punch YES
	High Capacity Stacker-J1	Sample Tray	Yes	Multi Function Professional Puncher-C1	Hole Punch Yes
		Stack Tray	Yes		Crease No
		Pass through	Yes		Perforation Yes
	Perfect Binder-F1	YES 10 to 150 sheets		Paper Folding Unit-K1	YES
	DFD Bridge/Adaptor	Yes			
	Booklet Trimmer-G1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.		Two-Knife Booklet Trimmer-B1	YES Saddle Stitch:15 sheets max. Saddle Fold:5 sheets max.
Caution		Fan the sheets of paper well before loading them. Depending on the data for printing, the slightly uneven densities may appear on the output paper.			