



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *			
Commercial name *	PIXMA		
Model number *	iP8750		
Issue date *	2014/03/11		
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	iP8750	
Issue date *	2014/03/11	Logo

Product environmental attributes - Legal requirements			emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			\square
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\square
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			\boxtimes
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			\square
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * iP8750		iP8750				
Issue dat	te *	2014/03/11	Logo			
Product environmental attributes - Market requirements - Environmental conscious design Requirement m						
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatment information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design Disasse	mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\square		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\boxtimes}$		
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	g can be done using commonly available tools		Ē	Ē	X
P7.9.		nrts are available after end of production for: years				
P7.10		s available after end of production for: years				
17.10		and substance requirements				
P7.11*		cover/housing material type:				
		type: PS-HI Material type: ABS Material	al type:			
P7.12		I cable insulation material of power cables are halogen free (including PVC). (See N				
P7.13		I cable insulation material of signal cables are halogen free (including PVC). (See N			H	
P7.14		/housing plastic parts >25g are halogen free. (See Note 1)		<u> </u>	⊢⊢	
P7.15				<u> </u>	╞	
	All printed circuit boards (without components) >25g are halogen free. (See Note 2)					
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17		I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: ,	nts): CAS #:			
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) > 3-4:	25g according			
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: t: No legal limits exist, this is a market requirement.	tions in			
	2. Chem	cal name: , CAS #:				
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Of total p	lastic parts' weight >25g, recycled material content is %.				
P7.20	Of total p	lastic parts' weight >25g, biobased material content is %.				[
P7.21		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batteries					
P8.1*		hemical composition:				\square
P8.2		meet the requirements of the following voluntary program/s:				

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	iP8750		
Issue date *	2014/03/11	Logo	

	ct environmental	attributes - Market	requirements (c	continued)	Requirement me
Item	-				Yes No n.
P9	Energy consum				
9.1	For the product th	ne following power levels	s or energy consun	nptions have been	n measured:
Energy	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *
Sleep		W	W	0.91 W	OM mode in ENERGY STAR Program for Imaging Equipment
Standby	у	W	W	0.24 W	OM mode in ENERGY STAR Program for Imaging Equipment
		W	W	W	
		W	W	W	
		W	W	W	
		W	W	W	
EPS No	-load	W	W	W	
charger outlet bu the prod	al power supply / plugged in the wall ut disconnected fron luct.)	n			
PTEC * Typical	Energy Consumptio	W	W	W	Σ
TEC * Typical	Energy Consumptio	kWh/week	kWh/weeł	kWh/we	eek 🛛
Default 1	time to enter energy	/ save mode: mir	lutes		
P9.2*		the energy save function	on is provided with	the product.	
P9.3*	The product meet ENERGY STAR® Others specify:	ts the energy requireme version 2.0 Tier:	nts of the following	voluntary prograr	n/s:
P10	Emissions				
	Noise emission – Declared according to ISO 9296				
P10.1		Mode description		Declared	Declared A-weighted
				A-weighted sound power	sound pressure level $L_{p{ m Am}}$ (dB)
				level L_{WAd} (B)	Operator position Bystander positions
				ICVCI LWAd (D)	Desktop (only if product is not
					or Desk side operator attended)
	Idle	*		*	Z
	Operation	* operation mode in E	CMA-74	* 5.9	
	Other mode				
	Measured accord	ing to: ISO7779	ECMA-74 (only if not covere	d by ECMA-74 wit	th L _{pAm} measurement distance m)
P10.2					
	Chemical emissions from printing products				
P10.3*					
P10.4		rate (print phase) is (mg		TVOC	L
P10.5		cone Styrene on requirements of the fo	Benzene Benzene		are met for :
0.0		•	Dust	Ozon	
	Benzene				
	Electromagnetic				
P10.6		meets the requirement	for low frequency	electromagnetic fie	elds of the following voluntary
	program/s:				

Model number *	iP8750		
Issue date *	2014/03/11	Logo	

Produc	Require	ment	met		
Item		Yes	No	n.a.	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\times	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s):Corrugated Paperweight (kg):1.7197Product packaging material type(s):EPSweight (kg):0.21225Product packaging material type(s):PEweight (kg):0.2662				
P13.2*	 Product plastic packaging is halogen free (including PVC). (See Note 1) 				
P13.3*	Specify media for user and product documentation (tick box): Electronic				
P13.4*	* For paper user and product documentation, please specify contained percentage of post-consumer recycled				
P14	Additional information				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1